

HIGHTEC ÖLBINDEMITTEL

Natural binders for use in industry, businesses and municipalities in indoor and outdoor areas under harsh operating conditions as well as for use on roads and traffic areas.

Description

HIGHTEC ÖLBINDEMITTEL rapidly binds various liquids and is very economical. It meets the requirements of the Federal Ministry for the Environment and Nuclear Safety as an oil binder type III R in Germany. The balanced and low-dust granule composition with a large pore volume guarantees high absorption of various liquids such as oils, lubricants and solvents. The granules are characterised by a high mechanical stability and slip resistance, even under moist conditions. The fine-grained particle size enables HIGHTEC ÖLBINDEMITTEL to be easily scattered.

Application

Scatter approximately 1 cm of HIGHTEC ÖLBINDEMITTEL onto the liquid to be eliminated. The exact amount depends on the amount of liquid to be absorbed. The liquid is soaked up by the granules, which bind the liquid tightly. Collect used oil binders and dispose of them properly. The soaking-up effect can be improved and accelerated even further by sweeping the granules back and forth with a hard broom.

Advantages

- Suitable for indoor and outdoor areas
- Reliable absorption of various liquids such as oils, lubricants and solvents
- Rapid action and very economical
- High mechanical stability and slip resistance

Notes

- Please observe the wind direction and speed as well as the general safety precautions when pouring out the granules. The relevant provisions and statutory regulations that apply to the absorptively bound material regarding disposal measures after use must be observed.



Typical characteristics

Property	Method	Unit	Value
Content / bag	kg	-	~20
Oil absorption / bag	l	-	~16
Bulk weight	g/l	-	479
Grain size	mm	-	0,125 - 1,0

These characteristics are typical for current production. The data does not constitute an assurance of properties or a guarantee of suitability for a specific application. Existing legal provisions and regulations that affect handling and usage of the products must be observed by the recipient of our products. ROWE products are continuously being developed. For this reason, ROWE retains the right to change all technical data in this product information at any time without prior announcement. Our current General Delivery and Payment Conditions apply (www.rowe-oil.com).

