

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

HIGHTEC 2-T SCOOTER

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

2-T Motor oil

1.3. Details of the supplier of the safety data sheet

| | | |
|-----------------|-------------------------|-------------------------------|
| Company name: | ROWE Mineralölwerk GmbH | |
| Street: | Langgewann 101 | |
| Place: | D-67547 Worms | |
| Telephone: | +49 (0)6241 5906-0 | Telefax: +49 (0)6241 5906-999 |
| E-mail: | info@rowe-oil.com | |
| Contact person: | Product Compliance | |
| E-mail: | sdb@rowe-oil.com | |
| Internet: | www.rowe-oil.com | |

1.4. Emergency telephone number:

Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH208 Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 2 of 11

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|-------------|--|----------|------------------|---------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| | Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics | | | 5 - < 15 % |
| | 934-954-2 | | 01-2119826592-36 | |
| | Asp. Tox. 1; H304 | | | |
| 869062-45-3 | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics | | | 5 - < 15 % |
| | 920-107-4 | | 01-2119453414-43 | |
| | Asp. Tox. 1; H304 EUH066 | | | |
| | C14-C16-C18 Alkylphenole | | | 0.1 - < 0.3 % |
| | 931-468-2 | | 01-2119498288-19 | |
| | Skin Sens. 1, STOT RE 2; H317 H373 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-------------|---|--|---------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| | 934-954-2 | Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics | 5 - < 15 % |
| | dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 5000 mg/kg | | |
| 869062-45-3 | 920-107-4 | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics | 5 - < 15 % |
| | dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 15000 mg/kg | | |
| | 931-468-2 | C14-C16-C18 Alkylphenole | 0.1 - < 0.3 % |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg | | |

SECTION 4: First aid measures
4.1. Description of first aid measures
After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 3 of 11

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

2-T Motor oil

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 4 of 11

8.1. Control parameters

DNEL/DMEL values

| CAS No | Substance | | |
|------------------------|--------------------------|----------|------------------------|
| DNEL type | Exposure route | Effect | Value |
| | C14-C16-C18 Alkylphenole | | |
| Worker DNEL, long-term | inhalation | systemic | 1,17 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 0,3 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|--|--------------------------|--|
| Environmental compartment | Value | |
| | C14-C16-C18 Alkylphenole | |
| Freshwater | 0,1 mg/l | |
| Freshwater (intermittent releases) | 1 mg/l | |
| Marine water | 0,01 mg/l | |
| Freshwater sediment | 4266,16 mg/kg | |
| Marine sediment | 426,62 mg/kg | |
| Secondary poisoning | 3,3 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) | 100 mg/l | |
| Soil | 852,58 mg/kg | |

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|----------------|
| Physical state: | Liquid |
| Colour: | yellow |
| Odour: | characteristic |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 5 of 11

Test method

| | | |
|---|---------------------------|--------------|
| Melting point/freezing point: | not determined | |
| Boiling point or initial boiling point and boiling range: | not determined | |
| Flammability: | Not readily combustible. | |
| Lower explosion limits: | not determined | |
| Upper explosion limits: | not determined | |
| Flash point: | >100 °C | DIN ISO 2592 |
| Auto-ignition temperature: | not determined | |
| Decomposition temperature: | not determined | |
| pH-Value: | not applicable | DIN 51369 |
| Viscosity / kinematic: (at 40 °C) | ~ 58 mm ² /s | DIN 51562 |
| Water solubility: (at 20 °C) | practically insoluble | |
| Solubility in other solvents not determined | | |
| Partition coefficient n-octanol/water: | not determined | |
| Vapour pressure: (at 20 °C) | <0,1 hPa | calculated. |
| Density (at 15 °C): | ~ 0,864 g/cm ³ | DIN 51757 |
| Relative vapour density: | not determined | |
| Particle characteristics: | not relevant | |

9.2. Other information
Other safety characteristics

| | | |
|-------------|----------|--------------|
| Pour point: | ~ -24 °C | DIN ISO 3016 |
|-------------|----------|--------------|

SECTION 10: Stability and reactivity
10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 6 of 11

| CAS No | Chemical name | | | | |
|-------------|--|--------------------|---------|---------------------|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| | Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Study report (1983) | OECD Guideline 401 |
| | dermal | LD50 > 3160 mg/kg | Rabbit | Study report (1983) | OECD Guideline 402 |
| 869062-45-3 | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics | | | | |
| | oral | LD50 > 15000 mg/kg | Rat | Study report (1977) | OECD Guideline 401 |
| | dermal | LD50 > 3160 mg/kg | Rabbit | Study report (1984) | OECD Guideline 402 |
| | C14-C16-C18 Alkylphenole | | | | |
| | oral | LD50 > 2000 mg/kg | Rat | REACH Dossier | OECD 423 |
| | dermal | LD50 > 2000 mg/kg | Rat | REACH Dossier | OECD 402 |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

 Based on available data, the classification criteria are not met.
 Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

 Based on available data, the classification criteria are not met.
 The product is not classified.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

not applicable

11.2. Information on other hazards
Further information

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

SECTION 12: Ecological information
12.1. Toxicity

 Based on available data, the classification criteria are not met.
 The product is not: Ecotoxic.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 7 of 11

| CAS No | Chemical name | | | | | |
|-------------|--|------------------|-----------|---------|---|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| | Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics | | | | | |
| | Acute fish toxicity | LL50 mg/l | > 1028 | 96 h | Scophthalmus maximus | Study report (2002) other: "Guideline for measuring the acute" |
| | Acute algae toxicity | ErC50 mg/l | > 10000 | 72 h | Skeletonema costatum | Study report (1997) ISO 10253 |
| | Acute crustacea toxicity | EL50 mg/l | > 3190 | 48 h | other aquatic arthropod: Acartia tonsa | Study report (2008) other: ISO 14669 - 1999 Water quality - |
| | Fish toxicity | NOEC mg/l | > 1000 | 28 d | Oncorhynchus mykiss | Company report (2010) The aquatic toxicity was estimated by a |
| | Crustacea toxicity | NOEC mg/l | > 1000 | 21 d | Daphnia magna | Company report (2010) The aquatic toxicity was estimated by a |
| | Acute bacteria toxicity | EC50 mg/l () | > 100 | 3 h | activated sludge of a predominantly domestic sewage | Study report (1994) OECD Guideline 209 |
| 869062-45-3 | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics | | | | | |
| | Acute algae toxicity | ErC50 mg/l | > 1000 | 72 h | Pseudokirchneriella subcapitata | REACH Registration Dossier OECD Guideline 201 |
| | Crustacea toxicity | NOEC mg/l | > 1000 | 21 d | Daphnia magna (Big water flea) | REACH Registration Dossier The aquatic toxicity was estimated by a |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential
Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-------------|--|------------|
| 869062-45-3 | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics | >= 5,03 |
| | C14-C16-C18 Alkylphenole | > 16000000 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|-------------|--|----------|---------|----------------------|
| 869062-45-3 | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics | >= 207,7 | | REACH Registration D |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 8 of 11

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - contaminated packaging

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 9 of 11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,9,12,16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 10 of 11

Abbreviations and acronyms

Asp. Tox: Aspiration hazard
 Skin Sens: Skin sensitisation
 STOT RE: Specific target organ toxicity - repeated exposure
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety
 assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

| | |
|--------|--|
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| EUH208 | Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC 2-T SCOOTER

Revision date: 06.04.2023

Product code: 20030

Page 11 of 11

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)