

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

HIGHTEC POWER BOAT 2-T

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

2-T Motor oil

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	

1.4. Emergency telephone number:

Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling**

EUH210 Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 2 of 14

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1174522-45-2	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (international CAS 68551-20-2)			5 - < 15 %
	934-954-2		01-2119826592-36	
	Asp. Tox. 1; H304			
869062-45-3	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics			5 - < 15 %
	920-107-4		01-2119453414-43	
	Asp. Tox. 1; H304 EUH066			
	Phenol, (dimethylamino)methyl-,polyisobutylene derivs. (polymer)			5 - < 15 %
	Aquatic Chronic 3; H412			
68784-17-8	Isooctadecanoic acid, reaction products with tetraethylenepentamine			1 - < 2.5 %
	701-204-9		01-2119960832-33	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
	Mineral Oil (CAS 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0) (< 3 % DMSO-extract, IP 346 conform)			1 - < 2.5 %
	Asp. Tox. 1; H304			
	Hydrocarbon, C10, aromatic, >1% naphthalene			0.3 - < 1 %
	919-284-0		01-2119463588-24	
	Carc. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H351 H336 H304 H411 EUH066			
91-20-3	naphthalene			0.1 - < 0.3 %
	202-049-5	601-052-00-2	01-2119561346-37	
	Flam. Sol. 2, Carc. 2, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H228 H351 H302 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1174522-45-2	934-954-2	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (international CAS 68551-20-2)	5 - < 15 %
	oral: LD50 = > 5000 mg/kg		
869062-45-3	920-107-4	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	5 - < 15 %
	dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 15000 mg/kg		
68784-17-8	701-204-9	Isooctadecanoic acid, reaction products with tetraethylenepentamine	1 - < 2.5 %
	oral: LD50 = > 5000 mg/kg		
	919-284-0	Hydrocarbon, C10, aromatic, >1% naphthalene	0.3 - < 1 %
	oral: LD50 = 10650 mg/kg		
91-20-3	202-049-5	naphthalene	0.1 - < 0.3 %
	inhalation: LC50 = > 77,7 mg/l (vapours); dermal: LD50 = > 16000 mg/kg; oral: LD50 = 710 mg/kg		

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

When in doubt or if symptoms are observed, get medical advice.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 3 of 14

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet. Foam. Carbon dioxide (CO₂).
Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Combustible. Non-flammable.
In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Pyrolysis products, toxic.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

6.3. Methods and material for containment and cleaning up**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. Stop leak if safe to do so.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 4 of 14

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with eyes and skin. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store in a dry place.

Hints on joint storage

Do not store together with: Oxidizing agent, Reducing agent, Strong acid, Strong alkali.

Further information on storage conditions

Keep away from heat.

maximum storage temperature: 80 °C

7.3. Specific end use(s)

2-T Motor oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	
91-20-3	Naphthalene	10	50		TWA (8 h)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 5 of 14

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified (Note L)		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
64742-62-7	Residual oils (petroleum), solvent-dewaxed; Baseoil - unspecified (Note L)		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
68784-17-8	Isooctadecanoic acid, reaction products with tetraethylenepentamine		
Worker DNEL, long-term	inhalation	systemic	11,75 mg/m ³
Worker DNEL, long-term	dermal	systemic	3,33 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	2,9 mg/m ³
Consumer DNEL, long-term	dermal	systemic	1,67 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	1,67 mg/kg bw/day
	Hydrocarbon, C10, aromatic, >1% naphthalene		
Worker DNEL, long-term	inhalation	systemic	151 mg/m ³
Worker DNEL, long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	32 mg/m ³
Consumer DNEL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	7,5 mg/kg bw/day
91-20-3	naphthalene		
Worker DNEL, long-term	inhalation	systemic	25 mg/m ³
Worker DNEL, long-term	inhalation	local	25 mg/m ³
Worker DNEL, long-term	dermal	systemic	3,57 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 6 of 14

PNEC values

CAS No	Substance	Value
Environmental compartment		
64742-62-7	Residual oils (petroleum), solvent-dewaxed; Baseoil - unspecified (Note L)	
Secondary poisoning		9,33 mg/kg
68784-17-8	Isooctadecanoic acid, reaction products with tetraethylenepentamine	
Freshwater		0,46 mg/l
Freshwater (intermittent releases)		0,94 mg/l
Marine water		0,046 mg/l
Freshwater sediment		38100 mg/kg
Marine sediment		3810 mg/kg
Secondary poisoning		33,3 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		10 mg/kg
91-20-3	naphthalene	
Freshwater		0,0024 mg/l
Freshwater (intermittent releases)		0,02 mg/l
Marine water		0,0024 mg/l
Freshwater sediment		0,0672 mg/kg
Marine sediment		0,0672 mg/kg
Micro-organisms in sewage treatment plants (STP)		2,9 mg/l
Soil		0,0533 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment
Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 7 of 14

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	greenish blue
Odour:	characteristic
Odour threshold:	not determined

	Test method
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	Not readily combustible.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	142 °C DIN ISO 2592
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not applicable
Viscosity / kinematic: (at 40 °C)	~ 70 mm ² /s ASTM D 7042
Water solubility: (at 20 °C)	practically insoluble
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	<0,1 hPa calculated.
Density (at 15 °C):	~ 0,87 g/cm ³ ASTM D 7042
Relative vapour density:	not determined
Particle characteristics:	not relevant

9.2. Other information
Other safety characteristics

Pour point: ~ -35 °C DIN EN ISO 3016

Further Information

No information available.

SECTION 10: Stability and reactivity
10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Oxidizing agent, Reducing agent, Strong acid, Strong alkali.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 8 of 14

10.6. Hazardous decomposition products

 In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Pyrolysis products, toxic.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1174522-45-2	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (international CAS 68551-20-2)				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD Guideline 401
869062-45-3	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 > 15000 mg/kg	Rat	Study report (1977)	OECD Guideline 401
	dermal	LD50 > 3160 mg/kg	Rabbit	Study report (1984)	OECD Guideline 402
68784-17-8	Isooctadecanoic acid, reaction products with tetraethylenepentamine				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD Guideline 401
	Hydrocarbon, C10, aromatic, >1% naphthalene				
	oral	LD50 10650 mg/kg	Rat	ECHA	OECD Guideline 420
91-20-3	naphthalene				
	oral	LD50 710 mg/kg	Mouse	ECHA	OECD Guideline 401
	dermal	LD50 > 16000 mg/kg	Rat	ECHA	OECD Guideline 402
	inhalation (4 h) vapour	LC50 > 77,7 mg/l	Rat	ECHA	EPA TSCA

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 9 of 14

Information on likely routes of exposure

Inhalation, oral, Skin contact, Eye contact.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No information available.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 10 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1174522-45-2	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (international CAS 68551-20-2)					
	Acute fish toxicity	LL50 > 1028 mg/l	96 h	Scophthalmus maximus	ECHA	
	Acute algae toxicity	ErC50 > 10000 mg/l	72 h	Skeletonema costatum	ECHA	ISO 10253
	Acute crustacea toxicity	EL50 > 3190 mg/l	48 h	other aquatic arthropod: Acartia tonsa	ECHA	ISO 14669
	Fish toxicity	NOEC > 1000 mg/l	28 d	Oncorhynchus mykiss	ECHA	
	Crustacea toxicity	NOEC > 1000 mg/l	21 d	Daphnia magna	ECHA	
	Acute bacteria toxicity	EC50 > 100 mg/l ()	3 h	activated sludge of a predominantly domestic sewage	ECHA	OECD Guideline 209
869062-45-3	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics					
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Registration Dossier	OECD Guideline 201
	Crustacea toxicity	NOEC > 1000 mg/l	21 d	Daphnia magna (Big water flea)	REACH Registration Dossier	The aquatic toxicity was estimated by a
	Phenol, (dimethylamino)methyl-, polyisobutylene derivs. (polymer)					
	Acute fish toxicity	LC50 31 mg/l	96 h	Pimephales promelas (fathead minnow)	Pre-supplier/manufacturer	
68784-17-8	Isooctadecanoic acid, reaction products with tetraethylenepentamine					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Pimephales promelas	ECHA	EPA OTS 797.1400
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	ECHA	OECD Guideline 202
	Crustacea toxicity	NOEC 32 mg/l	14 d	Daphnia magna	ECHA	OECD Guideline 211
	Acute bacteria toxicity	EC50 > 1000 mg/l ()	3 h	activated sludge of a predominantly domestic sewage	ECHA	OECD Guideline 209
	Hydrocarbon, C10, aromatic, >1% naphthalene					
	Acute algae toxicity	ErC50 > 1 - < 3 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	OECD Guideline 201
	Fish toxicity	NOEC 0,487 mg/l	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	
	Crustacea toxicity	NOEC 0,851 mg/l	21 d	Daphnia magna	CONCAWE, Brussels, Belgium (2010)	
91-20-3	naphthalene					
	Acute algae toxicity	ErC50 0,45 mg/l	72 h	Skeletonema costatum	Mar Environ Res 11, 183-200 (1984)	

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 11 of 14

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
869062-45-3	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 5,03
68784-17-8	Isooctadecanoic acid, reaction products with tetraethylenepentamine	ca. 45,8
91-20-3	naphthalene	3,4

BCF

CAS No	Chemical name	BCF	Species	Source
869062-45-3	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 207,7		REACH Registration D
91-20-3	naphthalene	36,5 - 168	Cyprinus carpio	

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - contaminated packaging

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information
Land transport (ADR/RID)
14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 12 of 14

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,8,9,10,11,13,14,15,16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 13 of 14

Abbreviations and acronyms

Flam. Sol. 2: Flammable solids, hazard category 2
Acute Tox. 4: Acute toxicity, hazard category 4
Asp. Tox. 1: Aspiration hazard, hazard category 1
Skin Irrit. 2: Skin irritation, hazard category 2
Eye Irrit. 2: Eye irritation, hazard category 2
Carc. 2: Carcinogenicity, hazard category 2
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

Relevant H and EUH statements (number and full text)

H228 Flammable solid.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC POWER BOAT 2-T

Revision: 02.02.2026

Product code: 20078

Page 14 of 14

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH210	Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)