

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Gear oil

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	

1.4. Emergency telephone number:

Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Polysulfides, di-tert-Bu
Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)
Magnesium metaborate
Amines, C10-14-tert-alkyl

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 2 of 16

P302+P352 IF ON SKIN: Wash with plenty of Water and soap.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P501 Dispose of contents/container to of the disposal according to local regulations.

2.3. Other hazards

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
68937-96-2	Polysulfides, di-tert-Bu	2.5 - < 5 %
	273-103-3	
	01-2119540515-43	
	Skin Sens. 1B, Aquatic Chronic 3; H317 H412	
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	1 - < 2.5 %
	931-384-6	
	01-2119493620-38	
	Acute Tox. 4, Eye Irrit. 2, Skin Sens. 1B, Aquatic Chronic 2; H302 H319 H317 H411	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %
	265-157-1	
	649-467-00-8	
	01-2119484627-25	
	Asp. Tox. 1; H304	
13703-82-7	Magnesium metaborate	0.3 - < 1 %
	237-235-5	
	01-2120769073-53	
	Skin Sens. 1B; H317	
	Amines, C10-14-tert-alkyl	0.3 - < 1 %
	701-175-2	
	01-2119456798-18	
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H302 H314 H318 H317 H400 H410	
74499-35-7	phenol, (tetrapropenyl) derivatives	< 0.1 %
	616-100-8	
	604-092-00-9	
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410	

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 3 of 16

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
68937-96-2	273-103-3	Polysulfides, di-tert-Bu	2.5 - < 5 %
		Skin Sens. 1B; H317: >= 46 - 100	
	931-384-6	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	1 - < 2.5 %
		oral: LD50 = 2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100 Skin Sens. 1B; H317: >= 9,39 - 100	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
13703-82-7	237-235-5	Magnesium metaborate	0.3 - < 1 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Skin Sens. 1B; H317: >= 15 - 100	
	701-175-2	Amines, C10-14-tert-alkyl	0.3 - < 1 %
		inhalation: LC50 = 1,19 mg/l (vapours); dermal: LD50 = 251 mg/kg; oral: LD50 = 552 mg/kg	
74499-35-7	616-100-8	phenol, (tetrapropenyl) derivatives	< 0.1 %
		dermal: LD50 = 15000 mg/kg; oral: LD50 = 2200 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	

SECTION 4: First aid measures
4.1. Description of first aid measures
After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 4 of 16

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Gear oil

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 5 of 16

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 6 of 16

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
68937-96-2	Polysulfides, di-tert-Bu			
Worker DNEL, long-term		inhalation	systemic	3,29 mg/m ³
Worker DNEL, long-term		dermal	systemic	4,67 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,58 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1,67 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,167 mg/kg bw/day
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)			
Worker DNEL, long-term		inhalation	systemic	4,28 mg/m ³
Worker DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,09 mg/m ³
Consumer DNEL, long-term		dermal	systemic	6,25 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Consumer DNEL, long-term		inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
13703-82-7	Magnesium metaborate			
Worker DNEL, long-term		inhalation	systemic	5,49 mg/m ³
Worker DNEL, long-term		dermal	systemic	7,78 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,82 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,278 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,28 mg/kg bw/day
	Amines, C10-14-tert-alkyl			
Worker DNEL, long-term		inhalation	systemic	12,5 mg/m ³
Worker DNEL, long-term		inhalation	local	12,1 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	2,5 mg/m ³
Consumer DNEL, long-term		inhalation	local	1,2 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,35 mg/kg bw/day
74499-35-7	phenol, (tetrapropenyl) derivatives			
Worker DNEL, long-term		inhalation	systemic	0,053 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 7 of 16

Worker DNEL, long-term	dermal	systemic	0,25 mg/kg bw/day
------------------------	--------	----------	----------------------

PNEC values

CAS No	Substance	Value
Environmental compartment		
68937-96-2	Polysulfides, di-tert-Bu	
Freshwater		0,00024 mg/l
Marine water		0,000024 mg/l
Freshwater sediment		0,94 mg/kg
Marine sediment		0,094 mg/kg
Secondary poisoning		6,66 mg/kg
Micro-organisms in sewage treatment plants (STP)		4,51 mg/l
Soil		0,0181 mg/kg
Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)		
Freshwater		0,0024 mg/l
Freshwater (intermittent releases)		0,15 mg/l
Marine water		0,00024 mg/l
Freshwater sediment		0,0129 mg/kg
Marine sediment		0,00129 mg/kg
Secondary poisoning		10 mg/kg
Micro-organisms in sewage treatment plants (STP)		24,33 mg/l
Soil		0,00117 mg/kg
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
13703-82-7	Magnesium metaborate	
Freshwater		0,05 mg/l
Freshwater (intermittent releases)		0,5 mg/l
Marine water		0,05 mg/l
Freshwater sediment		1,38 mg/kg
Marine sediment		1,38 mg/kg
Secondary poisoning		1,67 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,247 mg/kg
Amines, C10-14-tert-alkyl		
Freshwater		0,001 mg/l
Freshwater (intermittent releases)		0,004 mg/l
Marine water		0 mg/l
Freshwater sediment		2,14 mg/kg
Marine sediment		0,214 mg/kg
Secondary poisoning		4,71 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,635 mg/l
Soil		0,428 mg/kg

8.2. Exposure controls

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 8 of 16



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	brown
Odour:	characteristic

	Test method
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	Not readily combustible.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 200 °C ISO 2592
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not applicable DIN 51369
Viscosity / kinematic: (at 100 °C)	~ 28 mm ² /s DIN 51562
Water solubility: (at 20 °C)	practically insoluble
Solubility in other solvents Soluble in hydrocarbons (mineral oil.)	
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	<0,1 hPa calculated.
Density (at 15 °C):	0,873 g/cm ³ DIN 51757
Relative vapour density:	not determined
Particle characteristics:	not applicable not relevant

9.2. Other information

Information with regard to physical hazard classes

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 9 of 16

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Further Information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 109839 mg/kg; ATE (dermal) 62509 mg/kg; ATE (inhalation vapour) 296,4 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 10 of 16

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)				
	oral	LD50 2000 mg/kg	Rat	REACH Dossier	OECD 401
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	oral	LD50 > 5000 mg/kg	Rat	REACH Dossier	OECD 401
	dermal	LD50 > 5000 mg/kg	Rabbit	REACH Dossier	OECD 402
13703-82-7	Magnesium metaborate				
	oral	LD50 > 2000 mg/kg	Rat	REACH Dossier	OECD 420
	dermal	LD50 > 2000 mg/kg	Rat	REACH Dossier	OECD 402
	Amines, C10-14-tert-alkyl				
	oral	LD50 552 mg/kg	Mouse	Study report (2000)	OECD Guideline 401
	dermal	LD50 251 mg/kg	Rat	Study report (1993)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 1,19 mg/l	Rat	Study report (2001)	OECD Guideline 403
74499-35-7	phenol, (tetrapropenyl) derivatives				
	oral	LD50 2200 mg/kg	Rat	Pre-supplier/manufacturer	OECD 401
	dermal	LD50 15000 mg/kg	Rabbit	Pre-supplier/manufacturer	OECD 402

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Polysulfides, di-tert-Bu; Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched); Magnesium metaborate; Amines, C10-14-tert-alkyl)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. No information available.

SECTION 12: Ecological information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 11 of 16

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68937-96-2	Polysulfides, di-tert-Bu					
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Algae	Pre-supplier/manu facturer
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)					
	Acute fish toxicity	LC50	8,5 mg/l	96 h	Pimephales promelas (fathead minnow)	REACH Dossier OECD 203
	Acute algae toxicity	ErC50	6,4 mg/l	96 h	Pseudokirchneriella subcapitata	REACH Dossier OECD 201
	Crustacea toxicity	NOEC	0,12	21 d	Daphnia magna (Big water flea)	REACH Dossier OECD 211
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LL50	> 100	96 h	Pimephales promelas (fathead minnow)	REACH Dossier OECD 203
	Acute algae toxicity	ErC50	> 100	72 h	Pseudokirchneriella subcapitata	REACH Dossier OECD 201
	Acute crustacea toxicity	EL50	> 10000	48 h	Daphnia magna (Big water flea)	REACH Dossier OECD 202
	Fish toxicity	NOEC	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACH Dossier QSAR
	Crustacea toxicity	NOEC	> 10	21 d	Daphnia magna (Big water flea)	REACH Dossier OECD 211
	Amines, C10-14-tert-alkyl					
	Acute algae toxicity	ErC50	0,44	72 h	Pseudokirchneriella subcapitata	Study report (1994) OECD Guideline 201
	Fish toxicity	NOEC	0,078	96 d	Oncorhynchus mykiss	Study report (2002) OECD Guideline 210
74499-35-7	phenol, (tetrapropenyl) derivatives					
	Acute crustacea toxicity	EL50	0,037	48 h	Daphnia magna (Big water flea)	Pre-supplier/manu facturer
	Crustacea toxicity	NOEC	0,0037	21 d	Daphnia magna (Big water flea)	Pre-supplier/manu facturer

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 12 of 16

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
68937-96-2	Polysulfides, di-tert-Bu				
	OECD 301B		13 %	28	Pre-supplier/manufacturer
	Not easily bio-degradable (according to OECD-criteria).				
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)				
	OECD 301B		7,4 %	28	REACH Dossier
	Not easily bio-degradable (according to OECD-criteria).				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	OECD 301B		21 %	28	REACH Dossier
	Not easily bio-degradable (according to OECD-criteria).				
74499-35-7	phenol, (tetrapropenyl) derivatives				
	OECD 301B		6 - 25 %	28	Pre-supplier/manufacturer
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68937-96-2	Polysulfides, di-tert-Bu	5,6
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	< 0,3
	Amines, C10-14-tert-alkyl	2,9

BCF

CAS No	Chemical name	BCF	Species	Source
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	436	Onchorhynchus mykiss	REACH Registration D
74499-35-7	phenol, (tetrapropenyl) derivatives	289 - 1601		Pre-supplier/manufacturer

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations
13.1. Waste treatment methods

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 13 of 16

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):
 phenol, (tetrapropenyl) derivatives

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 14 of 16

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

Information according to Directive
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile
work protection guideline' (94/33/EC).

Water hazard class (D):

2 - obviously hazardous to water

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 15 of 16

Abbreviations and acronyms

Acute Tox: Acute toxicity
 Asp. Tox: Aspiration hazard
 Skin Corr: Skin corrosion
 Eye Dam: Eye damage
 Eye Irrit: Eye irritation
 Skin Sens: Skin sensitisation
 Repr: Reproductive toxicity
 Aquatic Acute: Acute aquatic hazard
 Aquatic Chronic: Chronic aquatic hazard
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety
 assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 10.02.2024

Product code: 25040

Page 16 of 16

H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)