

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 1 of 18

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

HIGHTEC Z-HM

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Central hydraulic motor

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	

1.4. Emergency telephone number:

Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P103	Read carefully and follow all instructions.
P273	Avoid release to the environment.
P501	Dispose of contents/container to of the disposal according to local regulations.

Special labelling

EUH208 Contains 3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid, Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3). May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 2 of 18

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified (Note L)	30 - < 60 %
	265-156-6	
	649-466-00-2	
	01-2119480375-34	
	Asp. Tox. 1; H304	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)	15 - < 30 %
	265-158-7	
	649-468-00-3	
	01-2119487077-29	
	Asp. Tox. 1; H304	
	Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics (international CAS 64742-53-6)	15 - < 30 %
	954-225-2	
	01-2120920648-49	
	Asp. Tox. 1; H304	
63150-07-2	2-Propenoic acid, 2-methyl-, C10-20-alkyl esters, polymers with Methyl methacrylate	5 - < 15 %
	Eye Irrit. 2; H319	
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)	5 - < 15 %
	276-738-4	
	649-483-00-5	
	01-2119474889-13	
	Asp. Tox. 1; H304	
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)	2.5 - < 5 %
	276-737-9	
	649-482-00-X	
	01-2119474878-16	
	Asp. Tox. 1; H304	
128-39-2	2,6-di-tert-butylphenol	0.1 - < 0.3 %
	204-884-0	
	01-2119490822-33	
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H315 H400 H410	
268567-32-4	3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid	0.1 - < 0.3 %
	434-070-2	
	01-2119658068-31	
	Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 3; H318 H317 H412	
	Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3)	0.1 - < 0.3 %
	939-700-4	
	01-2119982395-25	
	Skin Irrit. 2, Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 2; H315 H317 H400 H411	
68478-81-9	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9-C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione	0.1 - < 0.3 %
	947-263-6	
	01-2120761103-66	
	Repr. 2, Skin Irrit. 2, Aquatic Chronic 4; H361fd H315 H413	

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 3 of 18

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64742-53-6	265-156-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified (Note L)	30 - < 60 %
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)	15 - < 30 %
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)	5 - < 15 %
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)	2.5 - < 5 %
	inhalation: LC50 = 5,53 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		
128-39-2	204-884-0	2,6-di-tert-butylphenol	0.1 - < 0.3 %
	oral: LD50 = > 5000 mg/kg Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1		
	939-700-4	Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3)	0.1 - < 0.3 %
	oral: LD50 = 3313 mg/kg Aquatic Acute 1; H400: M=1		

Further Information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1. Extinguishing media

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 4 of 18

Suitable extinguishing media

Water spray jet. Foam. Carbon dioxide (CO₂).
Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Combustible. Non-flammable.
In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Pyrolysis products, toxic.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

6.3. Methods and material for containment and cleaning up**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. Stop leak if safe to do so.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with eyes and skin. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Store in a dry place.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 5 of 18

Hints on joint storage

Do not store together with: Oxidizing agent, Reducing agent, Strong acid, Strong alkali.

Further information on storage conditions

Keep away from heat.

maximum storage temperature: 80 °C

7.3. Specific end use(s)

Central hydraulic motor

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 6 of 18

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified (Note L)			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)			
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m ³
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,74 mg/kg bw/day
128-39-2	2,6-di-tert-butylphenol			
Worker DNEL, long-term		inhalation	systemic	70,61 mg/m ³
Worker DNEL, long-term		dermal	systemic	11,25 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	20,9 mg/m ³
Consumer DNEL, long-term		dermal	systemic	6,75 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	6,75 mg/kg bw/day
268567-32-4	3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid			
Worker DNEL, long-term		inhalation	systemic	4,4 mg/m ³
Worker DNEL, acute		inhalation	systemic	4,4 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 7 of 18

Worker DNEL, long-term	dermal	systemic	1,25 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1,1 mg/m ³
Consumer DNEL, acute	inhalation	systemic	1,1 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,6 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,6 mg/kg bw/day
	Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3)		
Worker DNEL, long-term	inhalation	systemic	1,3 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,4 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,3 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,2 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,2 mg/kg bw/day
68478-81-9	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9-C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione		
Worker DNEL, long-term	inhalation	systemic	3,72 mg/m ³
Worker DNEL, long-term	dermal	systemic	1,04 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1,1 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,625 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,625 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 8 of 18

PNEC values

CAS No	Substance	Value
Environmental compartment		
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified (Note L)	
Secondary poisoning		9,33 mg/kg
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)	
Secondary poisoning		9,33 mg/kg
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)	
Secondary poisoning		9,33 mg/kg
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)	
Secondary poisoning		9,33 mg/kg
128-39-2	2,6-di-tert-butylphenol	
Freshwater		0,001 mg/l
Freshwater (intermittent releases)		0,004 mg/l
Marine water		0 mg/l
Freshwater sediment		0,317 mg/kg
Marine sediment		0,032 mg/kg
Secondary poisoning		60 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,697 mg/kg
268567-32-4	3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid	
Freshwater		0,036 mg/l
Freshwater (intermittent releases)		0,38 mg/l
Marine water		0,004 mg/l
Freshwater sediment		1,42 mg/kg
Marine sediment		0,142 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,496 mg/kg
	Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3)	
Freshwater		0,001 mg/l
Freshwater (intermittent releases)		0,01 mg/l
Marine water		0 mg/l
Micro-organisms in sewage treatment plants (STP)		0,69 mg/l
68478-81-9	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9-C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione	
Freshwater		0,496 mg/l
Freshwater (intermittent releases)		4,96 mg/l
Marine water		0,05 mg/l
Freshwater sediment		3772830,55 mg/kg
Marine sediment		377283,06 mg/kg
Secondary poisoning		5 mg/kg

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 9 of 18

Micro-organisms in sewage treatment plants (STP)	100 mg/l
Soil	3935351,65 mg/kg

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	amber
Odour:	characteristic
Odour threshold:	not determined

Melting point/freezing point:	not determined	Test method
Boiling point or initial boiling point and boiling range:	not determined	
Flammability:	Not readily combustible.	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	~ 126 °C	ISO 2592
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	not applicable	
Viscosity / kinematic: (at 40 °C)	~ 21 mm ² /s	ASTM D 7042

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 10 of 18

Water solubility: (at 20 °C)	practically insoluble
Solubility in other solvents Soluble in hydrocarbons (mineral oil.)	
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	<0,1 hPa calculated.
Density (at 15 °C):	~ 0,87 g/cm ³ ASTM D 7042
Relative vapour density:	not determined
Particle characteristics:	not relevant

9.2. Other information
Other safety characteristics

Pour point: ~ -51 °C DIN EN ISO 3016

Further Information

No information available.

SECTION 10: Stability and reactivity
10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Oxidizing agent, Reducing agent, Strong acid, Strong alkali.

10.6. Hazardous decomposition products

 In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Pyrolysis products, toxic.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 11 of 18

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified (Note L)				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 > 5000 mg/kg	Rabbit	ECHA	OECD 402
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)				
	oral	LD50 > 5000 mg/kg	Rat	REACH Dossier	OECD 401
	dermal	LD50 > 5000 mg/kg	Rabbit	REACH Dossier	OECD 402
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	ECHA Dossier)	OECD Guideline 402
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)				
	oral	LD50 > 5000 mg/kg	Rat	REACH Dossier	OECD 401
	dermal	LD50 > 5000 mg/kg	Rabbit	REACH Dossier	OECD 402
	inhalation (4 h) dust/mist	LC50 5,53 mg/l	Rabbit	echa readacross	OECD
128-39-2	2,6-di-tert-butylphenol				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD Guideline 401
	Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3)				
	oral	LD50 3313 mg/kg	Rat	ECHA	OECD Guideline 401

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains 3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid, Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 12 of 18

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Inhalation, oral, Skin contact, Eye contact.

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 13 of 18

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified (Note L)					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas (fathead minnow)	ECHA	OECD 203
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss (Rainbow trout)	CONCAWE, Brussels, Belgium (2010)	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas (fathead minnow)	REACH Dossier	OECD 203
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Dossier	OECD 201
	Acute crustacea toxicity	EL50 > 10000 mg/l	48 h	Daphnia magna (Big water flea)	REACH Dossier	OECD 202
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss (Rainbow trout)	REACH Dossier	QSAR
	Crustacea toxicity	NOEC > 1000 mg/l	21 d	Daphnia magna (Big water flea)	REACH Dossier	OECD 211
	Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics (international CAS 64742-53-6)					
	Acute fish toxicity	LC50 1000 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA	
	Acute algae toxicity	ErC50 1000 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	
	Acute crustacea toxicity	EC50 1000 mg/l	48 h	Daphnia magna (Big water flea)	ECHA	
	Fish toxicity	NOEC 5000 mg/l	21 d	Danio rerio (zebrafish)	ECHA	
	Crustacea toxicity	NOEC 5000 mg/l	21 d	Daphnia magna (Big water flea)	ECHA	
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss	ECHA Dossier	
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas (fathead minnow)	REACH Dossier	OECD 203
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Dossier	OECD 201
	Acute crustacea toxicity	EL50 > 10000 mg/l	48 h	Daphnia magna (Big water flea)	REACH Dossier	OECD 202
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss (Rainbow trout)	REACH Dossier	QSAR
	Algae toxicity	NOEC >= 100 mg/l	3 d	Pseudokirchneriella subcapitata	REACH Dossier	OECD 201
	Crustacea toxicity	NOEC > 10 mg/l	21 d	Daphnia magna (Big water flea)	REACH Dossier	OECD 211
128-39-2	2,6-di-tert-butylphenol					
	Acute crustacea toxicity	EC50 0,45 mg/l	48 h	Daphnia magna	REACH Registration Dossier	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 14 of 18

	Crustacea toxicity	NOEC	0,035	21 d	Daphnia magna	RECh Registration Dossier	OECD Guideline 211
268567-32-4	3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid						
	Acute fish toxicity	LC50	38 mg/l	96 h	Danio rerio	ECHA	EU Method C.1
	Acute crustacea toxicity	EC50	53 mg/l	48 h	Daphnia magna	ECHA	EU Method C.2

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)			
	OECD 301B	31 %	28	RECh Dossier
	Not easily bio-degradable (according to OECD-criteria).			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)			
	OECD 301F	31 %	28	RECh Dossier
	Not easily bio-degradable (according to OECD-criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
128-39-2	2,6-di-tert-butylphenol	4,5
268567-32-4	3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid	3,9
	Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3)	6,56

BCF

CAS No	Chemical name	BCF	Species	Source
128-39-2	2,6-di-tert-butylphenol	135 - 360	Cyprinus carpio	ECHA
268567-32-4	3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid	> 1 - < 2	Cyprinus carpio	ECHA
	Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3)	1676		EPIWIN (2011)

12.4. Mobility in soil

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 15 of 18

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 16 of 18

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,8,9,10,11,12,13,15,16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 17 of 18

Abbreviations and acronyms

Asp. Tox. 1: Aspiration hazard, hazard category 1
Skin Irrit. 2: Skin irritation, hazard category 2
Eye Dam. 1: Serious eye damage, hazard category 1
Eye Irrit. 2: Eye irritation, hazard category 2
Skin Sens. 1: Skin sensitisation, hazard category 1
Skin Sens. 1B: Skin sensitisation, hazard category 1B
Repr. 2: Reproductive toxicity, hazard category 2
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
Aquatic Chronic 4: Hazardous to the aquatic environment, long-term hazard category: Chronic 4
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC Z-HM

Revision: 02.02.2026

Product code: 30502

Page 18 of 18

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains 3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid, Reaction mass of 1H-Benzotriazole-1-methanamine, N, N-bis (2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -5-methyl- and N, N-bis (2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N, N-bis (2-ethylhexyl) -4-methyl- and N, N-bis (2-ethylhexyl) -5-methyl-1H-benzotriazole-1-methylamine (international CAS 80595-74-0/80584-90-3). May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)