

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

SUNSPEED MULTI FORMULA SAE 5W-40

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Motor oil

# 1.3. Details of the supplier of the safety data sheet

Company name: ROWE Mineralölwerk GmbH

Street: Langgewann 101
Place: D-67547 Worms

Telephone: +49 (0)6241 5906-0 Telefax: +49 (0)6241 5906-999

E-mail: info@rowe-oil.com
Contact person: Product Compliance
E-mail: sdb@rowe-oil.com
Internet: www.rowe-oil.com

1.4. Emergency telephone Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353

<u>number:</u> 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK

GmbH +49 (0)6132-84463

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# Regulation (EC) No 1272/2008

# Hazard components for labelling C14-C16-C18 Alkylphenole

Signal word: Warning

Pictograms:



#### **Hazard statements**

H317 May cause an allergic skin reaction.

# **Precautionary statements**

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing.
P302+P352 IF ON SKIN: Wash with plenty of Water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to of the disposal according to local regulations.

#### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures



according to Regulation (EC) No 1907/2006

# **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 2 of 12

# Relevant ingredients

| CAS No       | Chemical name                        |                                      |                  |              |  |  |
|--------------|--------------------------------------|--------------------------------------|------------------|--------------|--|--|
|              | EC No                                | Index No                             | REACH No         |              |  |  |
|              | Classification (Regulation (EC) No   | 1272/2008)                           | •                |              |  |  |
| 2241366-04-9 | Octadecene, reaction products wit    | h hexadecene, hydrogenated           |                  | 60 - < 100 % |  |  |
|              | 832-827-5                            |                                      | 01-2120836642-54 |              |  |  |
|              | Asp. Tox. 1; H304                    |                                      | ·                |              |  |  |
| 64742-54-7   | Distillates (petroleum), hydrotreate | d heavy paraffinic; Baseoil - unspec | ified            | 5 - < 15 %   |  |  |
|              | 265-157-1                            | 649-467-00-8                         | 01-2119484627-25 |              |  |  |
|              | Asp. Tox. 1; H304                    |                                      |                  |              |  |  |
| 64742-56-9   | Distillates (petroleum), solvent-dev | 1 - < 2.5 %                          |                  |              |  |  |
|              | 265-159-2                            | 649-469-00-9                         | 01-2119480132-48 |              |  |  |
|              | Asp. Tox. 1; H304                    | •                                    |                  |              |  |  |
| 64742-65-0   | Distillates (petroleum), solvent-dev | specified                            | 1 - < 2.5 %      |              |  |  |
|              | 265-169-7                            | 649-474-00-6                         | 01-2119471299-27 |              |  |  |
|              | Asp. Tox. 1; H304                    |                                      |                  |              |  |  |
| 64742-70-7   | Paraffin oils (petroleum), catalytic | ed                                   | 1 - < 2.5 %      |              |  |  |
|              | 265-174-4                            | 649-477-00-2                         | 01-2119487080-42 |              |  |  |
|              | Asp. Tox. 1; H304                    |                                      |                  |              |  |  |
| 1190625-94-5 | C14-C16-C18 Alkylphenole             |                                      | 1 - < 2.5 %      |              |  |  |
|              | 931-468-2                            |                                      | 01-2119498288-19 |              |  |  |
|              | Skin Sens. 1, STOT RE 2; H317 H373   |                                      |                  |              |  |  |
|              | I ·                                  |                                      |                  |              |  |  |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No  | Chemical name  | Quantity    |  |  |
|------------|--|--|-------------|--|--|
|            | Specific Conc. L                                       | Limits, M-factors and ATE  |             |  |  |
| 64742-54-7 | 265-157-1  | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified    | 5 - < 15 %  |  |  |
|            | dermal: LD50 =   | : > 5000 mg/kg; oral: LD50 = > 5000 mg/kg  |             |  |  |
| 64742-56-9 | 265-159-2  | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified | 1 - < 2.5 % |  |  |
|            | dermal: LD50 =   | rmal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg                             |             |  |  |
| 64742-65-0 | 265-169-7  | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified | 1 - < 2.5 % |  |  |
|            | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg |  |             |  |  |
| 64742-70-7 | 265-174-4  | Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified        | 1 - < 2.5 % |  |  |
|            | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg |  |             |  |  |

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### After inhalation

Provide fresh air.

# After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# After ingestion

Rinse mouth immediately and drink 1 glass of of water.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 3 of 12

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

# For emergency responders

Wear personal protection equipment (refer to section 8).

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

# For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# Other information

Clean contaminated articles and floor according to the environmental legislation.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not



according to Regulation (EC) No 1907/2006

# **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 4 of 12

eat, drink, smoke, sniff.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

# Hints on joint storage

No special measures are necessary.

# 7.3. Specific end use(s)

Motor oil

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Occupational exposure limits

| CAS No | Substance   | ppm | mg/m³ | fib/cm³ | Category  | Origin |
|--------|---|-----|-------|---------|-----------|--------|
| -      | Mineral Oil pure, highly & severely refined (Inhalable) | -   | 5     |         | TWA (8 h) |        |

#### **DNEL/DMEL values**

| CAS No                   | Substance   |                       |          |                      |  |  |
|--------------------------|---|-----------------------|----------|----------------------|--|--|
| DNEL type                |   | Exposure route        | Effect   | Value                |  |  |
| 64742-54-7               | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified |                       |          |                      |  |  |
| Worker DNEL,             | long-term   | inhalation            | local    | 5,58 mg/m³           |  |  |
| Worker DNEL,             | long-term   | dermal                | systemic | 0,97 mg/kg<br>bw/day |  |  |
| Worker DNEL,             | long-term   | inhalation            | systemic | 2,73 mg/m³           |  |  |
| Consumer DNE             | EL, long-term   | inhalation            | local    | 1,19 mg/m³           |  |  |
| Consumer DNEL, long-term |   | oral                  | systemic | 0,74 mg/kg<br>bw/day |  |  |
| 64742-54-7               | Distillates (petroleum), hydrotreated heavy paraffinic; Base                  | oil - unspecified     |          |                      |  |  |
| Worker DNEL,             | long-term   | inhalation            | systemic | 2,73 mg/m³           |  |  |
| 64742-65-0               | Distillates (petroleum), solvent-dewaxed heavy paraffinic; E                  | Baseoil - unspecified |          |                      |  |  |
| Worker DNEL,             | long-term   | inhalation            | systemic | 2,73 mg/m³           |  |  |
| Worker DNEL,             | long-term   | inhalation            | local    | 5,58 mg/m³           |  |  |
| Worker DNEL, long-term   |   | dermal                | systemic | 0,97 mg/kg<br>bw/day |  |  |
| Consumer DNE             | EL, long-term   | inhalation            | local    | 1,19 mg/m³           |  |  |
| Consumer DNEL, long-term |   | oral                  | systemic | 0,74 mg/kg<br>bw/day |  |  |
| 1190625-94-<br>5         | C14-C16-C18 Alkylphenole  |                       |          |                      |  |  |
| Worker DNEL,             | long-term   | inhalation            | systemic | 1,17 mg/m³           |  |  |
| Worker DNEL,             | long-term   | dermal                | systemic | 0,3 mg/kg bw/day     |  |  |



according to Regulation (EC) No 1907/2006

### **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 5 of 12

#### **PNEC values**

| CAS No   | Substance  |               |
|--|--|---------------|
| Environmental                                    | compartment  | Value         |
| 64742-54-7                                       | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified    |               |
| Secondary poi                                    | soning   | 9,33 mg/kg    |
| 64742-65-0                                       | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified |               |
| Secondary poi                                    | soning   | 9,33 mg/kg    |
| 1190625-94-<br>5                                 | C14-C16-C18 Alkylphenole   |               |
| Freshwater                                       |  | 0,1 mg/l      |
| Freshwater (in                                   | Freshwater (intermittent releases)   |               |
| Marine water                                     | Marine water   |               |
| Freshwater se                                    | diment   | 4266,16 mg/kg |
| Marine sediment                                  |  | 426,62 mg/kg  |
| Secondary poisoning                              |  | 3,3 mg/kg     |
| Micro-organisms in sewage treatment plants (STP) |  | 100 mg/l      |
| Soil 8   |  |               |

### 8.2. Exposure controls

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Wear eye protection/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **Environmental exposure controls**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: characteristic
Odour threshold: not determined

Test method

Print date: 14.08.2024

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: Non-flammable.
Lower explosion limits: not determined
Upper explosion limits: not determined



according to Regulation (EC) No 1907/2006

#### **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 6 of 12

Flash point: >200 °C DIN ISO 2592

Auto-ignition temperature: not determined Decomposition temperature: not determined

pH-Value: not applicable DIN 51369

Viscosity / kinematic: ~ 83 mm²/s DIN 51562

(at 40 °C)

Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: <0,1 hPa calculated.

(at 20 °C)

Density (at 15 °C): ~ 0,84 g/cm³ DIN 51757

Relative vapour density: not determined Particle characteristics: not relevant

#### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined

Pour point: DIN ISO 3016

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Based on available data, the classification criteria are not met.

# **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 7 of 12

| CAS No     | Chemical name   |                |               |                              |               |          |
|------------|---|----------------|---------------|------------------------------|---------------|----------|
|            | Exposure route  | Dose           |               | Species                      | Source        | Method   |
| 64742-54-7 | Distillates (petroleum), hy   | /drotreated he | eavy paraffir | nic; Baseoil - unspecified   |               |          |
|            | oral  | LD50<br>mg/kg  | > 5000        | Rat                          | REACh Dossier | OECD 401 |
|            | dermal  | LD50<br>mg/kg  | > 5000        | Rabbit                       | REACh Dossier | OECD 402 |
| 64742-56-9 | Distillates (petroleum), so   | olvent-dewaxe  | ed light para | ffinic; Baseoil - unspecifie | d             |          |
|            | oral  | LD50<br>mg/kg  | > 5000        | Rat                          | REACh Dossier | OECD 401 |
|            | dermal  | LD50<br>mg/kg  | > 5000        | Rabbit                       | REACh Dossier | OECD 402 |
| 64742-65-0 | -0 Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified |                |               |                              |               |          |
|            | oral  | LD50<br>mg/kg  | > 5000        | Rat                          | REACh Dossier | OECD 401 |
|            | dermal  | LD50<br>mg/kg  | > 5000        | Rabbit                       | REACh Dossier | OECD 402 |
| 64742-70-7 | Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified           |                |               |                              |               |          |
|            | oral  | LD50<br>mg/kg  | > 5000        | Rat                          | REACh Dossier | OECD 401 |
|            | dermal  | LD50<br>mg/kg  | > 5000        | Rabbit                       | REACh Dossier | OECD 402 |

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

May cause an allergic skin reaction. (C14-C16-C18 Alkylphenole)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

# Other information

No information available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 8 of 12

| CAS No           | Chemical name  |               |               |             |  |               |          |  |  |
|------------------|--|---------------|---------------|-------------|--|---------------|----------|--|--|
|                  | Aquatic toxicity   | Dose          |               | [h]   [d]   | Species                                    | Source        | Method   |  |  |
| 2241366-04-<br>9 | Octadecene, reaction products with hexadecene, hydrogenated                      |               |               |             |  |               |          |  |  |
|                  | Acute fish toxicity  | LC50<br>mg/l  | >100          | 96 h        | Danio rerio (zebrafish)                    | ECHA          |          |  |  |
|                  | Acute algae toxicity   | ErC50<br>mg/l | >100          | 72 h        | Pseudokirchneriella<br>subcapitata         | ECHA          |          |  |  |
|                  | Acute crustacea toxicity   | EL50<br>mg/l  | >100          | 48 h        | Daphnia magna (Big<br>water flea)          | ECHA          |          |  |  |
|                  | Fish toxicity  | NOEC<br>mg/l  | >=100         | 34 d        | Gobiocypris rarus<br>(Chinese rare minnow) | ECHA          |          |  |  |
|                  | Crustacea toxicity   | NOEC          | 10 mg/l       | 21 d        | Daphnia magna (Big<br>water flea)          | ECHA          |          |  |  |
| 64742-54-7       | Distillates (petroleum), hy  | drotreated h  | eavy paraffir | nic; Base   | oil - unspecified                          |               |          |  |  |
|                  | Acute fish toxicity  | LL50<br>mg/l  | > 100         | 96 h        | Pimephales promelas (fathead minnow)       | REACh Dossier | OECD 203 |  |  |
|                  | Acute algae toxicity   | ErC50<br>mg/l | > 100         | 72 h        | Pseudokirchneriella<br>subcapitata         | REACh Dossier | OECD 201 |  |  |
|                  | Acute crustacea toxicity   | EL50<br>mg/l  | > 10000       | 48 h        | Daphnia magna (Big<br>water flea)          | REACh Dossier | OECD 202 |  |  |
|                  | Fish toxicity  | NOEC<br>mg/l  | >= 1000       | 14 d        | Oncorhynchus mykiss<br>(Rainbow trout)     | REACh Dossier | QSAR     |  |  |
|                  | Crustacea toxicity   | NOEC<br>mg/l  | > 10          | 21 d        | Daphnia magna (Big<br>water flea)          | REACh Dossier | OECD 211 |  |  |
| 64742-56-9       | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified |               |               |             |  |               |          |  |  |
|                  | Acute fish toxicity  | LL50<br>mg/l  | > 100         | 96 h        | Pimephales promelas (fathead minnow)       | REACh Dossier | OECD 203 |  |  |
|                  | Acute algae toxicity   | ErC50<br>mg/l | > 100         | 72 h        | Pseudokirchneriella<br>subcapitata         | REACh Dossier | OECD 201 |  |  |
|                  | Acute crustacea toxicity   | EL50<br>mg/l  | > 10000       | 48 h        | Daphnia magna (Big<br>water flea)          | REACh Dossier | OECD 202 |  |  |
|                  | Fish toxicity  | NOEC<br>mg/l  | >= 1000       | 14 d        | Oncorhynchus mykiss<br>(Rainbow trout)     | REACh Dossier | QSAR     |  |  |
|                  | Crustacea toxicity   | NOEC<br>mg/l  | > 1000        | 21 d        | Daphnia magna (Big<br>water flea)          | REACh Dossier | OECD 211 |  |  |
| 64742-65-0       | Distillates (petroleum), so  | lvent-dewax   | ed heavy pa   | raffinic; E | Baseoil - unspecified                      |               |          |  |  |
|                  | Acute fish toxicity  | LL50<br>mg/l  | > 100         | 96 h        | Pimephales promelas (fathead minnow)       | REACh Dossier | OECD 203 |  |  |
|                  | Acute crustacea toxicity   | EL50<br>mg/l  | > 10000       | 48 h        | Daphnia pulex (water flea)                 | REACh Dossier | OECD 202 |  |  |
|                  | Fish toxicity  | NOEC<br>mg/l  | >= 1000       | 14 d        | Oncorhynchus mykiss<br>(Rainbow trout)     | REACh Dossier | QSAR     |  |  |
|                  | Algae toxicity   | NOEC<br>mg/l  | >= 100        | 3 d         | Pseudokirchneriella<br>subcapitata         | REACh Dossier | OECD 201 |  |  |
| 64742-70-7       | Paraffin oils (petroleum),   | catalytic dev | vaxed heavy;  | ; Baseoil   | - unspecified                              |               |          |  |  |
|                  | Acute fish toxicity  | LL50<br>mg/l  | > 100         | 96 h        | Pimephales promelas (fathead minnow)       | REACh Dossier | OECD 203 |  |  |
|                  | Fish toxicity  | NOEC<br>mg/l  | >= 1000       | 14 d        | Oncorhynchus mykiss<br>(Rainbow trout)     | REACh Dossier |          |  |  |

# 12.2. Persistence and degradability

The product has not been tested.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 9 of 12

| CAS No     | Chemical name  |       |    |               |  |  |
|------------|--|-------|----|---------------|--|--|
|            | Method   | Value | d  | Source        |  |  |
|            | Evaluation   | •     | -  | •             |  |  |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified    |       |    |               |  |  |
|            | OECD 301B  | 21 %  | 28 | REACh Dossier |  |  |
|            | Not easily bio-degradable (according to OECD-criteria).                          |       |    |               |  |  |
| 64742-56-9 | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified |       |    |               |  |  |
|            | OECD 301B  | 31 %  | 28 | REACh Dossier |  |  |
|            | Not easily bio-degradable (according to OECD-criteria).                          |       |    |               |  |  |
| 64742-65-0 | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified |       |    |               |  |  |
|            | OECD 301F  | 31 %  | 28 | REACh Dossier |  |  |
|            | Not easily bio-degradable (according to OECD-criteria).                          |       |    |               |  |  |

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

| CAS No       | Chemical name            | Log Pow    |
|--------------|--------------------------|------------|
| 1190625-94-5 | C14-C16-C18 Alkylphenole | > 16000000 |

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

# List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 10 of 12

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

# 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,13,15.



according to Regulation (EC) No 1907/2006

# **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 11 of 12

### Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Sens: Skin sensitisation

STOT RE: Specific target organ toxicity - repeated exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification     | Classification procedure |  |  |  |  |
|--------------------|--------------------------|--|--|--|--|
| Skin Sens. 1; H317 | Calculation method       |  |  |  |  |

### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **SUNSPEED MULTI FORMULA SAE 5W-40**

Revision date: 30.01.2024 Product code: 4920138 Page 12 of 12

shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)