

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

HIGHTEC NATSYNC GS 150 PLUS

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Lubricating agent, Additive

1.3. Details of the supplier of the safety data sheet

| | | |
|-----------------|-------------------------|-------------------------------|
| Company name: | ROWE Mineralölwerk GmbH | |
| Street: | Langgewann 101 | |
| Place: | D-67547 Worms | |
| Telephone: | +49 (0)6241 5906-0 | Telefax: +49 (0)6241 5906-999 |
| E-mail: | info@rowe-oil.com | |
| Contact person: | Product Compliance | |
| E-mail: | sdb@rowe-oil.com | |
| Internet: | www.rowe-oil.com | |

1.4. Emergency telephone number:

Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

| | |
|------|--|
| P103 | Read carefully and follow all instructions. |
| P273 | Avoid release to the environment. |
| P501 | Dispose of contents/container to of the disposal according to local regulations. |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 2 of 13

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|------------|--|----------|------------------|---------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 10254-57-6 | 4,4'-methylene bis(dibutyldithiocarbamate) | | | 2.5 - < 5 % |
| | 233-593-1 | | 01-2119969655-20 | |
| | Aquatic Chronic 4; H413 | | | |
| 128-39-2 | 2,6-di-tert-butylphenol | | | 0.1 - < 0.3 % |
| | 204-884-0 | | 01-2119490822-33 | |
| | Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H315 H400 H410 | | | |
| 68411-46-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | | | 0.1 - < 0.3 % |
| | 270-128-1 | | 01-2119491299-23 | |
| | Repr. 2; H361f | | | |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | | | 0.1 - < 0.3 % |
| | 204-881-4 | | 01-2119480433-40 | |
| | Aquatic Acute 1, Aquatic Chronic 1; H400 H410 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|---|---------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 10254-57-6 | 233-593-1 | 4,4'-methylene bis(dibutyldithiocarbamate) | 2.5 - < 5 % |
| | | inhalation: LC50 = > 5000 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 16000 mg/kg | |
| 128-39-2 | 204-884-0 | 2,6-di-tert-butylphenol | 0.1 - < 0.3 % |
| | | oral: LD50 = > 5000 mg/kg Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1 | |
| 68411-46-1 | 270-128-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | 0.1 - < 0.3 % |
| | | oral: LD50 = > 5000 mg/kg | |
| 128-37-0 | 204-881-4 | 2,6-di-tert-butyl-p-cresol | 0.1 - < 0.3 % |
| | | oral: LD50 = > 6000 mg/kg Aquatic Chronic 1; H410: M=1 | |

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 3 of 13

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet. Foam. Carbon dioxide (CO₂).
Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Combustible. Non-flammable.
In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Pyrolysis products, toxic.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

6.3. Methods and material for containment and cleaning up**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. Stop leak if safe to do so.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with eyes and skin. Use personal protection equipment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 4 of 13

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store in a dry place.

Hints on joint storage

Do not store together with: Oxidizing agent, Reducing agent, Strong acid, Strong alkali.

Further information on storage conditions

Keep away from heat.

maximum storage temperature: 80 °C

7.3. Specific end use(s)

Lubricating agent, Additive

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|----------|---|-----|-------------------|---------------------|-----------|--------|
| 128-37-0 | 2,6-Ditertiary-butyl-para-cresol | - | 2 | | TWA (8 h) | |
| - | Mineral Oil pure, highly & severely refined (Inhalable) | - | 5 | | TWA (8 h) | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 5 of 13

DNEL/DMEL values

| CAS No | Substance | | |
|--------------------------|--|----------|-------------------------|
| DNEL type | Exposure route | Effect | Value |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified (Note L) | | |
| Worker DNEL, long-term | inhalation | systemic | 2,73 mg/m ³ |
| 128-39-2 | 2,6-di-tert-butylphenol | | |
| Worker DNEL, long-term | inhalation | systemic | 70,61 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 11,25 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 20,9 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 6,75 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 6,75 mg/kg bw/day |
| 68411-46-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | | |
| Worker DNEL, long-term | inhalation | systemic | 0,31 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 0,44 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 0,08 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 0,22 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 0,05 mg/kg bw/day |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | | |
| Worker DNEL, long-term | inhalation | systemic | 1,76 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 0,5 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 0,435 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 0,25 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 0,25 mg/kg bw/day |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 6 of 13

PNEC values

| CAS No | Substance | Value |
|--|--|---------------|
| Environmental compartment | | |
| 128-39-2 | 2,6-di-tert-butylphenol | |
| Freshwater | | 0,001 mg/l |
| Freshwater (intermittent releases) | | 0,004 mg/l |
| Marine water | | 0 mg/l |
| Freshwater sediment | | 0,317 mg/kg |
| Marine sediment | | 0,032 mg/kg |
| Secondary poisoning | | 60 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 10 mg/l |
| Soil | | 0,697 mg/kg |
| 68411-46-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | |
| Freshwater | | 0,034 mg/l |
| Freshwater (intermittent releases) | | 0,51 mg/l |
| Marine water | | 0,003 mg/l |
| Freshwater sediment | | 0,446 mg/kg |
| Marine sediment | | 0,045 mg/kg |
| Secondary poisoning | | 0,833 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 10 mg/l |
| Soil | | 17,6 mg/kg |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | |
| Freshwater | | 0,000199 mg/l |
| Freshwater (intermittent releases) | | 0,00199 mg/l |
| Marine water | | 0,00002 mg/l |
| Freshwater sediment | | 0,458 mg/kg |
| Marine sediment | | 0,046 mg/kg |
| Secondary poisoning | | 16,67 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,017 mg/l |
| Soil | | 0,054 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment
Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 7 of 13

specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|---------------------------|--------------------|
| Physical state: | Liquid | |
| Colour: | brown | |
| Odour: | characteristic | |
| Odour threshold: | not determined | |
| | | Test method |
| Melting point/freezing point: | not determined | |
| Boiling point or initial boiling point and boiling range: | not determined | |
| Flammability: | Not readily combustible. | |
| Lower explosion limits: | not determined | |
| Upper explosion limits: | not determined | |
| Flash point: | > 300 °C | DIN EN ISO 2592 |
| Auto-ignition temperature: | not determined | |
| Decomposition temperature: | not determined | |
| pH-Value: | not determined | |
| Viscosity / kinematic: (at 40 °C) | ~ 150 mm ² /s | ASTM D 7042 |
| Water solubility: | practically insoluble | |
| Solubility in other solvents not determined | | |
| Partition coefficient n-octanol/water: | not determined | |
| Vapour pressure: | not determined | |
| Density (at 15 °C): | ~ 0,942 g/cm ³ | ASTM D 7042 |
| Relative vapour density: | not determined | |
| Particle characteristics: | not relevant | |

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 8 of 13

10.4. Conditions to avoid

none

10.5. Incompatible materials

Oxidizing agent, Reducing agent, Strong acid, Strong alkali.

10.6. Hazardous decomposition products

 In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Pyrolysis products, toxic.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|------------|--|--------------------|---------|--------|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| 10254-57-6 | 4,4'-methylene bis(dibutylidithiocarbamate) | | | | |
| | oral | LD50 > 16000 mg/kg | Rat | ECHA | OECD Guideline 401 |
| | dermal | LD50 > 5000 mg/kg | Rabbit | ECHA | OECD Guideline 402 |
| | inhalation (4 h) vapour | LC50 > 5000 mg/l | Rat | ECHA | OECD Guideline 403 |
| 128-39-2 | 2,6-di-tert-butylphenol | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | ECHA | OECD Guideline 401 |
| 68411-46-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | ECHA | OECD Guideline 401 |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | | | | |
| | oral | LD50 > 6000 mg/kg | Rat | ECHA | OECD Guideline 401 |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 9 of 13

Information on likely routes of exposure

Inhalation, oral, Skin contact, Eye contact.

11.2. Information on other hazards
Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No information available.

Further information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information
12.1. Toxicity

Harmful to aquatic life with long lasting effects.

| CAS No | Chemical name | | | | | |
|------------|--|---------------|-----------|---------|----------------------------|----------------------------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 128-39-2 | 2,6-di-tert-butylphenol | | | | | |
| | Acute crustacea toxicity | EC50 mg/l | 0,45 | 48 h | Daphnia magna | REACH Registration Dossier |
| | Crustacea toxicity | NOEC mg/l | 0,035 | 21 d | Daphnia magna | REACH Registration Dossier |
| 68411-46-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 100 | 96 h | Danio rerio | ECHA |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Desmodesmus subspicatus | ECHA |
| | Acute crustacea toxicity | EC50 | 51 mg/l | 48 h | Daphnia magna | ECHA |
| | Fish toxicity | NOEC | 10 mg/l | 34 d | Danio rerio | ECHA |
| | Crustacea toxicity | NOEC mg/l | 4,45 | 21 d | Daphnia magna | ECHA |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | | | | | |
| | Acute crustacea toxicity | EC50 mg/l | 0,48 | 48 h | Daphnia magna | REACH Registration Dossier |
| | Fish toxicity | NOEC mg/l | 0,053 | 30 d | Oryzias latipes | REACH Registration Dossier |
| | Crustacea toxicity | NOEC mg/l | 0,069 | 21 d | Daphnia magna | REACH Registration Dossier |

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 10 of 13

| CAS No | Chemical name | Method | Value | d | Source |
|------------|--|------------|-------|----|--------|
| | | Evaluation | | | |
| 68411-46-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | | | | |
| | OECD 301B | 1 % | | 28 | |
| | Not easily bio-degradable (according to OECD-criteria). | | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|--|---------|
| 10254-57-6 | 4,4'-methylene bis(dibutyldithiocarbamate) | 8,42 |
| 128-39-2 | 2,6-di-tert-butylphenol | 4,5 |
| 68411-46-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | 7,11 |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | 5,03 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|--|-----------|-----------------|----------------------|
| 128-39-2 | 2,6-di-tert-butylphenol | 135 - 360 | Cyprinus carpio | ECHA |
| 68411-46-1 | Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene | 411 | Cyprinus carpio | ECHA |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | 465 | Piscis | REACH Registration D |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130207 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; readily biodegradable engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130207 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; readily biodegradable engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 11 of 13

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,15,16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 12 of 13

Abbreviations and acronyms

Skin Irrit. 2: Skin irritation, hazard category 2
 Repr. 2: Reproductive toxicity, hazard category 2
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
 Aquatic Chronic 4: Hazardous to the aquatic environment, long-term hazard category: Chronic 4
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety
 assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety
 assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.
 H361f Suspected of damaging fertility.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC NATSYNC GS 150 PLUS

Revision: 02.02.2026

Product code: 49459

Page 13 of 13

H413 May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)