

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC SYNTH RS 2-T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

2-T Motor oil / 2-Stroke engine oil

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
1.4. Emergency telephone	,	80 921 66, Healthcare Professionals +353
number:	1809 2566 other Countries: Emerg GmbH +49 (0)6132-84463	ency CONTACT (24-Hour-Number): GBK

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

2.3. Other hazards

EUH208

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 2 of 11

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No				
	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics				
	934-954-2	01-2119826592-36			
	Asp. Tox. 1; H304				
869062-45-3	Hydrocarbons, C12-C15, n-alkanes		5 - < 15 %		
	920-107-4		01-2119453414-43		
	Asp. Tox. 1; H304 EUH066				
	C14-C16-C18 Alkylphenole		0.3 - < 1 %		
	931-468-2		01-2119498288-19		
	Skin Sens. 1, STOT RE 2; H317 H3				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc	Limits, M-factors and ATE				
	934-954-2 Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics					
	dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 5000 mg/kg					
869062-45-3	920-107-4	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	5 - < 15 %			
	dermal: LD50	= > 3160 mg/kg; oral: LD50 = > 15000 mg/kg				
	931-468-2	C14-C16-C18 Alkylphenole	0.3 - < 1 %			
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg					

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 3 of 11

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

2-T Motor oil / 2-Stroke engine oil

SECTION 8: Exposure controls/personal protection



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 4 of 11

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance	-	_			
DNEL type Exposure route Effect Value						
	C14-C16-C18 Alkylphenole					
Worker DNEL, long-term inhalation systemic 1,17 mg/m³						
Worker DNEL, long-term		dermal	systemic	0,3 mg/kg bw/day		

PNEC values

CAS No	Substance			
Environmen	Environmental compartment			
	C14-C16-C18 Alkylphenole			
Freshwater		0,1 mg/l		
Freshwater	(intermittent releases)	1 mg/l		
Marine water		0,01 mg/l		
Freshwater sediment		4266,16 mg/kg		
Marine sediment		426,62 mg/kg		
Secondary poisoning		3,3 mg/kg		
Micro-organisms in sewage treatment plants (STP)		100 mg/l		
Soil		852,58 mg/kg		

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	characteristic



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 5 of 11

		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	not determined	
boiling range:		
Flammability:	Not readily combustible.	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	>100 °C	DIN ISO 2592
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	not applicable	DIN 51369
Viscosity / kinematic:	~ 70 mm²/s	DIN 51562
(at 40 °C)		
Water solubility:	practically insoluble	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	0,002 hPa	calculated.
(at 20 °C)		
Density (at 15 °C):	~ 0,866 g/cm ³	DIN 51757
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
9.2. Other information		
Other safety characteristics		
Pour point:	~ -25 °C	
		DIN ISO 3016

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

none

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met. No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 6 of 11

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
	Hydrocarbons, C13-C16,	n-alkanes, is	oalkanes, c	yclics, < 0.03% aromatics			
	oral	LD50 mg/kg	> 5000	Rat	Study report (1983)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 3160	Rabbit	Study report (1983)	OECD Guideline 402	
869062-45-3	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics						
	oral	LD50 mg/kg	> 15000	Rat	Study report (1977)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 3160	Rabbit	Study report (1984)	OECD Guideline 402	
	C14-C16-C18 Alkylphenc	le					
	oral	LD50 mg/kg	> 2000	Rat	REACh Dossier	OECD 423	
	dermal	LD50 mg/kg	> 2000	Rat	REACh Dossier	OECD 402	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

not applicable

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 7 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics							
	Acute fish toxicity	LL50 mg/l	> 1028	96 h	Scophthalmus maximus	Study report (2002)	other: "Guideline for measuring the acut	
	Acute algae toxicity	ErC50 mg/l	> 10000	72 h	Skeletonema costatum	Study report (1997)	ISO 10253	
	Acute crustacea toxicity	EL50 mg/l	> 3190	48 h	other aquatic arthropod: Acartia tonsa	Study report (2008)	other: ISO 14669 - 1999 Water quality -	
	Fish toxicity	NOEC mg/l	> 1000	28 d	Oncorhynchus mykiss	Company report (2010)	The aquatic toxicity was estimated by a	
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna	Company report (2010)	The aquatic toxicity was estimated by a	
	Acute bacteria toxicity	EC50 mg/l()	> 100	3 h	activated sludge of a predominantly domestic sewag	Study report (1994)	OECD Guideline 209	
869062-45-3	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics							
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201	
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Registration Dossier	The aquatic toxicity was estimated by a	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
869062-45-3	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 5,03
	C14-C16-C18 Alkylphenole	> 16000000

BCF

CAS No	Chemical name	BCF	Species	Source
	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 207,7		REACh Registration D

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 8 of 11

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - contaminated packaging

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Inland waterways transport (ADN)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards

14.6. Special precautions for user

ENVIRONMENTALLY HAZARDOUS: No

No dangerous good in sense of this transport regulation. **14.7. Maritime transport in bulk according to IMO instruments** No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

Revision No: 1,16 - Replaces version: 1,15

SECTION 15: Regulatory information



according to Regulation (EC) No 1907/2006

Revision date: 06.04.2023

Product code: 20032

Page 9 of 11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 75	
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)
2012/18/EU (SEVESO III):	
National regulatory information	
Water hazard class (D):	1 - slightly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.
15.2. Chemical safety assessment	
Chemical safety assessments for substances in this mixture were not carried out.	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12,16.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 10 of 11

Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Sens: Skin sensitisation STOT RE: Specific target organ toxicity - repeated exposure ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNFL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Relevant H and EUH statements (number and full text) H304 May be fatal if swallowed and enters airways.

- H317 May cause an allergic skin reaction.
- H373 May cause damage to organs through prolonged or repeated exposure.
- EUH066 Repeated exposure may cause skin dryness or cracking.
- EUH208 Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS 2-T

Revision date: 06.04.2023

Product code: 20032

Page 11 of 11

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)