

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil

1.3. Details of the supplier of the safety data sheet

Company name: Street:	ROWE Mineralölwerk GmbH Langgewann 101	
Place:	D-67547 Worms	
Telephone: E-mail: Contact person: E-mail: Internet:	+49 (0)6241 5906-0 info@rowe-oil.com Product Compliance sdb@rowe-oil.com www.rowe-oil.com	Telefax: +49 (0)6241 5906-999
<u>1.4. Emergency telephone</u> number:		180 921 66, Healthcare Professionals +353 jency CONTACT (24-Hour-Number): GBK

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

Contains Benzolsulfonsäure,methyl-mono-C20-26-branched alkyl derivs., calcium salts. May produce an allergic reaction.

2.3. Other hazards

EUH208

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 2 of 12

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
64742-54-7	Distillates (petroleum), hydrotreate	d heavy paraffinic; Baseoi	I - unspecified	60 - < 100 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
68649-12-7	1-Decene, tetramer, mixed with 1-	lecene trimer, hydrogenat	ed	2.5 - < 5 %
			01-2119527646-33	
	Asp. Tox. 1; H304			
163149-28-8	1-Dodecene, polymer with 1-decer	e and 1-octene, hydroger	ated	2.5 - < 5 %
	605-315-2		01-2119543695-30	
	Asp. Tox. 1; H304			
151006-60-9	1-Dodecene, polymer with 1-decer	2.5 - < 5 %		
	604-767-8		01-2119523580-47	
	Asp. Tox. 1; H304			
125643-61-0	reaction mass of isomers of: C7-9-	alkyl 3-(3,5-di-tert-butyl-4-	hydroxyphenyl)propionate	1 - < 2.5 %
	406-040-9	607-530-00-7	01-0000015551-76	
	Aquatic Chronic 4; H413			
114959-46-5	Benzoic acid, 2-hydroxy-, mono-C	14-18 Branched alkyl deriv	vatives, calcium salts (2: 1)	1 - < 2.5 %
	601-337-1			
	Aquatic Chronic 3; H412			
	Alkyl (C18-C28) toluenesulfonic ac	id, calcium salts, borated		0.3 - < 1 %
	953-650-0			
	Repr. 2, Skin Sens. 1; H361d H317	7		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Limits, M-factors and ATE		
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	60 - < 100 %	
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		
68649-12-7		1-Decene, tetramer, mixed with 1-decene trimer, hydrogenated	2.5 - < 5 %	
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 5000 mg/kg		
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propionate	1 - < 2.5 %	
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		
	953-650-0 Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated			
	Repr. 2; H361	d: >= 17,15 - 100		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 3 of 12

clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 4 of 12

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Motor oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			-
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Base	oil - unspecified		
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-	4-hydroxyphenyl)propio	nate	
Worker DNEL,	long-term	inhalation	systemic	6,6 mg/m³
Worker DNEL,	long-term	dermal	systemic	1,67 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,62 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,83 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,93 mg/kg bw/day



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 5 of 12

PNEC values

CAS No	Substance	
Environmenta	compartment	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary po	soning	9,33 mg/kg
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	
Freshwater		0,018 mg/l
Freshwater (ir	termittent releases)	0,018 mg/l
Marine water		0,002 mg/l
Freshwater se	diment	2 mg/kg
Marine sedime	ent	0,2 mg/kg
Secondary po	soning	41,33 mg/kg
Micro-organis	ns in sewage treatment plants (STP)	100 mg/l
Soil		10 mg/kg

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	dark green	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		not determined
boiling range:		
Flammability:		Not readily combustible.
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		>233 °C



according to Regulation (EC) No 1907/2006

	ITEC SYNTH RS LONGLIFE IV SAE 0W-20	Dago 6 of 1
evision date: 06.04.2023	Product code: 20036	Page 6 of 1
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	not determined	
Viscosity / kinematic: (at 100 °C)	~ 8,32 mm²/s	
Water solubility:	The study does not need to be conducted	
•	because the substance is known to be	
	insoluble in water.	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density:	~ 0,848 g/cm ³	
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
2. Other information		
Other safety characteristics		
	~ -42 °C	

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 7 of 12

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Distillates (petroleum), hy	drotreated he	eavy paraffir	nic; Baseoil - unspecified		
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
68649-12-7	1-Decene, tetramer, mixed with 1-decene trimer, hydrogenated					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1994)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1995)	OECD Guideline 402
125643-61-0	reaction mass of isomers	of: C7-9-alky	/l 3-(3,5-di-te	ert-butyl-4-hydroxyphenyl)	propionate	
	oral	LD50 mg/kg	> 2000	Rat	Study report (2005)	OECD Guideline 423
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2000)	OECD Guideline 402

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. Contains Benzolsulfonsäure,methyl-mono-C20-26-branched alkyl derivs., calcium salts. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product is not classified.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 8 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hy	drotreated h	eavy paraffir	nic; Base	oil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
68649-12-7	1-Decene, tetramer, mixe	d with 1-dec	ene trimer, h	ydrogen	ated		
	Acute fish toxicity	LL50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (1995)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1000	96 h	Raphidocelis subcapitata	Study report (1995)	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	OECD 301B 21 % 28 REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria).		_			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68649-12-7	1-Decene, tetramer, mixed with 1-decene trimer, hydrogenated	> 6,5
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	15100000

BCF

CAS No	Chemical name	BCF	Species	Source
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propi onate	38	Cyprinus carpio	Study report (2002)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 9 of 12

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport
14.2. UN proper shipping name:	No dangerous good in sense of this transport
14.3. Transport hazard class(es):	No dangerous good in sense of this transport
14.4. Packing group:	No dangerous good in sense of this transport
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport
14.2. UN proper shipping name:	No dangerous good in sense of this transport
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport
14.4. Packing group:	No dangerous good in sense of this transport
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport
14.2. UN proper shipping name:	No dangerous good in sense of this transport
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport
14.4. Packing group:	No dangerous good in sense of this transport
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport
14.2. UN proper shipping name:	No dangerous good in sense of this transport
14.3. Transport hazard class(es):	No dangerous good in sense of this transport
14.4. Packing group:	No dangerous good in sense of this transport
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
<u>14.6. Special precautions for user</u> No dangerous good in sense of this transport regulation.	

regulation. regulation. regulation. regulation.

regulation. regulation. regulation. regulation.

regulation. regulation. regulation. regulation.

regulation. regulation. regulation. regulation.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 10 of 12

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 75 Information according to Directive N 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): Skin resorption/Sensitization: 1 - slightly hazardous to water Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 11 of 12

Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Sens: Skin sensitisation Repr: Reproductive toxicity Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Relevant H and EUH statements (number and full text) H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H361d Suspected of damaging the unborn child. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. Contains Benzolsulfonsäure, methyl-mono-C20-26-branched alkyl derivs., calcium salts. EUH208

May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 06.04.2023

Product code: 20036

Page 12 of 12

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)