

according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

HIGHTEC SYNT RS 5W-30 HC-D

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of	<u>the safety data sheet</u>
Commence	

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
1.4. Emergency telephone	Ireland: Public (8am-10pm) +353 180 921 66	6, Healthcare Professionals +353
<u>number:</u>	1809 2566 other Countries: Emergency CON GmbH +49 (0)6132-84463	NTACT (24-Hour-Number): GBK

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

H412

#### Regulation (EC) No 1272/2008

#### Hazard statements

Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P103	Read carefully and follow all instructions.
P273	Avoid release to the environment.
P501	Dispose of contents/container to of the disposal according to local regulations.

## 2.3. Other hazards

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts. Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives. No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## HIGHTEC SYNT RS 5W-30 HC-D

Revision date: 06.04.2023

Product code: 20060

Page 2 of 14

## **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC	C) No 1272/2008)	-		
64742-54-7	Distillates (petroleum), hydrol	reated heavy paraffinic; Based	bil - unspecified	30 - < 60 %	
	265-157-1	649-467-00-8	01-2119484627-25		
	Asp. Tox. 1; H304		•		
64742-65-0	Distillates (petroleum), solver	t-dewaxed heavy paraffinic; B	aseoil - unspecified	1 - < 2.5 %	
	265-169-7	649-474-00-6	01-2119471299-27		
	Asp. Tox. 1; H304		•		
68784-26-9	Phenol, paraalkylation produc oligomerization, carbonates, ( (petroleum), hydrotreated, so paraffinic C15-C50	1 - < 2.5 %			
	701-251-5		01-2119524004-56		
	Aquatic Chronic 4; H413				
84605-29-8	Phosphorodithioic acid, mixed	d O,O-bis (1,3-dimethylbutyl ar	nd iso-Propyl)esters,zinc salts	0.3 - < 1 %	
	283-392-8		01-2119493626-26		
	Skin Irrit. 2, Eye Dam. 1, Aqu				
74499-35-7	phenol, (tetrapropenyl) deriva	< 0.1 %			
	616-100-8	604-092-00-9			
	Repr. 1B, Skin Corr. 1C, Eye H400 H410	Dam. 1, Aquatic Acute 1, Aqu	atic Chronic 1; H360F H314 H318		

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	30 - < 60 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
68784-26-9	701-251-5	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50	1 - < 2.5 %
	dermal: LD5	0 = > 15000 mg/kg; oral: LD50 = > 5000 mg/kg	
84605-29-8	283-392-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters, zinc salts	0.3 - < 1 %
		0 = > 2000 mg/kg; oral: LD50 = 4468 mg/kg   Skin Irrit. 2; H315: >= 6,25 - 100   Eye 8: >= 12,5 - 100   Eye Irrit. 2; H319: >= 10 - < 12,5	
74499-35-7	616-100-8	phenol, (tetrapropenyl) derivatives	< 0.1 %
		0 = 15000 mg/kg; oral: LD50 = 2200 mg/kg	

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.



according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 3 of 14

## After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

### For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

## For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 4 of 14

### Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 5 of 14

## **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; E	aseoil - unspecified		
Worker DNEL	long-term	inhalation	local	5,58 mg/m³
Worker DNEL	long-term	dermal	systemic	0,97 mg/kg bw/day
Worker DNEL	long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffir	ic; Baseoil - unspecified	tt	
Worker DNEL	long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Worker DNEL	long-term	inhalation	local	5,58 mg/m³
Worker DNEL	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
68784-26-9	Phenol, paraalkylation products with C10-15 branched carbonates, calcium salts, overbased, sulfurized, inclus solvent-dewaxed, or catalytic dewaxed, light or heavy	ding distillates (petroleur		
Worker DNEL	long-term	inhalation	systemic	3,5 mg/m³
Worker DNEL	acute	inhalation	systemic	133,6 mg/m <sup>3</sup>
Worker DNEL	long-term	dermal	systemic	8,33 mg/kg bw/day
Worker DNEL	acute	dermal	systemic	80 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,87 mg/m³
Consumer DN	EL, acute	inhalation	systemic	0,067 mg/m³
Consumer DN	EL, long-term	dermal	systemic	4,2 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	40 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,25 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	50 mg/kg bw/day
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbu	tyl and iso-Propyl)esters	s,zinc salts	
Worker DNEL	long-term	inhalation	systemic	8,31 mg/m³
Worker DNEL	long-term	dermal	systemic	12,1 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	2,11 mg/m³
Consumer DN	EL, long-term	dermal	systemic	6,1 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,24 mg/kg bw/day
74499-35-7	phenol, (tetrapropenyl) derivatives			
Worker DNEL	long-term	inhalation	systemic	0,053 mg/m³
Worker DNEL	long-term	dermal	systemic	0,25 mg/kg bw/day



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 6 of 14

#### **PNEC** values

CAS No	Substance	
Environmenta	il compartment	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary po	isoning	9,33 mg/kg
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	
Secondary po	isoning	9,33 mg/kg
68784-26-9	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propent carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), hydrotreate solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50	0
Freshwater		0,5 mg/l
Freshwater (in	ntermittent releases)	5 mg/l
Marine water		0,05 mg/l
Freshwater se	ediment	1650 mg/kg
Marine sedim	ent	165 mg/kg
Secondary po	isoning	11,11 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
Soil		1340 mg/kg
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters, zinc salts	
Freshwater		0,004 mg/l
Freshwater (in	ntermittent releases)	0,045 mg/l
Marine water		0,0046 mg/l
Freshwater se	ediment	0,022 mg/kg
Marine sedim	ent	0,002 mg/kg
Secondary po	isoning	10,67 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
Soil		0,002 mg/kg

#### 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 7 of 14

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	brown
Odour:	characteristic
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	Not readily combustible.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	~ 220 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic: (at 100 °C)	~ 12 mm²/s
Water solubility:	The study does not need to be conducted
	because the substance is known to be
	insoluble in water.
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 15 °C):	~ 0,850 g/cm³
Relative vapour density:	not determined
Particle characteristics:	not relevant
9.2. Other information	
Other safety characteristics	
Pour point:	~ -30 °C

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 8 of 14

# Acute toxicity

Based on available data, the classification criteria are not met.

### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Species Source			
64742-54-7	Distillates (petroleum), h	/drotreated h	eavy paraffi	nic; Baseoil - unspecified				
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401		
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402		
64742-65-0	Distillates (petroleum), so	olvent-dewax	ed heavy pa	raffinic; Baseoil - unspeci	fied			
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401		
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402		
68784-26-9	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50							
	oral	LD50 mg/kg	> 5000	Rat	Study report (1986)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 15000	Rabbit	Study report (1962)	A group of four albino rabbits of either		
84605-29-8	Phosphorodithioic acid, r	nixed O,O-bi	s (1,3-dimetł	nylbutyl and iso-Propyl)es	ters,zinc salts			
	oral	LD50 mg/kg	4468	Rat	Study report (1985)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1980)	OECD Guideline 402		
74499-35-7	phenol, (tetrapropenyl) d	erivatives						
	oral	LD50 mg/kg	2200	Rat	Pre-supplier/manufact urer	OECD 401		
	dermal	LD50 mg/kg	15000	Rabbit	Pre-supplier/manufact urer	OECD 402		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

# Endocrine disrupting properties

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 9 of 14

## Other information

No information available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified							
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201	
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202	
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR	
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified							
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203	
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia pulex (water flea)	REACh Dossier	OECD 202	
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR	
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier OE	OECD 201	
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts							
	Acute fish toxicity	LL50	4,5 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Study report (2005)	OECD Guideline 203	
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211	
74499-35-7	phenol, (tetrapropenyl) de	erivatives						
	Acute crustacea toxicity	EL50 mg/l	0,037	48 h	Daphnia magna (Big water flea)	Pre-supplier/manu facturer		
	Crustacea toxicity	NOEC mg/l	0,0037	21 d	Daphnia magna (Big water flea)	Pre-supplier/manu facturer		

## 12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

## HIGHTEC SYNT RS 5W-30 HC-D

Revision date: 06.04.2023

Product code: 20060

Page 10 of 14

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u	nspecified					
	OECD 301B 21 % 28 REACh Dossier						
	Not easily bio-degradable (according to OECD-criteria).						
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Basec	il - unspecified					
	OECD 301F	31 %	28	REACh Dossier			
	Not easily bio-degradable (according to OECD-criteria).						
74499-35-7	phenol, (tetrapropenyl) derivatives						
	OECD 301B	6 - 25 %	28	Pre-supplier/manufactur er			
	Not easily bio-degradable (according to OECD-criteria).						

## 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68784-26-9	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50	ca. 9,3
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters, zinc salts	0,56

### BCF

CAS No	Chemical name	BCF	Species	Source
74499-35-7	phenol, (tetrapropenyl) derivatives	289 - 1601		Pre-supplier/manufacturer

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Page 11 of 14

#### List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

# Inland waterways transport (ADN)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

#### Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

### 14.6. Special precautions for user

### No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

### EU regulatory information

Authorisations (REACH, annex XIV): Substances of very high concern, SVHC (REACH, article 59): phenol, (tetrapropenyl) derivatives

Restrictions on use (REACH, annex XVII):

### Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information



## according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 12 of 14

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 3,9,12,16.



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023

Product code: 20060

Page 13 of 14

## Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Repr: Reproductive toxicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure				
Aquatic Chronic 3; H412	Calculation method				

#### Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.



## according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNT RS 5W-30 HC-D**

Revision date: 06.04.2023	Product code: 20060	Page 14 of 14
H360F	May damage fertility.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Further Information		

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)