

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC SYNTH RS SAE 0W-30 LV II

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of	the su	ubstance	/mixture

Motor oil

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	ROWE Mineralölwerk GmbH Langgewann 101 D-67547 Worms	
Telephone: E-mail: Contact person: E-mail: Internet:	+49 (0)6241 5906-0 info@rowe-oil.com Product Compliance sdb@rowe-oil.com www.rowe-oil.com	Telefax:+49 (0)6241 5906-999
<u>1.4. Emergency telephone</u> number:	· · · /	180 921 66, Healthcare Professionals +353 jency CONTACT (24-Hour-Number): GBK

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

C14-C16-C18 Alkylphenole

Signal word:

Pictograms:



Warning

Hazard statements

H317

May cause an allergic skin reaction.

Precautionary statements

cautionary statemen	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to of the disposal according to local regulations.

2.3. Other hazards

No information available.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 2 of 14

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation			
68649-12-7	1-Decene, tetramer, mixe	ed with 1-decene trimer, hydrogenate	ed	30 - < 60 %
			01-2119527646-33	
	Asp. Tox. 1; H304	•		
163149-28-8	1-Dodecene, polymer wit	h 1-decene and 1-octene, hydrogen	ated	30 - < 60 %
	605-315-2		01-2119543695-30	
	Asp. Tox. 1; H304	•	•	
151006-60-9	1-Dodecene, polymer wit	h 1-decene, hydrogenated		30 - < 60 %
	604-767-8		01-2119523580-47	
	Asp. Tox. 1; H304	·		
64742-56-9	Distillates (petroleum), so	1 - < 2.5 %		
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304	·	·	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			1 - < 2.5 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304	•		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified			1 - < 2.5 %
	265-169-7	649-474-00-6	01-2119471299-27	
	Asp. Tox. 1; H304	•		
64742-70-7	Paraffin oils (petroleum),	1 - < 2.5 %		
	265-174-4	649-477-00-2	01-2119487080-42	
	Asp. Tox. 1; H304			
	C14-C16-C18 Alkylphenole			1 - < 2.5 %
	931-468-2		01-2119498288-19	
	Skin Sens. 1, STOT RE 2	2; H317 H373		

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc	Limits, M-factors and ATE			
68649-12-7	8649-12-7 1-Decene, tetramer, mixed with 1-decene trimer, hydrogenated				
	dermal: LD50) = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	1 - < 2.5 %		
	dermal: LD50) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %		
	dermal: LD50) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %		
	dermal: LD50) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			
64742-70-7	265-174-4	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified	1 - < 2.5 %		
	dermal: LD50) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			
	931-468-2	C14-C16-C18 Alkylphenole	1 - < 2.5 %		
	dermal: LD50) = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 4 of 14

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Motor oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 5 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreat	ed heavy paraffinic; Baseoil - unspecified		
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m ³
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m ³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-65-0	Distillates (petroleum), solvent-de	waxed heavy paraffinic; Baseoil - unspecified	1	
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL	, long-term	inhalation	local	5,58 mg/m ³
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m ³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
	C14-C16-C18 Alkylphenole			
Worker DNEL	, long-term	inhalation	systemic	1,17 mg/m ³
Worker DNEL	, long-term	dermal	systemic	0,3 mg/kg bw/day

PNEC values

CAS No	Substance				
Environmenta	l compartment	Value			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
Secondary po	isoning	9,33 mg/kg			
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified				
Secondary poisoning 9,33 mg/kg					
	C14-C16-C18 Alkylphenole				
Freshwater		0,1 mg/l			
Freshwater (ir	termittent releases)	1 mg/l			
Marine water		0,01 mg/l			
Freshwater se	diment	4266,16 mg/kg			
Marine sedime	ent	426,62 mg/kg			
Secondary po	isoning	3,3 mg/kg			
Micro-organis	ms in sewage treatment plants (STP)	100 mg/l			
Soil		852,58 mg/kg			

8.2. Exposure controls



Individual protection measures, such as personal protective equipment



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 6 of 14

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state:	Liquid		
	Colour:	brown		
	Odour:	characteristic		
				Test method
	Melting point/freezing point:		not determined	
	Boiling point or initial boiling point and		not determined	
	boiling range:			
	Flammability:		Not readily combustible.	
	Lower explosion limits:		not determined	
	Upper explosion limits:		not determined	
	Flash point:		>230 °C	DIN ISO 2592
	Auto-ignition temperature:		not determined	
	Decomposition temperature:		not determined	
	pH-Value:		not applicable	DIN 51369
	Viscosity / kinematic:		~ 10,2 mm²/s	DIN 51562
	(at 100 °C)			
	Water solubility:		practically insoluble	
	(at 20 °C)			
	Solubility in other solvents			
	not determined			
	Partition coefficient n-octanol/water:		not determined	
	Vapour pressure:		<0,1 hPa	calculated.
	(at 20 °C)		0.000	
	Density (at 15 °C): Relative vapour density:		~ 0,839 g/cm ³ not determined	DIN 51757
	Particle characteristics:			
-			not relevant	
<u>9.</u>	2. Other information			
	Other safety characteristics			
	Pour point:		~ -45 °C	
_				

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 7 of 14

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 8 of 14

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
68649-12-7	1-Decene, tetramer,	mixed with 1-de	ecene trimer,	hydrogenated	•				
	oral	LD50 mg/kg	> 5000	Rat	Study report (1994)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1995)	OECD Guideline 402			
64742-56-9	Distillates (petroleum	ı), solvent-dewa	axed light par	affinic; Baseoil - ur	nspecified				
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
64742-54-7	Distillates (petroleum	n), hydrotreated	heavy paraf	inic; Baseoil - unsp	pecified				
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified								
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
64742-70-7	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified								
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
	C14-C16-C18 Alkylp	C14-C16-C18 Alkylphenole							
	oral	LD50 mg/kg	> 2000	Rat	REACh Dossier	OECD 423			
	dermal	LD50 mg/kg	> 2000	Rat	REACh Dossier	OECD 402			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (C14-C16-C18 Alkylphenole)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

not applicable

11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 9 of 14

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 10 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68649-12-7	7 1-Decene, tetramer, mixed with 1-decene trimer, hydrogenated						
	Acute fish toxicity	LL50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (1995)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1000	96 h	Raphidocelis subcapitata	Study report (1995)	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202
64742-56-9	Distillates (petroleum), so	vent-dewa	ed light para	ffinic; Ba	seoil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
64742-54-7	Distillates (petroleum), hy	drotreated h	neavy paraffir	nic; Base	oil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
64742-65-0	Distillates (petroleum), so	vent-dewa	ked heavy pa	raffinic; E	Baseoil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia pulex (water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
64742-70-7	Paraffin oils (petroleum),	catalytic dev	waxed heavy	; Baseoil	- unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 11 of 14

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation		-				
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified						
	OECD 301B	31 %	28	REACh Dossier			
	Not easily bio-degradable (according to OECD-criteria).						
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u	nspecified					
	OECD 301B	21 %	28	REACh Dossier			
	Not easily bio-degradable (according to OECD-criteria).						
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified						
	OECD 301F	31 %	28	REACh Dossier			
	Not easily bio-degradable (according to OECD-criteria).						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68649-12-7	1-Decene, tetramer, mixed with 1-decene trimer, hydrogenated	> 6,5
	C14-C16-C18 Alkylphenole	> 16000000

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

	HIGHTEC SYNTH RS SAE 0W-30 LV II
Revision date: 06.04.2023	Product code: 20069

Page 12 of 14

No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

1

15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture
EU regulatory information	
Restrictions on use (REACH, annex X Entry 3, Entry 75	(VII):
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
Additional information According to EC directives or the	corresponding national regulations the product does not have to be labelled.
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

/ater nazard class (D): Skin resorption/Sensitization:

slightly hazardous to water Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12,16.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 13 of 14

Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Sens: Skin sensitisation STOT RE: Specific target organ toxicity - repeated exposure ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNFL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.
- H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-30 LV II

Revision date: 06.04.2023

Product code: 20069

Page 14 of 14

shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)