

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC SYNT RS SAE 5W-30 HC-FO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of	the sub	stance/ı	mixture

Motor oil

1.3. Details of the supplier of the safety data sheet

Company name: Street:	ROWE Mineralölwerk GmbH Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
1.4. Emergency telephone number:		180 921 66, Healthcare Professionals +353 jency CONTACT (24-Hour-Number): GBK

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

C14-C16-C18 Alkylphenole

Signal word:

Pictograms:



Warning

Hazard statements

H317

May cause an allergic skin reaction.

Precautionary statements

out officing officients	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to of the disposal according to local regulations.

2.3. Other hazards

No information available.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 2 of 14

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No			
64742-54-7	Distillates (petroleum), hydrotreate	d heavy paraffinic; Baseo	il - unspecified	30 - < 60 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
64742-56-9	Distillates (petroleum), solvent-dev	vaxed light paraffinic; Base	eoil - unspecified	1 - < 2.5 %
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304	•		
64742-65-0	Distillates (petroleum), solvent-dev	vaxed heavy paraffinic; Ba	seoil - unspecified	1 - < 2.5 %
	265-169-7	649-474-00-6	01-2119471299-27	
	Asp. Tox. 1; H304			
36878-20-3	Bis(nonylphenyl)amine	1 - < 2.5 %		
	253-249-4		01-2119498288-19	
	Aquatic Chronic 4; H413			
64742-70-7	Paraffin oils (petroleum), catalytic	dewaxed heavy; Baseoil -	unspecified	1 - < 2.5 %
	265-174-4	649-477-00-2	01-2119487080-42	
	Asp. Tox. 1; H304			
	C14-C16-C18 Alkylphenole			1 - < 2.5 %
	931-468-2		01-2119498288-19	
	Skin Sens. 1, STOT RE 2; H317 H	373		
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)			1 - < 2.5 %
	298-577-9		01-2119543726-33	
	Skin Irrit. 2, Eye Dam. 1, Aquatic C			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	z. Limits, M-factors and ATE	
64742-54-7	265-157-1	30 - < 60 %	
	dermal: LD50) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
36878-20-3	253-249-4	Bis(nonylphenyl)amine	1 - < 2.5 %
	oral: LD50 =	> 5000 mg/kg	
64742-70-7	265-174-4	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
	931-468-2	C14-C16-C18 Alkylphenole	1 - < 2.5 %
	dermal: LD50) = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
93819-94-4	298-577-9	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)	1 - < 2.5 %
) = > 3160 mg/kg; oral: LD50 = 2600 mg/kg Skin Irrit. 2; H315: >= 6,25 - 100 Eye 3: >= 12,5 - 100 Eye Irrit. 2; H319: >= 10 - < 12,5	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 4 of 14

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Motor oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 5 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Bas	eoil - unspecified		
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m ³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic;	Baseoil - unspecified		
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
	C14-C16-C18 Alkylphenole			
Worker DNEL,	long-term	inhalation	systemic	1,17 mg/m ³
Worker DNEL,	long-term	dermal	systemic	0,3 mg/kg bw/day
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophos	sphate)		
Worker DNEL,	long-term	inhalation	systemic	8,31 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,58 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,11 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,29 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,24 mg/kg bw/day



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 6 of 14

PNEC values

CAS No	Substance	
Environment	al compartment	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary p	oisoning	9,33 mg/kg
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	
Secondary p	oisoning	9,33 mg/kg
	C14-C16-C18 Alkylphenole	
Freshwater		0,1 mg/l
Freshwater (intermittent releases)	1 mg/l
Marine water		0,01 mg/l
Freshwater s	ediment	4266,16 mg/kg
Marine sediment		426,62 mg/kg
Secondary poisoning		3,3 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	100 mg/l
Soil		852,58 mg/kg
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)	
Freshwater		0,004 mg/l
Freshwater (intermittent releases)	0,021 mg/l
Marine water		0,0046 mg/l
Freshwater sediment		0,012 mg/kg
Marine sediment		0,001 mg/kg
Secondary poisoning		10,67 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	100 mg/l
Soil		0,005 mg/kg

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 7 of 14

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state:	Liquid		
	Colour:	light brown		
	Odour:	characteristic		
				Test method
	Melting point/freezing point:		not determined	
	Boiling point or initial boiling point and		not determined	
	boiling range:			
	Flammability:		Not readily combustible.	
	Lower explosion limits:		not determined	
	Upper explosion limits:		not determined	
	Flash point:		>195 °C	DIN ISO 2592
	Auto-ignition temperature:		not determined	
	Decomposition temperature:		not determined	
	pH-Value:		not applicable	
	Viscosity / kinematic:		~ 10,1 mm²/s	DIN 51562
	(at 100 °C) Water solubility:		prostically incoluble	
	(at 20 °C)		practically insoluble	
	Solubility in other solvents			
	Soluble in hydrocarbons (mineral oil.)			
	Partition coefficient n-octanol/water:		not determined	
	Vapour pressure:			calculated.
	(at 20 °C)		- ,	
	Density (at 15 °C):		~ 0,849 g/cm³	DIN 51757
	Relative vapour density:		not determined	
	Particle characteristics:		not relevant	
<u>9.2</u>	. Other information			
	Other safety characteristics			
	Pour point:		~ -36 °C	
				DIN ISO 3016

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 8 of 14

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
64742-56-9	Distillates (petroleum	ı), solvent-dewa	axed light par	affinic; Baseoil - un	specified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
64742-65-0	Distillates (petroleum	ı), solvent-dewa	axed heavy p	araffinic; Baseoil - ι	unspecified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
36878-20-3	Bis(nonylphenyl)amir	ne				
	oral	LD50 mg/kg	> 5000	Rat	Study report (1981)	OECD Guideline 401
64742-70-7	Paraffin oils (petroleu	um), catalytic de	ewaxed heav	y; Baseoil - unspec	ified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
	C14-C16-C18 Alkylpl	henole				-
	oral	LD50 mg/kg	> 2000	Rat	REACh Dossier	OECD 423
	dermal	LD50 mg/kg	> 2000	Rat	REACh Dossier	OECD 402
93819-94-4	Zinc bis[O-(6-methyll	neptyl)]bis[O-(s	ecbutyl)]bis(c	lithiophosphate)		
	oral	LD50 mg/kg	2600	Rat	REACh Dossier	Acute oral LD50 determined in male rats.
	dermal	LD50 mg/kg	> 3160	Rabbit	REACh Dossier	OECD 402

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (C14-C16-C18 Alkylphenole)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 9 of 14

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 10 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-54-7	7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
64742-56-9	Distillates (petroleum), so	lvent-dewa	xed light para	ffinic; Ba	seoil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
64742-65-0	Distillates (petroleum), so	lvent-dewa	xed heavy pa	raffinic; E	Baseoil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia pulex (water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
64742-70-7	Paraffin oils (petroleum),	catalytic de	waxed heavy;	Baseoil	- unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	
93819-94-4	Zinc bis[O-(6-methylhepty	l)]bis[O-(se	cbutyl)]bis(dit	hiophos	ohate)		
	Acute fish toxicity	LL50	4,5 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50	2,1 mg/l	72 h	Selenastrum capricornutum	REACh Dossier	OECD 201
	Acute crustacea toxicity	EC50	5,4 mg/l	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
	Acute bacteria toxicity	EC50 mg/l()	> 10000	3 h	Activated sludge	REACh Dossier	OECD 209

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 11 of 14

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	-				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u	nspecified				
	OECD 301B	21 %	28	REACh Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil	- unspecified				
	OECD 301B	31 %	28	REACh Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified					
	OECD 301F	31 %	28	REACh Dossier		
	Not easily bio-degradable (according to OECD-criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bis(nonylphenyl)amine	7,58
	C14-C16-C18 Alkylphenole	> 1600000
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)	>= 0,59
BCF		

CAS No	Chemical name	BCF	Species	Source
36878-20-3	Bis(nonylphenyl)amine	411	Cyprinus carpio	Study report (2000)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Page 12 of 14

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number or ID number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III): Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,9,12,16.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 13 of 14

Abbreviations and acronyms Asp. Tox: Aspiration hazard

Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation STOT RE: Specific target organ toxicity - repeated exposure Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure			
Skin Sens. 1; H317	Calculation method			
Relevant H and EUH statements (number and full text)				
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS SAE 5W-30 HC-FO

Revision date: 29.06.2023

Product code: 20146

Page 14 of 14

H411

Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)