

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

HIGHTEC POWER BOAT 4-T SAE 10W-30

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Motor oil

## 1.3. Details of the supplier of the safety data sheet

Company name: ROWE Mineralölwerk GmbH

Street: Langgewann 101
Place: D-67547 Worms

Telephone: +49 (0)6241 5906-0 Telefax: +49 (0)6241 5906-999

E-mail: info@rowe-oil.com
Contact person: Product Compliance
E-mail: sdb@rowe-oil.com
Internet: www.rowe-oil.com

1.4. Emergency telephone Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353

number: 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK

GmbH +49 (0)6132-84463

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

## **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.

P501 Dispose of contents/container to of the disposal according to local regulations.

# 2.3. Other hazards

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII:

Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts.

Endocrine disrupting properties: phenol, dodecyl-, branched.

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 2 of 13

## Relevant ingredients

| CAS No      | Chemical name  | Quantity                             |                       |               |
|-------------|--|--------------------------------------|-----------------------|---------------|
|             | EC No  | Index No                             | REACH No              |               |
|             | Classification (Regulation (EC) No   | 1272/2008)                           |                       |               |
|             | Mineral Oil (CAS 64742-54-7, 647   | 42-55-8, 64742-56-9, 64742-65-0)     |                       | 5 - < 15 %    |
|             | Asp. Tox. 1; H304  |                                      |                       |               |
| 64742-54-7  | Distillates (petroleum), hydrotreate   | d heavy paraffinic; Baseoil - unspe  | cified                | 2.5 - < 5 %   |
|             | 265-157-1  | 649-467-00-8                         | 01-2119484627-25      |               |
|             | Asp. Tox. 1; H304  | -                                    |                       |               |
| 36878-20-3  | Bis(nonylphenyl)amine  |                                      |                       | 1 - < 2.5 %   |
|             | 253-249-4  |                                      | 01-2119498288-19      |               |
|             | Aquatic Chronic 4; H413  |                                      |                       |               |
| 2215-35-2   | zinc O,O,O',O'-tetrakis(1,3-dimethy  | /lbutyl) bis(phosphorodithioate)     |                       | 1 - < 2.5 %   |
|             | 218-679-9  |                                      | 01-2119953275-34      |               |
|             | Skin Irrit. 2, Eye Dam. 1, Aquatic 0   | Chronic 2; H315 H318 H411            |                       |               |
| 84605-29-8  | Phosphorodithioic acid, mixed O,C  | o-bis (1,3-dimethylbutyl and iso-Pro | pyl)esters,zinc salts | 0.1 - < 0.3 % |
|             | 283-392-8  |                                      | 01-2119493626-26      |               |
|             | Skin Irrit. 2, Eye Dam. 1, Aquatic 0   | Chronic 2; H315 H318 H411            | •                     |               |
| 121158-58-5 | 3-5 phenol, dodecyl-, branched   |                                      |                       | < 0.1 %       |
|             | 310-154-3  | 604-092-00-9                         | 01-2119513207-49      |               |
|             | Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410 |                                      |                       |               |

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

| CAS No      | EC No  | Chemical name   | Quantity      |  |
|-------------|--|---|---------------|--|
|             | Specific Conc  | Limits, M-factors and ATE   |               |  |
| 64742-54-7  | 265-157-1  | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified                 | 2.5 - < 5 %   |  |
|             | dermal: LD50   | = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg   |               |  |
| 36878-20-3  | 253-249-4  | Bis(nonylphenyl)amine   | 1 - < 2.5 %   |  |
|             | oral: LD50 =   | > 5000 mg/kg  |               |  |
| 2215-35-2   | 218-679-9  | zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)                            | 1 - < 2.5 %   |  |
|             | I  | e > 25000 mg/kg; oral: LD50 = 2230 mg/kg  |               |  |
| 84605-29-8  | 283-392-8  | Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts     | 0.1 - < 0.3 % |  |
|             | dermal: LD50 = > 2000 mg/kg; oral: LD50 = 4468 mg/kg Skin Irrit. 2; H315: >= 6,25 - 100 Eye Dam. 1; H318: >= 12,5 - 100 Eye Irrit. 2; H319: >= 10 - < 12,5 |   |               |  |
| 121158-58-5 | 310-154-3  | phenol, dodecyl-, branched  | < 0.1 %       |  |
|             |  | = ca. 15000 mg/kg; oral: LD50 = 2100 mg/kg   Aquatic Acute 1; H400: M=10<br>nic 1; H410: M=10 |               |  |

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

# After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 3 of 13

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

## For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 4 of 13

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

Motor oil

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 5 of 13

# **DNEL/DMEL values**

| CAS No       | Substance  |                           |          |                       |
|--------------|--|---------------------------|----------|-----------------------|
| DNEL type    |  | Exposure route            | Effect   | Value                 |
| 64742-54-7   | Distillates (petroleum), hydrotreated heavy paraffinic; Base | eoil - unspecified        |          |                       |
| Worker DNEL, | long-term  | inhalation                | local    | 5,58 mg/m³            |
| Worker DNEL, | Vorker DNEL, long-term                                       |                           | systemic | 0,97 mg/kg<br>bw/day  |
| Worker DNEL, | long-term  | inhalation                | systemic | 2,73 mg/m³            |
| Consumer DN  | EL, long-term  | inhalation                | local    | 1,19 mg/m³            |
| Consumer DN  | EL, long-term  | oral                      | systemic | 0,74 mg/kg<br>bw/day  |
| 2215-35-2    | zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodi   | thioate)                  |          |                       |
| Worker DNEL, | long-term  | inhalation                | systemic | 8,6 mg/m³             |
| Worker DNEL, | long-term  | dermal                    | systemic | 12,2 mg/kg<br>bw/day  |
| Consumer DN  | EL, long-term  | inhalation                | systemic | 2,13 mg/m³            |
| Consumer DN  | EL, long-term  | dermal                    | systemic | 6,1 mg/kg bw/day      |
| Consumer DN  | EL, long-term  | oral                      | systemic | 0,24 mg/kg<br>bw/day  |
| 84605-29-8   | Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl     | and iso-Propyl)esters,zii | nc salts |                       |
| Worker DNEL, | long-term  | inhalation                | systemic | 8,31 mg/m³            |
| Worker DNEL, | long-term  | dermal                    | systemic | 12,1 mg/kg<br>bw/day  |
| Consumer DN  | EL, long-term  | inhalation                | systemic | 2,11 mg/m³            |
| Consumer DN  | EL, long-term  | dermal                    | systemic | 6,1 mg/kg bw/day      |
| Consumer DN  | EL, long-term  | oral                      | systemic | 0,24 mg/kg<br>bw/day  |
| 121158-58-5  | phenol, dodecyl-, branched                                   |                           |          |                       |
| Worker DNEL, | acute  | inhalation                | systemic | 44,18 mg/m³           |
| Worker DNEL, | long-term  | dermal                    | systemic | 0,25 mg/kg<br>bw/day  |
| Worker DNEL, | acute  | dermal                    | systemic | 166 mg/kg bw/day      |
| Consumer DN  | EL, long-term  | inhalation                | systemic | 0,79 mg/m³            |
| Consumer DN  | EL, acute  | inhalation                | systemic | 13,26 mg/m³           |
| Consumer DN  | EL, long-term  | dermal                    | systemic | 0,075 mg/kg<br>bw/day |
| Consumer DN  | EL, acute  | dermal                    | systemic | 50 mg/kg bw/day       |
| Consumer DN  | EL, long-term  | oral                      | systemic | 0,075 mg/kg<br>bw/day |
| Consumer DN  | EL, acute  | oral                      | systemic | 1,26 mg/kg<br>bw/day  |



according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 6 of 13

#### **PNEC values**

| CAS No        | Substance  |               |
|---------------|--|---------------|
| Environmenta  | al compartment   | Value         |
| 64742-54-7    | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified  |               |
| Secondary po  | pisoning   | 9,33 mg/kg    |
| 2215-35-2     | zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)             |               |
| Freshwater    |  | 0,004 mg/l    |
| Freshwater (i | ntermittent releases)  | 0,045 mg/l    |
| Marine water  |  | 0,0046 mg/l   |
| Freshwater se | ediment  | 0,074 mg/kg   |
| Marine sedim  | nent   | 0,007 mg/kg   |
| Secondary po  | pisoning   | 10,67 mg/kg   |
| Micro-organis | sms in sewage treatment plants (STP)   | 100 mg/l      |
| Soil          |  | 0,01 mg/kg    |
| 84605-29-8    | Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters | ,zinc salts   |
| Freshwater    |  | 0,004 mg/l    |
| Freshwater (i | ntermittent releases)  | 0,045 mg/l    |
| Marine water  |  | 0,0046 mg/l   |
| Freshwater se | 0,022 mg/kg  |               |
| Marine sedim  | 0,002 mg/kg  |               |
| Secondary po  | 10,67 mg/kg  |               |
| Micro-organis | sms in sewage treatment plants (STP)   | 100 mg/l      |
| Soil          |  | 0,002 mg/kg   |
| 121158-58-5   | phenol, dodecyl-, branched   |               |
| Freshwater    |  | 0,000074 mg/l |
| Freshwater (i | ntermittent releases)  | 0,00037 mg/l  |
| Marine water  |  | 0,000007 mg/l |
| Freshwater se | 0,226 mg/kg  |               |
| Marine sedim  | 0,027 mg/kg  |               |
| Secondary po  | 4 mg/kg  |               |
| Micro-organis | 100 mg/l   |               |
| Soil          | 0,118 mg/kg  |               |

# 8.2. Exposure controls

# Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Use of protective clothing.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 7 of 13

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: greenish blue Odour: characteristic

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: Not readily combustible.
Lower explosion limits: not determined
Upper explosion limits: not determined

Flash point: >190 °C ISO 2592

Auto-ignition temperature: not determined

Decomposition temperature: not determined

pH-Value: not applicable DIN 51369
Viscosity / kinematic: ~ 12,2 mm²/s DIN 51562

(at 100 °C)

Water solubility: practically insoluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: <0,1 hPa calculated.

(at 20 °C)

Density (at 15 °C): ~ 0,862 g/cm³ DIN 51757

Relative vapour density:

Particle characteristics:

not determined

not relevant

9.2. Other information

Other safety characteristics

Pour point: ~ -21 °C

**DIN ISO 3016** 

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 8 of 13

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No      | Chemical name               |               |              |                             |                     |   |
|-------------|-----------------------------|---------------|--------------|-----------------------------|---------------------|---|
|             | Exposure route              | Dose          |              | Species                     | Source              | Method                                      |
| 64742-54-7  | Distillates (petroleum), hy | drotreated he | avy paraffir | nic; Baseoil - unspecified  |                     |   |
|             | oral                        | LD50<br>mg/kg | > 5000       | Rat                         | REACh Dossier       | OECD 401                                    |
|             | dermal                      | LD50<br>mg/kg | > 5000       | Rabbit                      | REACh Dossier       | OECD 402                                    |
| 36878-20-3  | Bis(nonylphenyl)amine       |               |              |                             |                     |   |
|             | oral                        | LD50<br>mg/kg | > 5000       | Rat                         | Study report (1981) | OECD Guideline 401                          |
| 2215-35-2   | zinc O,O,O',O'-tetrakis(1,  | 3-dimethylbut | yl) bis(phos | phorodithioate)             |                     |   |
|             | oral                        | LD50<br>mg/kg | 2230         | Rat                         | Study report (1980) | other: 16CFR1500.3                          |
|             | dermal                      | LD50<br>mg/kg | > 25000      | Rabbit                      | Study report (1980) | other: Protocol 159<br>and 159-01 reference |
| 84605-29-8  | Phosphorodithioic acid, n   | nixed O,O-bis | (1,3-dimeth  | nylbutyl and iso-Propyl)est | ers,zinc salts      |   |
|             | oral                        | LD50<br>mg/kg | 4468         | Rat                         | Study report (1985) | OECD Guideline 401                          |
|             | dermal                      | LD50<br>mg/kg | > 2000       | Rabbit                      | Study report (1980) | OECD Guideline 402                          |
| 121158-58-5 | phenol, dodecyl-, branched  |               |              |                             |                     |   |
|             | oral                        | LD50<br>mg/kg | 2100         | Rat                         | Publication (1978)  | OECD Guideline 401                          |
|             | dermal                      | LD50<br>mg/kg | ca. 15000    | Rabbit                      | Study report (1968) | OECD Guideline 402                          |

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

## **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 9 of 13

## **Endocrine disrupting properties**

Endocrine disrupting properties: phenol, dodecyl-, branched.

## Other information

No information available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.

| CAS No      | Chemical name   |                  |                |           |  |                        |                       |
|-------------|---|------------------|----------------|-----------|--|------------------------|-----------------------|
|             | Aquatic toxicity  | Dose             |                | [h]   [d] | Species  | Source                 | Method                |
| 64742-54-7  | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified |                  |                |           |  |                        |                       |
|             | Acute fish toxicity   | LL50<br>mg/l     | > 100          | 96 h      | Pimephales promelas (fathead minnow)               | REACh Dossier          | OECD 203              |
|             | Acute algae toxicity  | ErC50<br>mg/l    | > 100          | 72 h      | Pseudokirchneriella<br>subcapitata                 | REACh Dossier          | OECD 201              |
|             | Acute crustacea toxicity  | EL50<br>mg/l     | > 10000        | 48 h      | Daphnia magna (Big<br>water flea)                  | REACh Dossier          | OECD 202              |
|             | Fish toxicity   | NOEC<br>mg/l     | >= 1000        | 14 d      | Oncorhynchus mykiss (Rainbow trout)                | REACh Dossier          | QSAR                  |
|             | Crustacea toxicity  | NOEC<br>mg/l     | > 10           | 21 d      | Daphnia magna (Big<br>water flea)                  | REACh Dossier          | OECD 211              |
| 2215-35-2   | zinc O,O,O',O'-tetrakis(1,  | 3-dimethylb      | utyl) bis(phos | phorodit  | hioate)  |                        |                       |
|             | Acute fish toxicity   | LL50             | 4,5 mg/l       | 96 h      | Oncorhynchus mykiss                                | Study report<br>(2005) | OECD Guideline<br>203 |
|             | Crustacea toxicity  | NOEC             | 0,4 mg/l       | 21 d      | Daphnia magna                                      | Study report<br>(2010) | OECD Guideline<br>211 |
| 84605-29-8  | Phosphorodithioic acid, m   | nixed O,O-b      | is (1,3-dimeth | ylbutyl a | nd iso-Propyl)esters,zind                          | salts                  |                       |
|             | Acute fish toxicity   | LL50             | 4,5 mg/l       | 96 h      | Oncorhynchus mykiss<br>(Rainbow trout)             | Study report<br>(2005) | OECD Guideline<br>203 |
|             | Crustacea toxicity  | NOEC             | 0,4 mg/l       | 21 d      | Daphnia magna                                      | Study report<br>(2010) | OECD Guideline<br>211 |
| 121158-58-5 | phenol, dodecyl-, branche   | ed               |                |           |  |                        |                       |
|             | Acute crustacea toxicity  | EC50<br>mg/l     | 0,037          | 48 h      | Daphnia magna                                      | Study report<br>(2005) | OECD Guideline<br>202 |
|             | Crustacea toxicity  | NOEC<br>mg/l     | 0,004          | 21 d      | Daphnia magna                                      | Study report<br>(2005) | OECD Guideline<br>211 |
|             | Acute bacteria toxicity   | EC50<br>mg/l ( ) | > 1000         | 3 h       | activated sludge of a predominantly industrial sew | Study report<br>(2004) | OECD Guideline<br>209 |

## 12.2. Persistence and degradability

The product has not been tested.

| 1110 pi    | Cauci has not been tested.  |            |    |               |
|------------|---|------------|----|---------------|
| CAS No     | Chemical name   |            |    |               |
|            | Method  | Value      | d  | Source        |
|            | Evaluation  |            |    |               |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u | nspecified |    |               |
|            | OECD 301B   | 21 %       | 28 | REACh Dossier |
|            | Not easily bio-degradable (according to OECD-criteria).             |            |    |               |

## 12.3. Bioaccumulative potential

The product has not been tested.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 10 of 13

#### Partition coefficient n-octanol/water

| CAS No      | Chemical name   | Log Pow |
|-------------|---|---------|
| 36878-20-3  | Bis(nonylphenyl)amine   | 7,58    |
| 2215-35-2   | zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)                        | 2,21    |
| 84605-29-8  | Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts | 0,56    |
| 121158-58-5 | phenol, dodecyl-, branched  | 7,14    |

#### **BCF**

| CAS No      | Chemical name              | BCF | Species             | Source              |
|-------------|----------------------------|-----|---------------------|---------------------|
| 36878-20-3  | Bis(nonylphenyl)amine      | 411 | Cyprinus carpio     | Study report (2000) |
| 121158-58-5 | phenol, dodecyl-, branched | 289 | Oncorhynchus mykiss | Study report (2006) |

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts.

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

## List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:**No dangerous good in sense of this transport regulation. **14.2. UN proper shipping name:**No dangerous good in sense of this transport regulation.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 11 of 13

14.3. Transport hazard class(es):14.4. Packing group:No dangerous good in sense of this transport regulation.No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

phenol, dodecyl-, branched

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

## Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

## **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC POWER BOAT 4-T SAE 10W-30**

Revision date: 06.04.2023 Product code: 20147 Page 12 of 13

#### Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Repr: Reproductive toxicity

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification          | Classification procedure |
|-------------------------|--------------------------|
| Aquatic Chronic 3; H412 | Calculation method       |

#### Relevant H and EUH statements (number and full text)

| H304 | May be fatal if swallowed and enters airways. |
|------|---|
| H314 | Causes severe skin burns and eye damage.      |
| H315 | Causes skin irritation.                       |

Causes serious eye damage.

H318



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

| <b>HIGHTEC POWER BOAT 4-T SAE 10</b> |
|--------------------------------------|
|--------------------------------------|

Revision date: 06.04.2023 Product code: 20147 Page 13 of 13

| <ul> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> <li>H413 May cause long lasting harmful effects to aquatic life.</li> </ul> |      |   |
|--|------|---|
| H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.  | H400 | Very toxic to aquatic life.                             |
| H412 Harmful to aquatic life with long lasting effects.  | H410 | Very toxic to aquatic life with long lasting effects.   |
| 1 0 0  | H411 | Toxic to aquatic life with long lasting effects.        |
| H413 May cause long lasting harmful effects to aquatic life.   | H412 | Harmful to aquatic life with long lasting effects.      |
|  | H413 | May cause long lasting harmful effects to aquatic life. |

May damage fertility.

#### **Further Information**

H360F

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)