

according to Regulation (EC) No 1907/2006

# HIGHTEC MARINE POWER HFO 50 SAE 40

Revision date: 01.11.2023

Product code: 20256

Page 1 of 7

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

HIGHTEC MARINE POWER HFO 50 SAE 40

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Motor oil

# 1.3. Details of the supplier of the safety data sheet

Company name: Street:	ROWE Mineralölwerk GmbH Langgewann 101		
Place:	D-67547 Worms		
Telephone: E-mail: Contact person: E-mail: Internet:	+49 (0)6241 5906-0 info@rowe-oil.com Product Compliance sdb@rowe-oil.com www.rowe-oil.com	Telefax: +49 (0)6241 5906-999	
<u>1.4. Emergency telephone</u> number:		Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

# 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
83846-43-9	Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs., calcium salts (2:1)		2.5 - < 5 %	
	281-018-8			
	Aquatic Chronic 3; H412			

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated



according to Regulation (EC) No 1907/2006

# **HIGHTEC MARINE POWER HFO 50 SAE 40**

Revision date: 01.11.2023

Product code: 20256

Page 2 of 7

clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# After ingestion

Rinse mouth immediately and drink 1 glass of of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

## For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# Other information

Clean contaminated articles and floor according to the environmental legislation.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.



according to Regulation (EC) No 1907/2006

# **HIGHTEC MARINE POWER HFO 50 SAE 40**

Revision date: 01.11.2023

Product code: 20256

Page 3 of 7

# Advice on protection against fire and explosion

# No special fire protection measures are necessary.

# Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

# 7.3. Specific end use(s)

Motor oil

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.2. Exposure controls



#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Use of protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# **Environmental exposure controls**

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:LiquidColour:brownOdour:character	
	ristic
Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limits: Upper explosion limits:	

not determined not determined

Not readily combustible. not determined not determined



## according to Regulation (EC) No 1907/2006

#### **HIGHTEC MARINE POWER HFO 50 SAE 40** Product code: 20256 Revision date: 01.11.2023 Page 4 of 7 >230 °C DIN ISO 2592 Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not applicable DIN 51369 Viscosity / kinematic: ~ 14.7 mm<sup>2</sup>/s DIN 51562 (at 100 °C) Water solubility: practically insoluble (at 20 °C) Solubility in other solvents Soluble in hydrocarbons (mineral oil.) Partition coefficient n-octanol/water: not determined Vapour pressure: >0,1 hPa calculated. (at 20 °C) Density (at 15 °C): ~ 0,914 g/cm3 DIN 51757 Relative vapour density: not determined Particle characteristics: not relevant 9.2. Other information Other safety characteristics ~ -12 °C Pour point: **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

# ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# **HIGHTEC MARINE POWER HFO 50 SAE 40**

Revision date: 01.11.2023

Product code: 20256

Page 5 of 7

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 11.2. Information on other hazards

#### Other information

No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.

#### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Further information

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

# Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

# Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.



# according to Regulation (EC) No 1907/2006

Revision date: 01.11.2023	HTEC MARINE POWER HFO 50 SAE 40 Product code: 20256	Page 6 of 7
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user   No dangerous good in sense of this t   14.7. Maritime transport in bulk according	to IMO instruments	
No dangerous good in sense of this t	ransport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental rec	ulations/legislation specific for the substance or mixture	
EU regulatory information	<u></u>	
Restrictions on use (REACH, annex XVII	Ŋ.	
•	).	
Entry 75	Not outpingt to 2012/10/ELL (SE)/ESO III)	
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
	reasonating national regulations the product dass not have to be labelled	
·	responding national regulations the product does not have to be labelled.	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.	
15.2. Chemical safety assessment		
	ostances in this mixture were not carried out.	
Chemical salety assessments for sur		

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 1,2.



according to Regulation (EC) No 1907/2006

# **HIGHTEC MARINE POWER HFO 50 SAE 40**

Revision date: 01.11.2023

Product code: 20256

Page 7 of 7

# Abbreviations and acronyms

Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNFL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Relevant H and EUH statements (number and full text)

# H412 Harmful to ac

Harmful to aquatic life with long lasting effects.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)