

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC SYNT RSV SAE 0W-20

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the	<u>safety data sheet</u>	
Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
1.4. Emergency telephone number:	1809 2566 other Countries: Emer	180 921 66, Healthcare Professionals +353 gency CONTACT (24-Hour-Number): GBK
	GmbH +49 (0)6132-84463	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

Dispose of contents/container to of the disposal according to local regulations.

Special labelling of certain mixtures

Contains maleic anhydride. May produce an allergic reaction.

2.3. Other hazards

EUH208

P501

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters, zinc salts. Endocrine disrupting properties: phenol, dodecyl-, branched. No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 2 of 14

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)	•		
64742-54-7	Distillates (petroleum), hydrotreated	d heavy paraffinic; Baseoil - ι	Inspecified	60 - < 100 %	
	265-157-1	649-467-00-8	01-2119484627-25		
	Asp. Tox. 1; H304				
	Mineral Oil (CAS 64742-54-7, 6474	2-55-8, 64742-56-9, 64742-6	\$5-0)	5 - < 15 %	
	Asp. Tox. 1; H304				
	Styrene-1,3-Butadiene polymer, hy	drogenated		1 - < 2.5 %	
	Aquatic Chronic 4; H413				
	Calcium branched alkyl pheate sul	ohide (overbased)		1 - < 2.5 %	
	Aquatic Chronic 4; H413				
84605-29-8	Phosphorodithioic acid, mixed O,O	0.1 - < 0.3 %			
	283-392-8		01-2119493626-26		
	Skin Irrit. 2, Eye Dam. 1, Aquatic C	hronic 2; H315 H318 H411			
128-39-2	2,6-di-tert-butylphenol			0.1 - < 0.3 %	
	204-884-0		01-2119490822-33		
	Skin Irrit. 2, Aquatic Acute 1, Aquat	tic Chronic 1; H315 H400 H4	10		
121158-58-5	phenol, dodecyl-, branched			< 0.1 %	
	310-154-3	604-092-00-9	01-2119513207-49		
	Repr. 1B, Skin Corr. 1C, Eye Dam. H400 H410	1, Aquatic Acute 1, Aquatic	Chronic 1; H360F H314 H318		
108-31-6	maleic anhydride			< 0.1 %	
	203-571-6	607-096-00-9	01-2119472428-31		
Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1A, STOT RE 1; H302 H314 H318 H334 H317 H372 EUH071					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	60 - < 100 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
84605-29-8	283-392-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts	0.1 - < 0.3 %
		= > 2000 mg/kg; oral: LD50 = 4468 mg/kg Skin Irrit. 2; H315: >= 6,25 - 100 Eye >= 12,5 - 100 Eye Irrit. 2; H319: >= 10 - < 12,5	
128-39-2	204-884-0	2,6-di-tert-butylphenol	0.1 - < 0.3 %
		• 5000 mg/kg Aquatic Acute 1; H400: M=1 ic 1; H410: M=1	
121158-58-5	310-154-3	phenol, dodecyl-, branched	< 0.1 %
		= ca. 15000 mg/kg; oral: LD50 = 2100 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=10	
108-31-6	203-571-6	maleic anhydride	< 0.1 %
	dermal: LD50	= 2620 mg/kg; oral: LD50 = 1090 mg/kg_Skin Sens. 1A; H317: >= 0,001 - 100	

SECTION 4: First aid measures



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 3 of 14

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 4 of 14

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
108-31-6	Maleic anhydride (Inhalable Fraction and Vapour)	0.01	-		TWA (8 h)	



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 5 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy	/ paraffinic; Baseoil - unspecified		
Worker DNE	L, long-term	inhalation	local	5,58 mg/m³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Worker DNE	L, long-term	inhalation	systemic	2,73 mg/m³
Consumer D	NEL, long-term	inhalation	local	1,19 mg/m³
Consumer D	NEL, long-term	oral	systemic	0,74 mg/kg bw/day
84605-29-8	Phosphorodithioic acid, mixed 0,0-bis (1,5	3-dimethylbutyl and iso-Propyl)esters	s,zinc salts	
Worker DNE	L, long-term	inhalation	systemic	8,31 mg/m³
Worker DNE	L, long-term	dermal	systemic	12,1 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	2,11 mg/m ³
Consumer D	NEL, long-term	dermal	systemic	6,1 mg/kg bw/day
Consumer D	NEL, long-term	oral	systemic	0,24 mg/kg bw/day
128-39-2	2,6-di-tert-butylphenol		T	
Worker DNE	L, long-term	inhalation	systemic	70,61 mg/m ³
Worker DNE	L, long-term	dermal	systemic	11,25 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	20,9 mg/m³
Consumer D	NEL, long-term	dermal	systemic	6,75 mg/kg bw/day
Consumer D	NEL, long-term	oral	systemic	6,75 mg/kg bw/day
121158-58-5	phenol, dodecyl-, branched			
Worker DNE	L, acute	inhalation	systemic	44,18 mg/m ³
Worker DNE	L, long-term	dermal	systemic	0,25 mg/kg bw/day
Worker DNE	L, acute	dermal	systemic	166 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	0,79 mg/m³
Consumer D	NEL, acute	inhalation	systemic	13,26 mg/m ³
Consumer D	NEL, long-term	dermal	systemic	0,075 mg/kg bw/day
Consumer D	NEL, acute	dermal	systemic	50 mg/kg bw/day
Consumer DI	NEL, long-term	oral	systemic	0,075 mg/kg bw/day
Consumer D	NEL, acute	oral	systemic	1,26 mg/kg bw/day
108-31-6	maleic anhydride			
Worker DNE	L, long-term	inhalation	systemic	0,081 mg/m³
Worker DNE	L, acute	inhalation	systemic	0,2 mg/m³
Worker DNE	L, long-term	inhalation	local	0,081 mg/m³
Worker DNE	L, acute	inhalation	local	0,2 mg/m³



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 6 of 14

PNEC values

CAS No Substance	
Environmental compartment	Value
64742-54-7 Distillates (petroleum), hydrotre	eated heavy paraffinic; Baseoil - unspecified
Secondary poisoning	9,33 mg/kg
84605-29-8 Phosphorodithioic acid, mixed	O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts
Freshwater	0,004 mg/l
Freshwater (intermittent releases)	0,045 mg/l
Marine water	0,0046 mg/l
Freshwater sediment	0,022 mg/kg
Marine sediment	0,002 mg/kg
Secondary poisoning	10,67 mg/kg
Micro-organisms in sewage treatment plants (S	TP) 100 mg/l
Soil	0,002 mg/kg
128-39-2 2,6-di-tert-butylphenol	
Freshwater	0,001 mg/l
Freshwater (intermittent releases)	0,004 mg/l
Marine water	0 mg/l
Freshwater sediment	0,317 mg/kg
Marine sediment	0,032 mg/kg
Secondary poisoning	60 mg/kg
Micro-organisms in sewage treatment plants (S	TP) 10 mg/l
Soil	0,697 mg/kg
121158-58-5 phenol, dodecyl-, branched	
Freshwater	0,000074 mg/l
Freshwater (intermittent releases)	0,00037 mg/l
Marine water	0,000007 mg/l
Freshwater sediment	0,226 mg/kg
Marine sediment	0,027 mg/kg
Secondary poisoning	4 mg/kg
Micro-organisms in sewage treatment plants (S	TP) 100 mg/l
Soil	0,118 mg/kg
108-31-6 maleic anhydride	
Freshwater	0,038 mg/l
Freshwater (intermittent releases)	0,379 mg/l
Marine water	0,004 mg/l
Freshwater sediment	0,296 mg/kg
Marine sediment	0,03 mg/kg
Micro-organisms in sewage treatment plants (S	TP) 44,6 mg/l
Soil	0,037 mg/kg

8.2. Exposure controls

Individual protection measures, such as personal protective equipment



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 7 of 14

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	light brown
Odour:	characteristic
Melting point/freezing point:	not determined
Boiling point or initial boiling point and	not determined
boiling range:	
Flammability:	Not readily combustible.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 185 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	~ 9,0 mm²/s
(at 100 °C)	
Water solubility:	The study does not need to be conducted
	because the substance is known to be
	insoluble in water.
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 15 °C):	~ 0,847 g/cm³
Relative vapour density:	not determined
Particle characteristics:	not relevant
9.2. Other information	
Other safety characteristics	
Pour point:	~ -48 °C
SECTION 40. Stability and reactivity	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 8 of 14

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401	
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402	
84605-29-8	Phosphorodithioic acid,	mixed O,O-bi	s (1,3-dimetł	nylbutyl and iso-Propyl)es	ters,zinc salts		
	oral	LD50 mg/kg	4468	Rat	Study report (1985)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1980)	OECD Guideline 402	
128-39-2	2,6-di-tert-butylphenol						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1991)	OECD Guideline 401	
121158-58-5	phenol, dodecyl-, branc	hed					
	oral	LD50 mg/kg	2100	Rat	Publication (1978)	OECD Guideline 401	
	dermal	LD50 mg/kg	ca. 15000	Rabbit	Study report (1968)	OECD Guideline 402	
108-31-6	maleic anhydride						
	oral	LD50 mg/kg	1090	Rat	SIDS Initial Assessment Report for SIAM	OECD Guideline 401	
	dermal	LD50 mg/kg	2620	Rabbit	Toxicol. Appl. Pharmacol. 42, 417-424 (1	The method used for skin absorption toxi	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 9 of 14

Based on available data, the classification criteria are not met. Contains maleic anhydride. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 10 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
84605-29-8	Phosphorodithioic acid, m	ixed O,O-bi	is (1,3-dimeth	nylbutyl a	nd iso-Propyl)esters,zinc	salts	
	Acute fish toxicity	LL50	4,5 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Study report (2005)	OECD Guideline 203
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
128-39-2	2,6-di-tert-butylphenol						
	Acute crustacea toxicity	EC50 mg/l	0,45	48 h	Daphnia magna	REACh Registration Dossier	
	Crustacea toxicity	NOEC mg/l	0,035	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
121158-58-5	phenol, dodecyl-, branche	ed		_	_		
	Acute crustacea toxicity	EC50 mg/l	0,037	48 h	Daphnia magna	Study report (2005)	OECD Guideline 202
	Crustacea toxicity	NOEC mg/l	0,004	21 d	Daphnia magna	Study report (2005)	OECD Guideline 211
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge of a predominantly industrial sew	Study report (2004)	OECD Guideline 209

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u	nspecified			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u OECD 301B	nspecified 21 %	28	REACh Dossier	

12.3. Bioaccumulative potential

The product has not been tested.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 11 of 14

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Calcium branched alkyl pheate sulphide (overbased)	11,08
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters, zinc salts	0,56
128-39-2	2,6-di-tert-butylphenol	4,5
121158-58-5	phenol, dodecyl-, branched	7,14
108-31-6	maleic anhydride	-2,61

BCF

CAS No	Chemical name	BCF	Species	Source
	Calcium branched alkyl pheate sulphide (overbased)	2,2		
128-39-2	2,6-di-tert-butylphenol	135 - 360	Cyprinus carpio	Publication (1992)
121158-58-5	phenol, dodecyl-, branched	289	Oncorhynchus mykiss	Study report (2006)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 12 of 14

Inland waterways transport (ADN)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Marine transport (IMDG)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
14.6. Special precautions for user					
No dangerous good in sense of this tra	nsport regulation.				
14.7. Maritime transport in bulk according to	D IMO instruments				
No dangerous good in sense of this tra	insport regulation.				
SECTION 15: Regulatory information	SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu					
	adions/legislation specific for the substance of mixture				
EU regulatory information					
EU regulatory information Authorisations (REACH, annex XIV):					
Authorisations (REACH, annex XIV):					
Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched	C (REACH, article 59):				
Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII):	C (REACH, article 59):				
Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75	C (REACH, article 59):				
Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive	C (REACH, article 59):				
 Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): 	C (REACH, article 59):				
 Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): National regulatory information 	C (REACH, article 59): Not subject to 2012/18/EU (SEVESO III)				
 Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): 	C (REACH, article 59): Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juvenile				
 Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): National regulatory information 	C (REACH, article 59): Not subject to 2012/18/EU (SEVESO III)				
 Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): National regulatory information Employment restrictions: Water hazard class (D): 	C (REACH, article 59): Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): National regulatory information Employment restrictions: Water hazard class (D): <u>15.2. Chemical safety assessment</u>	C (REACH, article 59): Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): National regulatory information Employment restrictions: Water hazard class (D): <u>15.2. Chemical safety assessment</u>	C (REACH, article 59): Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water				

Changes

This data sheet contains changes from the previous version in section(s): 2.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023

Product code: 20260

Page 13 of 14

Abbreviations and acronyms Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Repr: Reproductive toxicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNFL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.



14

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RSV SAE 0W-20

Revision date: 01.11.2023	Product code: 20260	Page 14 of 14
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H360F	May damage fertility.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains maleic anhydride. May produce an allergic reaction.	

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)