

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC SYNT RS DLS SAE 5W-40

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of	the su	ubstance	/mixture

Motor oil

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
1.4. Emergency telephone number:	· · · · · ·	180 921 66, Healthcare Professionals +353 jency CONTACT (24-Hour-Number): GBK

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

C14-C16-C18 Alkylphenole

Signal word:

Pictograms:



Warning

Hazard statements

H317

May cause an allergic skin reaction.

Precautionary statements

ouulionaly olucomon	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to of the disposal according to local regulations.

2.3. Other hazards

No information available.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 2 of 14

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (E	C) No 1272/2008)		
64742-54-7	Distillates (petroleum), hydro	treated heavy paraffinic; Baseoi	- unspecified	30 - < 60 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
72623-87-1	Lubricating oils (petroleum),	C20-50, hydrotreated neutral oil-	based; Baseoil - unspecified	5 - < 15 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304		•	
72623-86-0	Lubricating oils (petroleum),	C15-30, hydrotreated neutral oil-	based; Baseoil - unspecified	5 - < 15 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
64742-56-9	Distillates (petroleum), solve	1 - < 2.5 %		
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304			
64742-65-0	Distillates (petroleum), solve	1 - < 2.5 %		
	265-169-7	649-474-00-6	01-2119471299-27	
	Asp. Tox. 1; H304			
64742-70-7	Paraffin oils (petroleum), cata	1 - < 2.5 %		
	265-174-4	649-477-00-2	01-2119487080-42	
	Asp. Tox. 1; H304			
	C14-C16-C18 Alkylphenole	1 - < 2.5 %		
	931-468-2		01-2119498288-19	
	Skin Sens. 1, STOT RE 2; H			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Cond	Specific Conc. Limits, M-factors and ATE					
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	30 - < 60 %				
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg					
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified	5 - < 15 %				
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg					
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	5 - < 15 %				
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg					
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	1 - < 2.5 %				
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg					
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %				
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg					
64742-70-7	265-174-4	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified	1 - < 2.5 %				
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg					
	931-468-2	C14-C16-C18 Alkylphenole	1 - < 2.5 %				
	dermal: LD50	0 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg					

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 4 of 14

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Motor oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 5 of 14

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³			
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day			
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m³			
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m³			
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day			
72623-86-0	Lubricating oils (petroleum), C15-30, hydr	otreated neutral oil-based; Baseoil - u	Inspecified				
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m³			
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³			
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m³			
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day			
64742-65-0	Distillates (petroleum), solvent-dewaxed h	neavy paraffinic; Baseoil - unspecified					
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m³			
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³			
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m³			
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day			
	C14-C16-C18 Alkylphenole						
Worker DNEL	, long-term	inhalation	systemic	1,17 mg/m³			
Worker DNEL	, long-term	dermal	systemic	0,3 mg/kg bw/day			



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 6 of 14

PNEC values

CAS No	Substance					
Environmenta	l compartment	Value				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
Secondary po	isoning	9,33 mg/kg				
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified					
Secondary po	isoning	9,33 mg/kg				
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified					
Secondary po	Secondary poisoning					
C14-C16-C18 Alkylphenole						
Freshwater		0,1 mg/l				
Freshwater (i	Freshwater (intermittent releases)					
Marine water	Marine water					
Freshwater se	ediment	4266,16 mg/kg				
Marine sedim	Marine sediment					
Secondary poisoning 3,3 mg/k						
Micro-organis	Micro-organisms in sewage treatment plants (STP) 100 mg/l					
Soil		852,58 mg/kg				

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	brown
Odour:	characteristic
Melting point/freezing point:	

not determined



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024 Product code: 20307

Page 7 of 14

not determined	
Not readily combustible.	
not determined	
not determined	
>228 °C	
not determined	
not determined	
not determined	
~ 13,2 mm²/s	
The study does not need to be conducted	
because the substance is known to be	
insoluble in water.	
not determined	
not determined	
~ 0,842 g/cm³	
not determined	
not relevant	
~ -33 °C	
	Not readily combustible. not determined not determined >228 °C not determined not determined ~ 13,2 mm²/s The study does not need to be conducted because the substance is known to be insoluble in water.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 8 of 14

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64742-54-7	Distillates (petroleum	ı), hydrotreated	l heavy paraff	înic; Baseoil - uns	pecified				
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
72623-87-1	Lubricating oils (petro	oleum), C20-50), hydrotreate	d neutral oil-based	l; Baseoil - unspecified				
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402			
72623-86-0	Lubricating oils (petro	oleum), C15-30), hydrotreate	d neutral oil-based	l; Baseoil - unspecified				
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified								
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified								
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
64742-70-7	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified								
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
	C14-C16-C18 Alkylp	henole							
	oral	LD50 mg/kg	> 2000	Rat	REACh Dossier	OECD 423			
	dermal	LD50 mg/kg	> 2000	Rat	REACh Dossier	OECD 402			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (C14-C16-C18 Alkylphenole)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 9 of 14

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 10 of 14

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified									
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR			
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211			
72623-87-1	Lubricating oils (petroleun	n), C20-50, ł	nydrotreated	neutral o	oil-based; Baseoil - unspe	ecified				
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a			
72623-86-0	Lubricating oils (petroleun	n), C15-30, ŀ	nydrotreated	neutral o	oil-based; Baseoil - unspe	cified				
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR			
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211			
64742-56-9	Distillates (petroleum), so	lvent-dewaxe	ed light para	ffinic; Ba	seoil - unspecified					
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR			
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211			
64742-65-0	Distillates (petroleum), so	lvent-dewaxe	ed heavy pa	raffinic; E	Baseoil - unspecified					
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203			
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia pulex (water flea)	REACh Dossier	OECD 202			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR			
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 11 of 14

64742-70-7	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified							
	Acute fish toxicity	LL50 mg/l	> 100		Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203	
	Fish toxicity	NOEC mg/l	>= 1000		Oncorhynchus mykiss (Rainbow trout)	REACh Dossier		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	OECD 301B	21 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified				
	OECD 301F	31 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified				
	OECD 301B	31 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified				
	OECD 301F	31 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	C14-C16-C18 Alkylphenole	> 16000000

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Page 12 of 14

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Marine transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

14.4. Packing group.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 75	
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 13 of 14

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Sens: Skin sensitisation STOT RE: Specific target organ toxicity - repeated exposure CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure			
Skin Sens. 1; H317	Calculation method			
Relevant H and EUH statements (number and full text)				

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS DLS SAE 5W-40

Revision date: 10.02.2024

Product code: 20307

Page 14 of 14

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)