

according to Regulation (EC) No 1907/2006

## HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

HIGHTEC ENGINE CLEANER

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cleaning agent, Additive

### 1.3. Details of the supplier of the safety data sheet

Company name: ROWE Mineralölwerk GmbH

Street: Langgewann 101
Place: D-67547 Worms

Telephone: +49 (0)6241 5906-0 Telefax: +49 (0)6241 5906-999

E-mail: info@rowe-oil.com
Contact person: Product Compliance
E-mail: sdb@rowe-oil.com
Internet: www.rowe-oil.com

<u>1.4. Emergency telephone</u> Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353

number: 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK

GmbH +49 (0)6132-84463

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

# Hazard components for labelling

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts

Signal word: Warning

Pictograms:



### **Hazard statements**

H317 May cause an allergic skin reaction.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves and eye/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to of the disposal according to local regulations.

### 2.3. Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Vapours can form explosive mixtures with air.



according to Regulation (EC) No 1907/2006

## HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 2 of 14

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Relevant ingredients

| CAS No     | Chemical name  |  |                  | Quantity    |  |
|------------|--|--|------------------|-------------|--|
|            | EC No  | Index No   | REACH No         |             |  |
|            | Classification (Regulation (EC) No                                 |  |                  |             |  |
| 70024-69-0 | Benzenesulfonic acid, mono-C16-2                                   | 24-alkyl derivs., calcium salts  |                  | 5 - < 15 %  |  |
|            | 274-263-7  |  | 01-2119492616-28 |             |  |
|            | Skin Sens. 1B; H317  |  |                  |             |  |
| 111-76-2   | 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve |  |                  | 2.5 - < 5 % |  |
|            | 203-905-0  | 603-014-00-0   | 01-2119475108-36 |             |  |
|            | Acute Tox. 3, Acute Tox. 4, Skin In                                | rit. 2, Eye Irrit. 2; H331 H302 H315   | H319             |             |  |
| 64742-48-9 | Naphtha (petroleum), hydrotreated                                  | heavy  |                  | 2.5 - < 5 % |  |
|            | 265-150-3  | 649-327-00-6   | 01-2119486659-16 |             |  |
|            | Asp. Tox. 1; H304 EUH066   |  |                  |             |  |
| 64742-65-0 | Distillates (petroleum), solvent-dev                               | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified |                  |             |  |
|            | 265-169-7  | 649-474-00-6   | 01-2119471299-27 |             |  |
|            | Asp. Tox. 1; H304  |  |                  |             |  |

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits. M-factors and ATE

| CAS No   | EC No  | Chemical name  | Quantity    |  |  |
|--|--|--|-------------|--|--|
|  | Specific Conc.   | Limits, M-factors and ATE  |             |  |  |
| 70024-69-0   | 274-263-7  | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts                             | 5 - < 15 %  |  |  |
|  | dermal: LD50 =   | = > 5000 mg/kg; oral: LD50 = > 16000 mg/kg   |             |  |  |
| 111-76-2   | 203-905-0  | 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve                         | 2.5 - < 5 % |  |  |
|  | inhalation: ATE 3 mg/l (vapours); oral: ATE 1200 mg/kg   |  |             |  |  |
| 64742-48-9   | 265-150-3  | 0-3 Naphtha (petroleum), hydrotreated heavy  |             |  |  |
|  | inhalation: LC50 = 28,1 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg |  |             |  |  |
| 64742-65-0   | 265-169-7  | 265-169-7 Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified |             |  |  |
| dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg |  |  |             |  |  |

## Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % aliphatic hydrocarbons.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

When in doubt or if symptoms are observed, get medical advice.

### After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

# After contact with skin

Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an

Print date: 04.03.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 3 of 14

ophthalmologist.

### After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

Water spray jet. Foam. Carbon dioxide (CO2).

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Combustible. Non-flammable. Vapours can form explosive mixtures with air.

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO2), Pyrolysis products, toxic.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

### For emergency responders

Wear personal protection equipment (refer to section 8).

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

### 6.3. Methods and material for containment and cleaning up

## For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. Stop leak if safe to do so.

# For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Print date: 04.03.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 4 of 14

### Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with eyes and skin. Use personal protection equipment.

# Advice on protection against fire and explosion

Vapours may form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only antistatically equipped (spark-free) tools.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store in a dry place.

## Hints on joint storage

Do not store together with: Oxidizing agent, Pyrophoric or self-heating substances.

### Further information on storage conditions

Keep away from heat.

### 7.3. Specific end use(s)

Cleaning agent, Additive

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### Occupational exposure limits

| CAS No   | Substance   | ppm | mg/m³ | fib/cm³ | Category      | Origin |
|----------|---|-----|-------|---------|---------------|--------|
| 111-76-2 | 2-Butoxyethanol (EGBE)                                  | 20  | 98    |         | TWA (8 h)     |        |
|          |   | 50  | 246   |         | STEL (15 min) |        |
| -        | Mineral Oil pure, highly & severely refined (Inhalable) | -   | 5     |         | TWA (8 h)     |        |

## **Biological limit values**

| CAS No   | Substance       | Parameter | Value    | Test material | Sampling time |
|----------|-----------------|-----------|----------|---------------|---------------|
| 111-76-2 | 2-Butoxyethanol | BAA       | 200 mg/g | Creatinine    | End of shift  |



according to Regulation (EC) No 1907/2006

# **HIGHTEC ENGINE CLEANER**

Revision date: 08.02.2024 Product code: 22012 Page 5 of 14

# **DNEL/DMEL values**

| CAS No                 | Substance                                    |                                       |          |                          |
|------------------------|--|---------------------------------------|----------|--------------------------|
| DNEL type              |  | Exposure route                        | Effect   | Value                    |
| 70024-69-0             | Benzenesulfonic acid, mono-C16-24-alkyl d    | lerivs., calcium salts                |          |                          |
| Worker DNEL,           | long-term                                    | inhalation                            | systemic | 11,75 mg/m³              |
| Worker DNEL,           | long-term                                    | dermal                                | systemic | 3,33 mg/kg<br>bw/day     |
| Worker DNEL,           | long-term                                    | dermal                                | local    | 1,03 mg/cm <sup>2</sup>  |
| Consumer DN            | EL, long-term                                | inhalation                            | systemic | 2,9 mg/m³                |
| Consumer DN            | EL, long-term                                | dermal                                | systemic | 1,667 mg/kg<br>bw/day    |
| Consumer DN            | EL, long-term                                | dermal                                | local    | 0,513 mg/cm <sup>2</sup> |
| Consumer DN            | EL, long-term                                | oral                                  | systemic | 0,833 mg/kg<br>bw/day    |
| 111-76-2               | 2-butoxyethanol; ethylene glycol monobutyl   | ether; butyl cellosolve               |          |                          |
| Worker DNEL,           | long-term                                    | inhalation                            | systemic | 98 mg/m³                 |
| Worker DNEL,           | acute  | inhalation                            | systemic | 1091 mg/m³               |
| Worker DNEL,           | acute  | inhalation                            | local    | 246 mg/m³                |
| Consumer DN            | EL, long-term                                | inhalation                            | systemic | 59 mg/m³                 |
| Consumer DN            | EL, acute                                    | inhalation                            | systemic | 426 mg/m³                |
| Consumer DN            | EL, acute                                    | inhalation                            | local    | 147 mg/m³                |
| Consumer DN            | EL, long-term                                | oral                                  | systemic | 6,3 mg/kg bw/day         |
| Consumer DN            | EL, acute                                    | oral                                  | systemic | 26,7 mg/kg<br>bw/day     |
| 64742-48-9             | Naphtha (petroleum), hydrotreated heavy      |                                       |          |                          |
| Worker DNEL,           | long-term                                    | inhalation                            | systemic | 1,9 mg/m³                |
| Worker DNEL,           | acute  | inhalation                            | systemic | 1286,4 mg/m³             |
| Worker DNEL,           | long-term                                    | inhalation                            | local    | 837,5 mg/m³              |
| Worker DNEL,           | acute  | inhalation                            | local    | 1066,67 mg/m³            |
| Consumer DN            | EL, long-term                                | inhalation                            | systemic | 0,41 mg/m³               |
| Consumer DN            | EL, acute                                    | inhalation                            | systemic | 1152 mg/m³               |
| Consumer DN            | EL, long-term                                | inhalation                            | local    | 178,57 mg/m³             |
| Consumer DNEL, acute   |  | inhalation                            | local    | 640 mg/m³                |
| 64742-65-0             | Distillates (petroleum), solvent-dewaxed her | avy paraffinic; Baseoil - unspecified |          |                          |
| Worker DNEL, long-term |  | inhalation                            | systemic | 2,73 mg/m³               |
| Worker DNEL, long-term |  | inhalation                            | local    | 5,58 mg/m³               |
| Worker DNEL,           | long-term                                    | dermal                                | systemic | 0,97 mg/kg<br>bw/day     |
| Consumer DN            | EL, long-term                                | inhalation                            | local    | 1,19 mg/m³               |
| Consumer DN            | EL, long-term                                | oral                                  | systemic | 0,74 mg/kg<br>bw/day     |



according to Regulation (EC) No 1907/2006

### HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 6 of 14

### **PNEC values**

| CAS No  | Substance  |                 |  |  |
|---|--|-----------------|--|--|
| Environmental   | compartment  | Value           |  |  |
| 70024-69-0 Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts |  |                 |  |  |
| Freshwater  |  | 1 mg/l          |  |  |
| Freshwater (in  | termittent releases)   | 10 mg/l         |  |  |
| Marine water  |  | 1 mg/l          |  |  |
| Freshwater se   | diment   | 226000000 mg/kg |  |  |
| Marine sedime   | ent  | 226000000 mg/kg |  |  |
| Secondary poi   | soning   | 16,667 mg/kg    |  |  |
| Micro-organism  | ns in sewage treatment plants (STP)  | 1000 mg/l       |  |  |
| Soil  |  | 271000000 mg/kg |  |  |
| 111-76-2  | 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve               |                 |  |  |
| Freshwater  |  | 8,8 mg/l        |  |  |
| Freshwater (intermittent releases)  |  | 26,4 mg/l       |  |  |
| Marine water  |  | 0,88 mg/l       |  |  |
| Freshwater se   | diment   | 34,6 mg/kg      |  |  |
| Marine sediment   |  | 3,46 mg/kg      |  |  |
| Secondary poisoning   |  | 20 mg/kg        |  |  |
| Micro-organisms in sewage treatment plants (STP)                          |  | 463 mg/l        |  |  |
| Soil  |  | 2,33 mg/kg      |  |  |
| 64742-65-0  | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified |                 |  |  |
| Secondary poisoning 9,33 mg/kg  |  |                 |  |  |

# 8.2. Exposure controls







### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

# Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection. (EN 166)

### **Hand protection**

Tested protective gloves must be worn (EN ISO 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Wear suitable protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

### HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 7 of 14

#### Thermal hazards

Flame-retardant protective clothing Wear anti-static footwear and clothing

## **Environmental exposure controls**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: brown
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

171 °C

boiling range:

Combustible, Non-flammable, Flammability: Lower explosion limits: not determined not determined Upper explosion limits: Flash point: 67 °C Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined 145 mm<sup>2</sup>/s Viscosity / kinematic:

(at 40 °C)

Water solubility: Immiscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: < 0,1 hPa

(at 20 °C)

Density (at 20 °C): 0,895 g/cm³
Relative vapour density: not determined
Particle characteristics: not applicable

# 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

Vapours may form explosive mixtures with air.

# **Further Information**

No information available.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

# 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



according to Regulation (EC) No 1907/2006

## HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 8 of 14

# 10.5. Incompatible materials

Oxidizing agent, Pyrophoric or self-heating substances.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO2), Pyrolysis products, toxic.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) 24490 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 61,22 mg/l; ATE (inhalation dust/mist) > 5 mg/l

|            | , ,                         |               |                |                              |                     |                               |
|------------|-----------------------------|---------------|----------------|------------------------------|---------------------|-------------------------------|
| CAS No     | Chemical name               |               |                |                              |                     |                               |
|            | Exposure route              | Dose          |                | Species                      | Source              | Method                        |
| 70024-69-0 | Benzenesulfonic acid, mo    | ono-C16-24-   | alkyl derivs., | calcium salts                |                     |                               |
|            | oral                        | LD50<br>mg/kg | > 16000        | Rat                          | Study report (1981) | Section 772 .112-21<br>CFR 40 |
|            | dermal                      | LD50<br>mg/kg | > 5000         | Rabbit                       | Study report (1981) | OECD Guideline 402            |
| 111-76-2   | 2-butoxyethanol; ethylen    | e glycol mon  | obutyl ether;  | butyl cellosolve             |                     |                               |
|            | oral                        | ATE 1200      | mg/kg          |                              |                     |                               |
|            | inhalation vapour           | ATE 3 mg      | /I             |                              |                     |                               |
| 64742-48-9 | Naphtha (petroleum), hyd    | drotreated he | eavy           |                              |                     |                               |
|            | oral                        | LD50<br>mg/kg | > 2000         | Rat                          | Study report (1989) | OECD Guideline 401            |
|            | dermal                      | LD50<br>mg/kg | > 2000         | Rat                          | Study report (1989) | OECD Guideline 402            |
|            | inhalation (4 h) vapour     | LC50          | 28,1 mg/l      | Rat                          | Study report (1980) | OECD Guideline 403            |
| 64742-65-0 | Distillates (petroleum), so | olvent-deway  | ked heavy pa   | raffinic; Baseoil - unspecit | fied                |                               |
|            | oral                        | LD50<br>mg/kg | > 5000         | Rat                          | REACh Dossier       | OECD 401                      |
|            | dermal                      | LD50<br>mg/kg | > 5000         | Rabbit                       | REACh Dossier       | OECD 402                      |

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

May cause an allergic skin reaction. (Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts)

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

Inhalation, oral, Skin contact, Eye contact.



according to Regulation (EC) No 1907/2006

## HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 9 of 14

# 11.2. Information on other hazards

# **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# Other information

No information available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

# **HIGHTEC ENGINE CLEANER**

Revision date: 08.02.2024 Product code: 22012 Page 10 of 14

| CAS No     | Chemical name                           |                  |                |           |  |   |                       |  |  |  |
|------------|---|------------------|----------------|-----------|--|---|-----------------------|--|--|--|
|            | Aquatic toxicity                        | Dose             |                | [h]   [d] | Species  | Source                                    | Method                |  |  |  |
| 70024-69-0 | Benzenesulfonic acid, mo                | no-C16-24-       | alkyl derivs., | calcium   | salts  |   |                       |  |  |  |
|            | Acute fish toxicity                     | LL50<br>mg/l     | > 10000        | 96 h      | Cyprinodon variegatus                              | REACh<br>Registration<br>Dossier          | OECD Guideline<br>203 |  |  |  |
|            | Acute algae toxicity                    | ErC50<br>mg/l    | > 1000         | 72 h      | Pseudokirchneriella<br>subcapitata                 | REACh<br>Registration<br>Dossier          | EPA OTS<br>797.1050   |  |  |  |
|            | Acute crustacea toxicity                | EC50<br>mg/l     | > 1000         | 48 h      | Daphnia magna                                      | REACh<br>Registration<br>Dossier          | EPA OTS<br>797.1300   |  |  |  |
|            | Acute bacteria toxicity                 | EC50<br>mg/l ( ) | > 10000        | 3 h       | activated sludge of a predominantly domestic sewag | REACh<br>Registration<br>Dossier          | OECD Guideline<br>209 |  |  |  |
| 111-76-2   | 2-butoxyethanol; ethylene               | glycol mon       | obutyl ether;  | butyl cel | losolve  |   |                       |  |  |  |
|            | Acute fish toxicity                     | LC50<br>mg/l     | 1474           | 96 h      | Oncorhynchus mykiss                                | Toxicol Mech<br>Meth 12, 255-63<br>(2002) | OECD Guideline<br>203 |  |  |  |
|            | Acute algae toxicity                    | ErC50            | 911 mg/l       | 72 h      | Pseudokirchneriella<br>subcapitata                 | Toxicol Mech<br>Meth 12, 255-63<br>(2002) | OECD Guideline<br>201 |  |  |  |
|            | Acute crustacea toxicity                | EC50<br>mg/l     | 1550           | 48 h      | Daphnia magna                                      | Toxicol Mech<br>Meth 12, 255-63<br>(2002) | OECD Guideline<br>202 |  |  |  |
|            | Fish toxicity                           | NOEC<br>mg/l     | > 100          | 21 d      | Danio rerio  | Toxicol Mech<br>Meth 12, 255-63<br>(2002) | OECD Guideline<br>204 |  |  |  |
|            | Crustacea toxicity                      | NOEC             | 100 mg/l       | 21 d      | Daphnia magna                                      | Toxicol Mech<br>Meth 12, 255-63<br>(2002) | OECD Guideline<br>211 |  |  |  |
| 64742-48-9 | Naphtha (petroleum), hydrotreated heavy |                  |                |           |  |   |                       |  |  |  |
|            | Acute fish toxicity                     | LL50<br>32 mg/l  | > 22 - <       | 96 h      | Leuciscus idus                                     | Study report<br>(1983)                    | DIN 38 412            |  |  |  |
|            | Acute algae toxicity                    | ErC50<br>mg/l    | 2,56           | 72 h      | Raphidocelis<br>subcapitata                        | Study report<br>(2004)                    | OECD Guideline<br>201 |  |  |  |
|            | Acute crustacea toxicity                | EL50             | 13 mg/l        |           | Daphnia magna                                      | Study report<br>(2004)                    | OECD Guideline<br>202 |  |  |  |
|            | Fish toxicity                           | NOEC             | 2,6 mg/l       |           | Daphnia magna                                      | Study report<br>(1999)                    | OECD Guideline<br>211 |  |  |  |
|            | Crustacea toxicity                      | NOEC             | 2,6 mg/l       |           | Daphnia magna                                      | Study report<br>(1999)                    | OECD Guideline<br>211 |  |  |  |
| 64742-65-0 | Distillates (petroleum), so             | T                |                | 1         |  | T   | T                     |  |  |  |
|            | Acute fish toxicity                     | LL50<br>mg/l     | > 100          |           | Pimephales promelas (fathead minnow)               | REACh Dossier                             | OECD 203              |  |  |  |
|            | Acute crustacea toxicity                | EL50<br>mg/l     | > 10000        |           | Daphnia pulex (water flea)                         | REACh Dossier                             | OECD 202              |  |  |  |
|            | Fish toxicity                           | NOEC<br>mg/l     | >= 1000        |           | Oncorhynchus mykiss<br>(Rainbow trout)             | REACh Dossier                             | QSAR                  |  |  |  |
|            | Algae toxicity                          | NOEC<br>mg/l     | >= 100         | 3 d       | Pseudokirchneriella<br>subcapitata                 | REACh Dossier                             | OECD 201              |  |  |  |

# 12.2. Persistence and degradability

The product has not been tested.

Print date: 04.03.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 11 of 14

| CAS No     | Chemical name  |       |    |               |
|------------|--|-------|----|---------------|
|            | Method   | Value | d  | Source        |
|            | Evaluation   |       |    |               |
| 64742-65-0 | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified |       |    |               |
|            | OECD 301F  | 31 %  | 28 | REACh Dossier |
|            | Not easily bio-degradable (according to OECD-criteria).                          |       |    |               |

## 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

| CAS No     | Chemical name  | Log Pow       |
|------------|--|---------------|
| 70024-69-0 | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts     | 18,05         |
| 111-76-2   | 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve | 0,81          |
| 64742-48-9 | Naphtha (petroleum), hydrotreated heavy                            | > 2,4 - < 5,2 |

### **BCF**

| CAS No | Chemical name                           | BCF        | Species | Source       |
|--------|---|------------|---------|--------------|
| I I    | Naphtha (petroleum), hydrotreated heavy | 39 - 18220 |         | USEPA (2008) |

# 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

| ma manoport (, tertitie)          |  |
|-----------------------------------|--|
| 14.1. UN number or ID number:     | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name:    | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group:              | No dangerous good in sense of this transport regulation. |

# Inland waterways transport (ADN)

| 14.1. UN number or ID number:     | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name:    | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |



according to Regulation (EC) No 1907/2006

HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 12 of 14

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**Additional information** 

Observe in addition any national regulations!

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.



according to Regulation (EC) No 1907/2006

### HIGHTEC ENGINE CLEANER

Revision date: 08.02.2024 Product code: 22012 Page 13 of 14

## Abbreviations and acronyms

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
M-Factor: Multiplication Factor
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

TI: Technical Instructions

DGR: Dangerous Goods Regulations

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds EG or EC: European Community

IE: Industrial Emissions

SVHC: Substance of Very High Concern

## Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification     | Classification procedure |  |
|--------------------|--------------------------|--|
| Skin Sens. 1; H317 | Calculation method       |  |

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.



according to Regulation (EC) No 1907/2006

|           |           |           | <br>           |
|-----------|-----------|-----------|----------------|
| HIGHT     | FEC E     |           |                |
| - HILS-HI | I F ( . F | 17(-117 🗀 | $\Delta N = R$ |
|           |           |           |                |

Revision date: 08.02.2024 Product code: 22012 Page 14 of 14

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

EUH066 Repeated exposure may cause skin dryness or cracking.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)