

according to Regulation (EC) No 1907/2006

HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC ATF CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricating agent, Additive, Cleaning agent

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
<u>1.4. Emergency telephone</u> number:	· · · /	80 921 66, Healthcare Professionals +353 ency CONTACT (24-Hour-Number): GBK

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Asp. Tox. 1; H304 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Kerosine (petroleum), hydrodesulfurized; Kerosine - unspecified HYDROCARBONS, C14-C18, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-30%) gnal word: Danger

Signal word: Pictograms:



Hazard statements

H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statemen	ts
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P305+P354+P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P264	Wash hands thoroughly after handling.
P501	Dispose of contents/container to of the disposal according to local regulations.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 2 of 13

2.3. Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB. Vapours can form explosive mixtures with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
64742-48-9	Naphtha (petroleum), hydrotreated	heavy		60 - < 100 %
	265-150-3	649-327-00-6	01-2119486659-16	
	Asp. Tox. 1; H304 EUH066			
64742-55-8	Distillates (petroleum), hydrotreated	d light paraffinic; Baseoil - unspec	ified	2.5 - < 5 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304		•	
	Methacrylate copolymer			2.5 - < 5 %
	Eye Irrit. 2; H319			
68649-42-3	Zinc alkyl dithiophosphate			1 - < 2.5 %
	272-028-3		01-2119657973-23	
	Skin Irrit. 2, Eye Dam. 1, Aquatic C	hronic 2; H315 H318 H411		
1218787-32-6	2,2 '- (C16-18 (evennumbered, C18	3 unsaturated) alkyl imino) diethar	nol	0.1 - < 0.3 %
	620-540-6		01-2119510877-33	
	Acute Tox. 4, Skin Corr. 1C, Eye D H400 H410	am. 1, Aquatic Acute 1, Aquatic C	hronic 1; H302 H314 H318	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64742-48-9	265-150-3	Naphtha (petroleum), hydrotreated heavy	60 - < 100 %
	inhalation: LC mg/kg	50 = 28,1 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000	
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	2.5 - < 5 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
		Methacrylate copolymer	2.5 - < 5 %
	Eye Irrit. 2; H3	19: >= 75 - 100	
68649-42-3	272-028-3	Zinc alkyl dithiophosphate	1 - < 2.5 %
		= 6965 mg/kg; oral: LD50 = 3100 mg/kg Skin Irrit. 2; H315: >= 15 - 100 Eye >= 15 - 100 Eye Irrit. 2; H319: >= 15 - < 15	
1218787-32-6	620-540-6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.1 - < 0.3 %
		500 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=1	

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

SECTION 4: First aid measures

4.1. Description of first aid measures



according to Regulation (EC) No 1907/2006

HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 3 of 13

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet. Foam. Carbon dioxide (CO2). Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Combustible. Non-flammable. Vapours can form explosive mixtures with air.

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO2), Pyrolysis products, toxic.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. Stop leak if safe to do so.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 4 of 13

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with eyes and skin. Use personal protection equipment.

Advice on protection against fire and explosion

Vapours may form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only antistatically equipped (spark-free) tools.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store in a dry place.

Hints on joint storage

Do not store together with: Oxidizing agent, Pyrophoric or self-heating substances.

Further information on storage conditions

Keep away from heat.

7.3. Specific end use(s)

Lubricating agent, Additive, Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	



HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 5 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-48-9	Naphtha (petroleum), hydrotreated heavy			
Worker DNEL,	long-term	inhalation	systemic	1,9 mg/m³
Worker DNEL,	acute	inhalation	systemic	1286,4 mg/m ³
Worker DNEL,	long-term	inhalation	local	837,5 mg/m³
Worker DNEL,	acute	inhalation	local	1066,67 mg/m ³
Consumer DN	EL, long-term	inhalation	systemic	0,41 mg/m³
Consumer DN	EL, acute	inhalation	systemic	1152 mg/m³
Consumer DN	EL, long-term	inhalation	local	178,57 mg/m³
Consumer DN	EL, acute	inhalation	local	640 mg/m³
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Based	oil - unspecified		
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
1218787-32- 6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl im	ino) diethanol		
Worker DNEL,	long-term	inhalation	systemic	2,112 mg/m ³
Worker DNEL,	long-term	dermal	systemic	0,3 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,745 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,214 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,214 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental	compartment	Value
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	
Secondary poi	isoning	9,33 mg/kg
1218787-32- 6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	
Freshwater		0,000214 mg/l
Freshwater (in	termittent releases)	0,00087 mg/l
Marine water		0,000021 mg/l
Freshwater se	diment	1,692 mg/kg
Marine sedime	ent	0,169 mg/kg
Secondary poi	isoning	2 mg/kg
Micro-organism	ns in sewage treatment plants (STP)	1,5 mg/l
Soil		5 mg/kg


8.2. Exposure controls



according to Regulation (EC) No 1907/2006

HIGHTEC ATF CLEANER

Revision date: 02.02.2024



Page 6 of 13





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing Wear anti-static footwear and clothing

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	liquid brown characteristic not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		180 - 250 °C
Flammability:		Combustible. Non-flammable.
Lower explosion limits:		0,6 vol. %
Upper explosion limits:		8,0 vol. %
Flash point:		65 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		Immiscible
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure: (at 20 °C)		0,5 hPa
Density (at 20 °C):		0,814 g/cm³



according to Regulation (EC) No 1907/2006

н	IIGHTEC ATF CLEANER	
Revision date: 02.02.2024	Product code: 22014	Page 7 of 13
Relative vapour density:	not determined	
Particle characteristics:	not applicable	
9.2. Other information		
Information with regard to physical hazard clas Explosive properties Vapours may form explosive mixtures with air		
Other safety characteristics Viscosity / dynamic: (at 20 °C)	3 mPa⋅s	
Further Information		
No information available.		

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent, Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO2), Pyrolysis products, toxic.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 8 of 13

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-48-9	Naphtha (petroleum), hy	drotreated he	eavy			
	oral	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402
	inhalation (4 h) vapour	LC50	28,1 mg/l	Rat	Study report (1980)	OECD Guideline 403
64742-55-8	Distillates (petroleum), h	ydrotreated I	ight paraffini	c; Baseoil - unspecified		
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
68649-42-3	Zinc alkyl dithiophosphat	e				
	oral	LD50 mg/kg	3100	Rat	Hazardous Substance DataBank [HSDB], U S	
	dermal	LD50 mg/kg	6965	Rabbit	OECD QSAR Toolbox prediction Ver. 3.3;	
1218787-32- 6	2,2 '- (C16-18 (evennum	bered, C18 u	insaturated)	alkyl imino) diethanol		
	oral	LD50 mg/kg	1500	Rat	Study report (1984)	OECD Guideline 425

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

Inhalation, oral, Skin contact, Eye contact.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 9 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-48-9	Naphtha (petroleum), hyd	rotreated he	eavy				
	Acute fish toxicity	LL50 32 mg/l	> 22 - <	96 h	Leuciscus idus	Study report (1983)	DIN 38 412
	Acute algae toxicity	ErC50 mg/l	2,56	72 h	Raphidocelis subcapitata	Study report (2004)	OECD Guideline 201
	Acute crustacea toxicity	EL50	13 mg/l	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202
	Fish toxicity	NOEC	2,6 mg/l	21 d	Daphnia magna	Study report (1999)	OECD Guideline 211
	Crustacea toxicity	NOEC	2,6 mg/l	21 d	Daphnia magna	Study report (1999)	OECD Guideline 211
64742-55-8	Distillates (petroleum), hy	drotreated li	ght paraffinio	; Baseoi	l - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
1218787-32- 6	2,2 '- (C16-18 (evennumb	ered, C18 u	insaturated) a	alkyl imin	o) diethanol		
	Acute algae toxicity	ErC50 mg/l	0,0867	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Acute bacteria toxicity	EC50 ()	167 mg/l	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
	8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified					
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - uns	specified				
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - uns OECD 301B	specified 31 %	28	REACh Dossier		

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-48-9	Naphtha (petroleum), hydrotreated heavy	> 2,4 - < 5,2
1218787-32-6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	3,6



HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 10 of 13

BCF

CAS No	Chemical name	BCF	Species	Source
64742-48-9	Naphtha (petroleum), hydrotreated heavy	39 - 18220		USEPA (2008)
1218787-32-6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	20,2		QSAR result (2010)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

> No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

> No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

> No dangerous good in sense of this transport regulation.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>
14.2. UN proper shipping name:
14.3. Transport hazard class(es):
14.4. Packing group:
Inland waterways transport (ADN)
14.1. UN number or ID number:
14.2. UN proper shipping name:
14.3. Transport hazard class(es):
14.4. Packing group:

Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u>

r shipping name:No dangerous good in sense of this transport regulation.t hazard class(es):No dangerous good in sense of this transport regulation.



HIGHTEC ATF CLEANER			
Revision date: 02.02.2024	Product code: 22014	Page 11 of 13	
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
No information available.			
14.7. Maritime transport in bulk according	to IMO instruments		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
EU regulatory information			
Restrictions on use (REACH, annex XVII	r.		
Entry 3, Entry 75			
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)		
2012/18/EU (SEVESO III):			
Additional information			
Regulation (EC) No. 648/2004 [Deter	gents regulation]		
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'ju work protection guideline' (94/33/EC).	uvenile	
Water hazard class (D):	2 - obviously hazardous to water		
Additional information			
Observe in addition any national regu	lations!		
15.2. Chemical safety assessment			
Chemical safety assessments for substances in this mixture were not carried out.			

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Abbreviations and acronyms

Product code: 22014

Page 12 of 13

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service M-Factor: Multiplication Factor DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization **TI: Technical Instructions** DGR: Dangerous Goods Regulations MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds EG or EC: European Community IE: Industrial Emissions SVHC: Substance of Very High Concern Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)



according to Regulation (EC) No 1907/2006

HIGHTEC ATF CLEANER

Revision date: 02.02.2024

Product code: 22014

Page 13 of 13

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)