

according to Regulation (EC) No 1907/2006

## **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

HIGHTEC HYPOID EP SAE 85W-140

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Gear oil

#### 1.3. Details of the supplier of the safety data sheet

Company name: ROWE Mineralölwerk GmbH

Street: Langgewann 101
Place: D-67547 Worms

Telephone: +49 (0)6241 5906-0 Telefax: +49 (0)6241 5906-999

E-mail: info@rowe-oil.com
Contact person: Product Compliance
E-mail: sdb@rowe-oil.com
Internet: www.rowe-oil.com

<u>1.4. Emergency telephone</u> Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353

number: 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK

GmbH +49 (0)6132-84463

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

# Hazard components for labelling

Amines, C10-14-tert-alkyl

Signal word: Warning

Pictograms:



# **Hazard statements**

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of Water and soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to of the disposal according to local regulations.

#### 2.3. Other hazards

No information available.



according to Regulation (EC) No 1907/2006

## **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 2 of 12

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
63150-07-2	2-Propenoic acid, 2-methyl-, C10-2	0-alkyl esters, polymers with Methyl	methacrylate	1 - < 2.5 %
	Eye Irrit. 2; H319			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified			1 - < 2.5 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
	Amines, C10-14-tert-alkyl		0.1 - < 0.3 %	
	701-175-2		01-2119456798-18	
	Acute Tox. 2, Acute Tox. 3, Acute T Acute 1, Aquatic Chronic 1; H330 F	•		
1213789-63-9	C16-18-(even numbered, saturated and unsaturated)-alkylamines			0.1 - < 0.3 %
	627-034-4		01-2119473797-19	
	Acute Tox. 4, Skin Corr. 1B, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H335 H373 H304 H400 H410			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits. M-factors and ATE

operation of the	7. Emmes, W. 140	**********	
CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50 =		
	701-175-2	Amines, C10-14-tert-alkyl	0.1 - < 0.3 %
	inhalation: LC5	0 = 1,19 mg/l (vapours); dermal: LD50 = 251 mg/kg; oral: LD50 = 552 mg/kg	
1213789-63-9	627-034-4	C16-18-(even numbered, saturated and unsaturated)-alkylamines	0.1 - < 0.3 %
	1	= > 2000 mg/kg; oral: LD50 = 1689 mg/kg	

## **Further Information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 3 of 12

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

## For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 4 of 12

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

No special measures are necessary.

# 7.3. Specific end use(s)

Gear oil

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified						
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³			
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³			
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day			
	Amines, C10-14-tert-alkyl						
Worker DNEL,	long-term	inhalation	systemic	12,5 mg/m³			
Worker DNEL,	long-term	inhalation	local	12,1 mg/m³			
Consumer DN	EL, long-term	inhalation	systemic	2,5 mg/m³			
Consumer DN	EL, long-term	inhalation	local	1,2 mg/m³			
Consumer DN	EL, long-term	oral	systemic	0,35 mg/kg bw/day			
1213789-63- 9	C16-18-(even numbered, saturated and unsaturated)-alkyla	amines					
Worker DNEL,	long-term	inhalation	systemic	0,38 mg/m³			
Worker DNEL,	long-term	inhalation	local	1 mg/m³			
Worker DNEL,	Worker DNEL, acute		local	1 mg/m³			
Consumer DNEL, long-term		inhalation	systemic	0,035 mg/m³			
Consumer DN	EL, long-term	oral	systemic	0,04 mg/kg bw/day			



according to Regulation (EC) No 1907/2006

## **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 5 of 12

#### **PNEC values**

CAS No	Substance	
Environment	al compartment	Value
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	
Secondary po	pisoning	9,33 mg/kg
	Amines, C10-14-tert-alkyl	
Freshwater		0,001 mg/l
Freshwater (i	ntermittent releases)	0,004 mg/l
Marine water		0 mg/l
Freshwater s	ediment	2,14 mg/kg
Marine sediment		0,214 mg/kg
Secondary poisoning		4,71 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,635 mg/l
Soil		0,428 mg/kg
1213789-63- 9	C16-18-(even numbered, saturated and unsaturated)-alkylamines	
Freshwater		0,00026 mg/l
Freshwater (i	ntermittent releases)	0,0016 mg/l
Marine water		0,000026 mg/l
Freshwater sediment		3,76 mg/kg
Marine sedim	0,376 mg/kg	
Micro-organisms in sewage treatment plants (STP) 0,55 mg		
Soil 10 mg/kg		

## 8.2. Exposure controls



# Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye/face protection.

#### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **Environmental exposure controls**

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

# **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 6 of 12

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: characteristic

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability:

Lower explosion limits:

Not readily combustible.

not determined

Upper explosion limits:

not determined

Flash point: >180 °C ISO 2592

Auto-ignition temperature: not determined Decomposition temperature: not determined

pH-Value: not applicable DIN 51369
Viscosity / kinematic: ~ 28 mm²/s DIN 51562

(at 100 °C)

Water solubility: practically insoluble

(at 20 °C)

Solubility in other solvents

Soluble in hydrocarbons (mineral oil.)

Partition coefficient n-octanol/water: not determined

Vapour pressure: <0,1 hPa calculated.

(at 20 °C)

Density (at 15 °C): ~ 0,9 g/cm³ DIN 51757

Relative vapour density: not determined Particle characteristics: not relevant

# 9.2. Other information

Other safety characteristics

Pour point: ~ -12 °C

**DIN ISO 3016** 

Print date: 04.03.2024

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**



according to Regulation (EC) No 1907/2006

#### **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 7 of 12

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) 220233 mg/kg; ATE (inhalation vapour) 1044 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
72623-86-0	Lubricating oils (petroleur	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified						
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401		
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402		
	Amines, C10-14-tert-alkyl							
	oral	LD50 mg/kg	552	Mouse	Study report (2000)	OECD Guideline 401		
	dermal	LD50 mg/kg	251	Rat	Study report (1993)	OECD Guideline 402		
	inhalation (4 h) vapour	LC50	1,19 mg/l	Rat	Study report (2001)	OECD Guideline 403		
1213789-63- 9	C16-18-(even numbered, saturated and unsaturated)-alkylamines							
	oral	LD50 mg/kg	1689	Rat	Study report (1993)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1985)	OECD Guideline 402		

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (Amines, C10-14-tert-alkyl)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# 11.2. Information on other hazards

## Other information

No information available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

## **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 8 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
72623-86-0	Lubricating oils (petroleun	n), C15-30,	hydrotreated	neutral o	oil-based; Baseoil - unspe	ecified	
	Acute fish toxicity	LL50 mg/l	> 100		Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000		Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Crustacea toxicity	NOEC mg/l	> 10		Daphnia magna (Big water flea)	REACh Dossier	OECD 211
	Amines, C10-14-tert-alkyl						
	Acute algae toxicity	ErC50 mg/l	0,44	72 h	Pseudokirchneriella subcapitata	Study report (1994)	OECD Guideline 201
	Fish toxicity	NOEC mg/l	0,078	96 d	Oncorhynchus mykiss	Study report (2002)	OECD Guideline 210

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified						
	OECD 301F	31 %	28	REACh Dossier			
	Not easily bio-degradable (according to OECD-criteria).	-					

## 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amines, C10-14-tert-alkyl	2,9
1213789-63-9	C16-18-(even numbered, saturated and unsaturated)-alkylamines	5,16

# BCF

CAS No	Chemical name	BCF	Species	Source
1213789-63-9	C16-18-(even numbered, saturated and unsaturated)-alkylamines	173		Environmental Toxico

## 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

Print date: 04.03.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 9 of 12

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

#### **SECTION 15: Regulatory information**

Print date: 04.03.2024



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 10 of 12

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

#### **Additional information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

# **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,12.



according to Regulation (EC) No 1907/2006

## **HIGHTEC HYPOID EP SAE 85W-140**

Revision date: 21.11.2023 Product code: 25016 Page 11 of 12

## Abbreviations and acronyms

Acute Tox: Acute toxicity
Asp. Tox: Aspiration hazard
Skin Corr: Skin corrosion
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)



according to Regulation (EC) No 1907/2006

	HIGHTEC HYPOID EP SAE 85W-140	
Revision date: 21.11.2023	Product code: 25016	Page 12 of 12
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Further Information		

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)