

according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC ATF 9000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

ATF

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	ROWE Mineralölwerk GmbH Langgewann 101 D-67547 Worms	
Telephone: E-mail: Contact person: E-mail: Internet:	+49 (0)6241 5906-0 info@rowe-oil.com Product Compliance sdb@rowe-oil.com www.rowe-oil.com	Telefax: +49 (0)6241 5906-999
1.4. Emergency telephone number:	· · · /	180 921 66, Healthcare Professionals +353 jency CONTACT (24-Hour-Number): GBK

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates 1,1` [iminobis (ethyleniminoethylene)] bis [3- (octadecenyl) pyrrolidin-2,5-dione]

Signal word:

Pictograms:





Warning

Hazard statements

H317

May cause an allergic skin reaction.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to of the disposal according to local regulations.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 2 of 15

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC)			
72623-87-1	Lubricating oils (petroleum), C2	20-50, hydrotreated neutral oil	-based; Baseoil - unspecified	15 - < 30 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304			
72623-86-0	Lubricating oils (petroleum), C	5-30, hydrotreated neutral oil	-based; Baseoil - unspecified	5 - < 15 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
64742-55-8	Distillates (petroleum), hydrotre	eated light paraffinic; Baseoil -	unspecified	1 - < 2.5 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			
64742-56-9	Distillates (petroleum), solvent-	1 - < 2.5 %		
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304	·		
64742-65-0	Distillates (petroleum), solvent-	1 - < 2.5 %		
	265-169-7			
	Asp. Tox. 1; H304	·		
64742-53-6	Distillates (petroleum), hydrotre	1 - < 2.5 %		
	265-156-6	649-466-00-2	01-2119480375-34	
	Asp. Tox. 1; H304			
-	Reaction product of: polyethyle phosphonates	1 - < 2.5 %		
	417-450-2	650-042-00-4	01-0000016426-70	
	Skin Irrit. 2, Eye Irrit. 2, Skin Se	ens. 1, Aquatic Chronic 3; H31	5 H319 H317 H412	
64051-50-9	1,1` [iminobis (ethyleniminoeth	0.3 - < 1 %		
	264-637-8			
	Skin Sens. 1B, Aquatic Chronic			

Full text of H and EUH statements: see section 16.



HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 3 of 15

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified	15 - < 30 %
	dermal: LD50	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	5 - < 15 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-53-6	265-156-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64051-50-9	264-637-8	1,1` [iminobis (ethyleniminoethylene)] bis [3- (octadecenyl) pyrrolidin-2,5-dione]	0.3 - < 1 %
	dermal: LD50	0 = > 2000 mg/kg	

Further Information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 4 of 15

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

ATF

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 5 of 15

DNEL/DMEL values

CAS No Substance			
DNEL type	Exposure route	Effect	Value
72623-86-0 Lubricating oils (petroleum)	, C15-30, hydrotreated neutral oil-based; Baseoil -	unspecified	
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-55-8 Distillates (petroleum), hyd	otreated light paraffinic; Baseoil - unspecified		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-65-0 Distillates (petroleum), solv	ent-dewaxed heavy paraffinic; Baseoil - unspecified	t .	
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-53-6 Distillates (petroleum), hyd	rotreated light naphthenic; Baseoil - unspecified		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
64051-50-9 1,1` [iminobis (ethylenimino	ethylene)] bis [3- (octadecenyl) pyrrolidin-2,5-dione)	
Worker DNEL, long-term	inhalation	systemic	12 mg/m ³
Worker DNEL, long-term	dermal	systemic	6,7 mg/kg bw/day



HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 6 of 15

PNEC values

CAS No	Substance					
Environmenta	Value					
72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified						
Secondary po	Secondary poisoning					
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified					
Secondary po	isoning	9,33 mg/kg				
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified					
Secondary po	isoning	9,33 mg/kg				
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified					
Secondary po	isoning	9,33 mg/kg				
64051-50-9	1,1` [iminobis (ethyleniminoethylene)] bis [3- (octadecenyl) pyrrolidin-2,5-dione]					
Freshwater		0,048 mg/l				
Freshwater (in	ntermittent releases)	0,476 mg/l				
Marine water		0,005 mg/l				
Freshwater se	ediment	883000 mg/kg				
Marine sedim	88300 mg/kg					
Secondary po	66,7 mg/kg					
Micro-organis	32 mg/l					
Soil		177000 mg/kg				

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	red
Odour:	characteristic



Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9000

Revision date: 06.04.2023	Product code: 25020	Page 7 of 15
		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	not determined	
boiling range:		
Flammability:	Not readily combustible.	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	>170 °C	ISO 2592
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	not applicable	DIN 51369
Viscosity / kinematic:	~ 7,4 mm²/s	DIN 51562
(at 100 °C)		
Water solubility:	practically insoluble	
(at 20 °C)		
Solubility in other solvents		
Soluble in hydrocarbons (mineral oil.)		
Partition coefficient n-octanol/water:	not determined	coloulated
Vapour pressure: (at 20 °C)	~0,1 IIFa	calculated.
Density (at 15 °C):	~ 0.849 g/cm³	DIN 51757
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
9.2. Other information		
Other safety characteristics		
Pour point:	~ -42 °C	
Pourpoint::		DIN ISO 3016

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 8 of 15

CAS No	Chemical name	Chemical name								
	Exposure route	Dose		Species	Source	Method				
72623-87-1	Lubricating oils (petrol	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified								
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401				
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402				
72623-86-0	Lubricating oils (petrol	leum), C15-30), hydrotreated	d neutral oil-base	d; Baseoil - unspecified					
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401				
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402				
64742-55-8	Distillates (petroleum)	, hydrotreated	l light paraffini	ic; Baseoil - unsp	ecified					
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401				
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402				
64742-56-9	Distillates (petroleum)	, solvent-dewa	axed light para	affinic; Baseoil - ι	Inspecified					
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401				
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402				
64742-65-0	Distillates (petroleum)	, solvent-dewa	axed heavy pa	araffinic; Baseoil ·	- unspecified					
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401				
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402				
64742-53-6	Distillates (petroleum)	, hydrotreated	l light naphthe	nic; Baseoil - uns	specified					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD 401				
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD 402				
64051-50-9	1,1` [iminobis (ethylen	iminoethylene	e)] bis [3- (octa	adecenyl) pyrrolid	lin-2,5-dione]					
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1997)	OECD Guideline 402				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates; 1,1` [iminobis (ethyleniminoethylene)] bis [3- (octadecenyl) pyrrolidin-2,5-dione])

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 9 of 15

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.



HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 10 of 15

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
72623-87-1	Lubricating oils (petroleun	n), C20-50,	hydrotreated	neutral o	oil-based; Baseoil - unspe	ecified			
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified								
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211		
64742-55-8	Distillates (petroleum), hy	drotreated	light paraffinic	; Baseoi	I - unspecified				
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211		
64742-56-9	Distillates (petroleum), so	vent-dewa	xed light para	ffinic; Ba	seoil - unspecified				
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211		
64742-65-0	Distillates (petroleum), so	vent-dewa	xed heavy pa	raffinic; E	Baseoil - unspecified				
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia pulex (water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		



HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 11 of 15

64742-53-6	Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified							
	Acute fish toxicity	LL50 mg/l	> 100	Pimephales promelas (fathead minnow)	Study report (1995)	OECD 203		
	Fish toxicity	NOEC mg/l	>= 1000		Oncorhynchus mykiss (Rainbow trout)	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a	
-	Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates							
	Acute algae toxicity	ErC50	22 mg/l		Pseudokirchneriella subcapitata			
64051-50-9	1,1` [iminobis (ethylenimir	noethylene)]	bis [3- (octa	decenyl)	pyrrolidin-2,5-dione]			
	Acute algae toxicity	ErC50 mg/l	48,9		Pseudokirchneriella subcapitata	Study report (2017)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	73,4	48 h	Daphnia magna	Study report (2017)	OECD Guideline 202	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name								
	Method	Value	d	Source					
	Evaluation								
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutra	ıl oil-based; Baseoil - unsp	ecified						
	OECD 301F	31 %	28	REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria	a).							
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified								
	OECD 301B	31 %	28	REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria	a).							
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; E	Baseoil - unspecified							
	OECD 301B	31 %	28	REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria	a).							
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	; Baseoil - unspecified							
	OECD 301F	31 %	28	REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria).								

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64051-50-9	1,1` [iminobis (ethyleniminoethylene)] bis [3- (octadecenyl) pyrrolidin-2,5-dione]	13,94

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 12 of 15

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Inland waterways transport (ADN)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Marine transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No



according to Regulation (EC) No 1907/2006

evision date: 06.04.2023	Product code: 25020	Page 13 of 15
EU regulatory information		
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75		
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
According to EC directives or the corres	ponding national regulations the product does not have to be la	belled.
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to work protection guideline' (94/33/EC).	the 'juvenile
Water hazard class (D):	2 - obviously hazardous to water	
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12,16.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9000

Revision date: 06.04.2023

Product code: 25020

Page 14 of 15

Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.



HIGHTEC ATF 9000

Product code: 25020

Page 15 of 15

Revision date: 06.04.2023

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)