

according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC ATF 9600

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

ATF

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
<u>1.4. Emergency telephone</u> number:	Ireland: Public (8am-10pm) +353 180 921 6 1809 2566 other Countries: Emergency CC GmbH +49 (0)6132-84463	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

H412

Regulation (EC) No 1272/2008

Hazard statements

Harmful to aquatic life with long lasting effects.

Precautionary statements

P103	Read carefully and follow all instructions.
P273	Avoid release to the environment.
P501	Dispose of contents/container to of the disposal according to local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 2 of 17

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No			
72623-87-1	Lubricating oils (petroleum), C20-5	0, hydrotreated neutral oil-b	ased; Baseoil - unspecified	30 - < 60 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304			
64742-55-8	Distillates (petroleum), hydrotreated	d light paraffinic; Baseoil - u	nspecified	1 - < 2.5 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			
72623-86-0	Lubricating oils (petroleum), C15-3	0, hydrotreated neutral oil-b	ased; Baseoil - unspecified	1 - < 2.5 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
398141-87-2	Thiophene, tetrahydro, 1,1-dioxide,	1 - < 2.5 %		
	800-172-4		01-2119969520-35	
	Aquatic Chronic 2; H411			
124-28-7	Dimantine			0.1 - < 0.3 %
	204-694-8		01-2119486676-20	
	Acute Tox. 4, Skin Corr. 1B, Aquati			
1218787-32-6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol			0.1 - < 0.3 %
	620-540-6		01-2119510877-33	
	Acute Tox. 4, Skin Corr. 1C, Eye D H400 H410			
	3 - ((C9-11 iso, C10-enriched) alkyloxy) propan-1-amine			< 0.1 %
	939-485-7		01-2119974116-35	
	Acute Tox. 4, Skin Corr. 1B, Aquati			
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol			< 0.1 %
	202-414-9		01-2119777867-13	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H373 H400 H410			

Full text of H and EUH statements: see section 16.



HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 3 of 17

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.		
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified	30 - < 60 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
398141-87-2	800-172-4	Thiophene, tetrahydro, 1,1-dioxide, 3- (C9-11 branched alkyloxy) derivatives., C10-rich	1 - < 2.5 %
	dermal: LD50	= > 4000 - < 8000 mg/kg	
124-28-7	204-694-8	Dimantine	0.1 - < 0.3 %
		450 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=1	
1218787-32-6	620-540-6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.1 - < 0.3 %
		500 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=1	
	939-485-7	3 - ((C9-11 iso, C10-enriched) alkyloxy) propan-1-amine	< 0.1 %
		500 - < 2000 mg/kg Aquatic Acute 1; H400: M=100 c 1; H410: M=1	
95-38-5	202-414-9	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	< 0.1 %
		a. 1000 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=1	

Further Information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 4 of 17

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

ATF

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Revision No: 1,10 - Replaces version: 1,09



HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 5 of 17

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-55-8	Distillates (petroleum), hydrotreated ligh	t paraffinic; Baseoil - unspecified		
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day
72623-86-0	Lubricating oils (petroleum), C15-30, hy	drotreated neutral oil-based; Baseoil - u	unspecified	
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL	, long-term	inhalation	local	5,58 mg/m ³
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day
398141-87-2	Thiophene, tetrahydro, 1,1-dioxide, 3- (0	C9-11 branched alkyloxy) derivatives.,	C10-rich	
Worker DNEL	, long-term	inhalation	systemic	24,7 mg/m ³
Worker DNEL	, long-term	dermal	systemic	350 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	4,35 mg/m ³
Consumer DNEL, long-term		dermal	systemic	125 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
124-28-7	Dimantine	•	•	
Worker DNEL	, long-term	inhalation	systemic	1 mg/m ³
Worker DNEL	, acute	inhalation	systemic	1 mg/m³
Worker DNEL	, long-term	inhalation	local	1 mg/m³
Worker DNEL	, acute	inhalation	local	1 mg/m ³
Consumer DN	IEL, long-term	oral	systemic	0,5 mg/kg bw/day
1218787-32- 6	2,2 '- (C16-18 (evennumbered, C18 uns	aturated) alkyl imino) diethanol		·
Worker DNEL	, long-term	inhalation	systemic	2,112 mg/m ³
Worker DNEL	, long-term	dermal	systemic	0,3 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	0,745 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,214 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,214 mg/kg bw/day
	3 - ((C9-11 iso, C10-enriched) alkyloxy)	propan-1-amine		
Worker DNEL	, long-term	inhalation	systemic	4,9 mg/m³
Worker DNEL	, long-term	dermal	systemic	0,7 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	0,74 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	0,25 mg/kg bw/day



HIGHTEC ATF 9600

Product code: 25036

Page 6 of 17

Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day
95-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol				
Worker DNEL,	long-term	inhalation	systemic	0,46 mg/m³
Worker DNEL,	acute	inhalation	systemic	14 mg/m ³
Worker DNEL,	long-term	dermal	systemic	0,06 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	2 mg/kg bw/day



HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 7 of 17

PNEC values

CAS No Substance	
Environmental compartment	Value
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	d
Secondary poisoning	9,33 mg/kg
72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Bas	seoil - unspecified
Secondary poisoning	9,33 mg/kg
398141-87-2 Thiophene, tetrahydro, 1,1-dioxide, 3- (C9-11 branched alkyloxy) deriva	tives., C10-rich
Freshwater	0,0024 mg/l
Freshwater (intermittent releases)	0,024 mg/l
Marine water	0,00033 mg/l
Freshwater sediment	0,433 mg/kg
Marine sediment	0,0596 mg/kg
Secondary poisoning	111,11 mg/kg
Micro-organisms in sewage treatment plants (STP)	100 mg/l
Soil	0,0853 mg/kg
124-28-7 Dimantine	
Freshwater	0,00026 mg/l
Freshwater (intermittent releases)	0,00026 mg/l
Marine water	0,00003 mg/l
Freshwater sediment	1,25 mg/kg
Marine sediment	0,125 mg/kg
Micro-organisms in sewage treatment plants (STP)	0,13 mg/l
Soil	1 mg/kg
1218787-32- 6 2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	
Freshwater	0,000214 mg/l
Freshwater (intermittent releases)	0,00087 mg/l
Marine water	0,000021 mg/l
Freshwater sediment	1,692 mg/kg
Marine sediment	0,169 mg/kg
Secondary poisoning	2 mg/kg
Micro-organisms in sewage treatment plants (STP)	1,5 mg/l
Soil	5 mg/kg
3 - ((C9-11 iso, C10-enriched) alkyloxy) propan-1-amine	
Freshwater	0,00084 mg/l
Freshwater (intermittent releases)	0,000827 mg/l
Marine water	0,000084 mg/l
Freshwater sediment	3,19 mg/kg
Marine sediment	0,32 mg/kg
Micro-organisms in sewage treatment plants (STP)	1,3 mg/l
Soil	1,59 mg/kg
95-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	



HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 8 of 17

Freshwater (intermittent releases)	0 mg/l
Marine water	0 mg/l
Freshwater sediment	0,376 mg/kg
Marine sediment	0,038 mg/kg
Micro-organisms in sewage treatment plants (STP)	0,26 mg/l
Soil	0,075 mg/kg

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

1. Information on basic physical and cher			
Physical state:	Liquid		
Colour:	red		
Odour:	characteristic		
			Test method
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and		not determined	
boiling range:			
Flammability:		Not readily combustible.	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:		>200 °C	ISO 2592
Auto-ignition temperature:		not determined	
Decomposition temperature:		not determined	
pH-Value:		not applicable	DIN 51369
Viscosity / kinematic:		~ 6,2 mm²/s	DIN 51562
(at 100 °C)			
Water solubility:		practically insoluble	
(at 20 °C)			
Solubility in other solvents			
Soluble in hydrocarbons (mineral oil.)			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		<0,1 hPa	calculated.
(at 20 °C)			
Density (at 15 °C):		~ 0,847 g/cm³	DIN 51757



Revision date: 26.04.2023	Product code: 25036	Page 9 of 17
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
9.2. Other information		
Other safety characteristics		
Pour point:	~ -39 °C	
	DIN ISC	0 3016

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 10 of 17

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
72623-87-1	Lubricating oils (petro	oleum), C20-50,	hydrotreated	I neutral oil-based;	Baseoil - unspecified	
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402
64742-55-8	Distillates (petroleum), hydrotreated	light paraffini	c; Baseoil - unspec	ified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
72623-86-0	Lubricating oils (petro	oleum), C15-30,	hydrotreated	I neutral oil-based;	Baseoil - unspecified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
398141-87-2	Thiophene, tetrahydr	o, 1,1-dioxide, 3	8- (C9-11 bra	nched alkyloxy) der	ivatives., C10-rich	
	dermal	LD50 < 8000 mg	> 4000 - J/kg	Rabbit	Study report (1975)	US 16 CFR 1500.3 Federal Hazardou
124-28-7	Dimantine					
	oral	LD50 mg/kg	1450	Rat	Study report (1988)	EU Method B.1
1218787-32- 6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol					
	oral	LD50 mg/kg	1500	Rat	Study report (1984)	OECD Guideline 425
	3 - ((C9-11 iso, C10-enriched) alkyloxy) propan-1-amine					
	oral	LD50 2000 mg/k	> 500 - <	Rat	Study report (1985)	OECD Guideline 423
95-38-5	2-(2-heptadec-8-enyl	-2-imidazolin-1-	yl)ethanol			
	oral	LD50 mg/kg	ca. 1000	Rat	Study report (1989)	OECD Guideline 401

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 11 of 17

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.



HIGHTEC ATF 9600

Revision date: 26.04.2023

Product code: 25036

Page 12 of 17

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified								
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified								
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211		
72623-86-0	Lubricating oils (petroleur	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified							
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211		
398141-87-2	Thiophene, tetrahydro, 1,1-dioxide, 3- (C9-11 branched alkyloxy) derivatives., C10-rich								
	Acute fish toxicity	LC50	3,3 mg/l	96 h	Cyprinodon variegatus	REACh Registration Dossier			
	Acute crustacea toxicity	EC50	4,6 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202		
124-28-7	Dimantine								
	Acute algae toxicity	ErC50 mg/l	0,0268	72 h	Desmodesmus subspicatus	Study report (2012)	OECD Guideline 201		
	Crustacea toxicity	NOEC mg/l	0,036	21 d	Daphnia magna	Study report (2001)	OECD Guideline 211		
1218787-32- S	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol								
	Acute algae toxicity	ErC50 mg/l	0,0867	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201		
	Acute bacteria toxicity	EC50 ()	167 mg/l	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209		
95-38-5	2-(2-heptadec-8-enyl-2-in	nidazolin-1-	yl)ethanol						



HIGHTEC ATF 9600

Revision date: 26.04.2023	Pi	roduct code: 25036	Page 13 of 17	
Acute algae toxicity	ErC50 0,03 mg/l	72 h Desmodesmus subspicatus	REACh Registration Dossier	OECD Guideline 201

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified					
	OECD 301B	31 %	28	REACh Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified					
	OECD 301F	31 %	28	REACh Dossier		
	Not easily bio-degradable (according to OECD-criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
398141-87-2	Thiophene, tetrahydro, 1,1-dioxide, 3- (C9-11 branched alkyloxy) derivatives., C10-rich	4,11
124-28-7	Dimantine	88
1218787-32-6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	3,6
	3 - ((C9-11 iso, C10-enriched) alkyloxy) propan-1-amine	ca0,34
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	7,51

BCF

CAS No	Chemical name	BCF	Species	Source
398141-87-2	Thiophene, tetrahydro, 1,1-dioxide, 3- (C9-11 branched alkyloxy) derivatives., C10-rich	31	Cyprinus carpio	REACh Registration D
1218787-32-6	2,2 '- (C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	20,2		QSAR result (2010)
95-38-5	2- (2-heptadec-8-enyl-2-imidazolin-1-yl)et hanol	1890	fish	REACh Registration D

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9600

Revision date: 26.04.2023

130205

Product code: 25036

Page 14 of 17

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

No dangerous good in sense of this transport regulation.

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments No dangerous good in sense of this transport regulation. **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75



according to Regulation (EC) No 1907/2006

	HIGHTEC ATF 9600				
Revision date: 26.04.2023	Product code: 25036	Page 15 of 17			
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)				
Additional information					
According to EC directives or the corresponding national regulations the product does not have to be labelled.					
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles acco work protection guideline' (94/33/EC).	ording to the 'juvenile			
Water hazard class (D):	2 - obviously hazardous to water				
15.2. Chemical safety assessment					
Chemical safety assessments for substances in this mixture were not carried out.					
SECTION 16: Other information					

Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9600

Revision date: 26.04.2023

Abbreviations and acronyms

Product code: 25036

Page 16 of 17

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Eye Dam: Eye damage STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations DNEL: Derived No Effect Level** DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP] Classification Classification procedure Calculation method Aquatic Chronic 3; H412

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.



HIGHTEC ATF 9600				
Revision date: 26.04.2023	Product code: 25036	Page 17 of 17		
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Further Information				

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)