

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 1 of 17

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

HIGHTEC ATF 9004

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

ATF

#### 1.3. Details of the supplier of the safety data sheet

Company name: ROWE Mineralölwerk GmbH

 Street:
 Langgewann 101

 Place:
 D-67547 Worms

 Telephone:
 +49 (0)6241 5906-0

Telephone: +49 (0)6241 5906-0 Telefax: +49 (0)6241 5906-999

E-mail: info@rowe-oil.com
Contact person: Product Compliance
E-mail: sdb@rowe-oil.com
Internet: www.rowe-oil.com

1.4. Emergency telephone Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353

<u>number:</u> 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK

GmbH +49 (0)6132-84463

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## Regulation (EC) No 1272/2008

#### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P501 Dispose of contents/container to of the disposal according to local regulations.

## Special labelling of certain mixtures

EUH208 Contains 4,4`-Thiodiethylenhydrogen-2-octadecenylsuccinate. May produce an allergic

reaction.

#### 2.3. Other hazards

Endocrine disrupting properties: Isooctadecanoic acid, reaction products with tetraethylenepentamine.

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 2 of 17

## Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)	•	
64742-54-7	Distillates (petroleum), hydrotreate	d heavy paraffinic; Baseoi	- unspecified	60 - < 100 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304		·	
36878-20-3	Bis(nonylphenyl)amine			1 - < 2.5 %
	253-249-4		01-2119498288-19	
	Aquatic Chronic 4; H413	•	•	
	Isooctadecanoic acid, reaction pro-	ducts with tetraethylenepe	ntamine	1 - < 2.5 %
	701-204-9		01-2119960832-33	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319	)	•	
125643-61-0	reaction mass of isomers of: C7-9-	alkyl 3-(3,5-di-tert-butyl-4-	hydroxyphenyl)propionate	1 - < 2.5 %
	406-040-9	607-530-00-7	01-0000015551-76	
	Aquatic Chronic 4; H413			
64742-55-8	Distillates (petroleum), hydrotreate	1 - < 2.5 %		
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			
64742-56-9	Distillates (petroleum), solvent-dev	1 - < 2.5 %		
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304			
72623-87-1	Lubricating oils (petroleum), C20-5	1 - < 2.5 %		
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304			
72623-86-0	Lubricating oils (petroleum), C15-3	1 - < 2.5 %		
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
	Alkyl phosphites	0.1 - < 0.3 %		
	424-820-7		01-0000017126-75	
	Acute Tox. 4, Skin Corr. 1B, Aquat	ic Acute 1, Aquatic Chroni	c 1; H312 H314 H400 H410	
93882-40-7	4,4`-Thiodiethylenhydrogen-2-octa	0.1 - < 0.3 %		
	299-434-3			
	Eye Irrit. 2, Skin Sens. 1, Aquatic (	Chronic 2; H319 H317 H41	1	

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 3 of 17

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc	Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	60 - < 100 %
	dermal: LD50	) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
36878-20-3	253-249-4	Bis(nonylphenyl)amine	1 - < 2.5 %
	oral: LD50 =	> 5000 mg/kg	
	701-204-9	Isooctadecanoic acid, reaction products with tetraethylenepentamine	1 - < 2.5 %
	dermal: LD50	) = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propionate	1 - < 2.5 %
	dermal: LD50	) = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50	) = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
	424-820-7	Alkyl phosphites	0.1 - < 0.3 %
	dermal: ATE	= 1100 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=10	
93882-40-7	299-434-3	4,4`-Thiodiethylenhydrogen-2-octadecenylsuccinate	0.1 - < 0.3 %
	oral: LD50 =	>10000 mg/kg	

#### **Further Information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 4 of 17

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

ATF

#### **SECTION 8: Exposure controls/personal protection**



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 5 of 17

8.1. Control parameters



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 6 of 17

## **DNEL/DMEL values**

DNEL   Specified   Specifie	CAS No	Substance			
Worker DNEL, long-term         inhalation         local         5,58 mg/m²           Worker DNEL, long-term         dermal         systemic         0,97 mg/kg bw/day           Worker DNEL, long-term         inhalation         systemic         2,73 mg/m²           Consumer DNEL, long-term         inhalation         local         1,19 mg/m²           Consumer DNEL, long-term         oral         systemic         0,74 mg/kg           Worker DNEL, long-term         inhalation         systemic         11,75 mg/m²           Worker DNEL, long-term         dermal         systemic         11,75 mg/m²           Worker DNEL, long-term         inhalation         systemic         1,67 mg/kg bw/day           Consumer DNEL, long-term         dermal         systemic         1,67 mg/kg bw/day           Consumer DNEL, long-term         oral         systemic         1,67 mg/kg bw/day           Worker DNEL, long-term         oral         systemic         1,67 mg/kg bw/day           Worker DNEL, long-term         inhalation         systemic         6,6 mg/m²           Worker DNEL, long-term         inhalation         systemic         9,33 mg/kg bw/day           Worker DNEL, long-term         inhalation         systemic         9,33 mg/kg bw/day           Worker DNEL, long-term <td>DNEL type</td> <td></td> <td>Exposure route</td> <td>Effect</td> <td>Value</td>	DNEL type		Exposure route	Effect	Value
Worker DNEL, long-term   dermal   systemic   0,97 mg/kg   bw/day   Worker DNEL, long-term   inhalation   systemic   2,73 mg/m²   Consumer DNEL, long-term   inhalation   local   1,19 mg/m²   Consumer DNEL, long-term   oral   systemic   0,74 mg/kg   bw/day   Isooctadecanoic acid, reaction products with tetraethylenepentamine   Worker DNEL, long-term   inhalation   systemic   11.75 mg/m²   Worker DNEL, long-term   dermal   systemic   3,33 mg/kg   bw/day   bw/day   Consumer DNEL, long-term   dermal   systemic   2,9 mg/m²   Consumer DNEL, long-term   dermal   systemic   2,9 mg/m²   Consumer DNEL, long-term   dermal   systemic   1,67 mg/kg   bw/day   bw/day   Consumer DNEL, long-term   dermal   systemic   6,6 mg/m²   Worker DNEL, long-term   dermal   systemic   6,6 mg/m²   Worker DNEL, long-term   dermal   systemic   1,67 mg/kg   bw/day   Consumer DNEL, long-term   dermal   systemic   0,83 mg/kg   bw/day   Consumer DNEL, long-term   dermal   systemic   0,83 mg/kg   bw/day   Consumer DNEL, long-term   dermal   systemic   0,83 mg/kg   bw/day   Consumer DNEL, long-term   inhalation   systemic   0,93 mg/kg   bw/day   Consumer DNEL, long-term   inhalation   systemic   0,97 mg/kg   bw/day   Consumer DNEL, long-term   inhalation   local   1,19 mg/m²   Consumer DNEL, long-term   inhalation   systemic   0,97 mg/kg   bw/day   Consumer DNEL, long-term   inhalation   systemic   2,73 mg/m²   bw/day   Consumer DNEL, long-term   inhalation   systemic   0,97 mg/kg   bw/day   Consumer DNEL, long-term   inhalation   systemic   0,97 mg/kg   bw/day   Consumer DNEL, long-term   inhalation   local   1,19 mg/m²   Consumer DNEL, long-term   inhalation   loca	64742-54-7	Distillates (petroleum), hydrotreated h	eavy paraffinic; Baseoil - unspecified		
Worker DNEL, long-term inhalation systemic 2,73 mg/m² Consumer DNEL, long-term inhalation local 1,19 mg/m² Ocusion oral systemic 0,74 mg/kg bw/day      Isocotadecanoic acid, reaction products with tetraethylenepentamine	Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Consumer DNEL, long-term Inhalation local 1,19 mg/m² Oral systemic 0,74 mg/kg bw/day Isooctadecanoic acid, reaction products with tetraethylenepentamine  Worker DNEL, long-term Inhalation systemic 11,75 mg/m² Morker DNEL, long-term Inhalation systemic 13,33 mg/kg bw/day Oconsumer DNEL, long-term Inhalation systemic 2,9 mg/m² Oconsumer DNEL, long-term Inhalation systemic 2,9 mg/m² Mg/kg bw/day	Worker DNEL,	long-term	dermal	systemic	
Consumer DNEL, long-term oral systemic 0,74 mg/kg bowlday	Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Isooctadecanoic acid, reaction products with tetraethylenepentamine   Norker DNEL, long-term   Inhalation   Systemic   3,33 mg/kg bw/day   2,9 mg/m³   2,643-61-0   reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate   2,6 mg/m³   2,643-61-0   2,6 mg/m³   2,7 mg/m³   2,6 mg/m³   2,7 mg/m³	Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
	Consumer DN	EL, long-term	oral	systemic	
Worker DNEL, long-term  dermal systemic 3,33 mg/kg bw/day  Consumer DNEL, long-term  consumer DNEL, long-term  dermal systemic 2,9 mg/m³  Li67 mg/kg bw/day  Consumer DNEL, long-term  oral systemic 1,67 mg/kg bw/day  1,67 mg/mg bw/day  1,67 mg/mg bw/day  1,67 m		Isooctadecanoic acid, reaction produc	cts with tetraethylenepentamine		
Consumer DNEL, long-term inhalation systemic 2,9 mg/m² Consumer DNEL, long-term dermal systemic 1,67 mg/kg bw/day  Consumer DNEL, long-term oral systemic 1,67 mg/kg bw/day  20 reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate  Worker DNEL, long-term inhalation systemic 6,6 mg/m² (6,6 mg/m²)  Consumer DNEL, long-term dermal systemic 1,67 mg/kg bw/day  Consumer DNEL, long-term inhalation systemic 1,67 mg/kg bw/day  Consumer DNEL, long-term dermal systemic 0,83 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,93 mg/kg bw/day  Consumer DNEL, long-term inhalation systemic 0,93 mg/kg bw/day  Consumer DNEL, long-term inhalation systemic 2,73 mg/m²  Consumer DNEL, long-term inhalation systemic 2,73 mg/m²  Consumer DNEL, long-term inhalation systemic 2,73 mg/m²  Consumer DNEL, long-term inhalation local 5,58 mg/m²  Consumer DNEL, long-term inhalation local 1,19 mg/m²  Consumer DNEL, long-term inhalation systemic 2,73 mg/m²  Consumer DNEL, long-term inhalation local 1,19 mg/m²  Consumer DNEL, long-term inhalation systemic 2,73 mg/m²  Consumer DNEL, long-term inhalation systemic 3,58 mg/m²  Consumer DNEL, long-term inhalation local 1,19 mg/m²  Consumer DNEL, long-term inhalation local 5,58 mg/m²  Worker DNEL, long-term inhalation local 5,58 mg/m²  Worker DNEL, long-term inhalation local 1,19 mg/m²  Consumer DNEL, long-term inhalation local 1,1	Worker DNEL,	long-term	inhalation	systemic	11,75 mg/m³
Consumer DNEL, long-term dermal systemic 1,67 mg/kg bw/day Consumer DNEL, long-term oral systemic 1,67 mg/kg bw/day 125643-61-0 reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate  Worker DNEL, long-term inhalation systemic 5,6 mg/m³ Worker DNEL, long-term dermal systemic 1,67 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 1,62 mg/m³ Consumer DNEL, long-term dermal systemic 0,83 mg/kg bw/day Consumer DNEL, long-term oral systemic 0,93 mg/kg bw/day  S4742-55-8 Distillates (petroleum), hydrotreated light paraffinic: Baseoil - unspecified  Worker DNEL, long-term inhalation local 5,58 mg/m³ Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³ Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³ Consumer DNEL, long-term inhalation systemic 0,74 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³ Consumer DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Norker DNEL, long-term inhalation local 5,58 mg/m³  Norker DNEL, long-term inhalation local 1,19 mg/m³  Norker DNEL, long-term inhalation local 5,58 mg/m³  Norker DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Morker DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  DNEL, long-term oral systemic 0,75 mg/kg bw/day	Worker DNEL,	long-term	dermal	systemic	
Consumer DNEL, long-term oral systemic 1,67 mg/kg bw/day  125643-61-0 reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate  Worker DNEL, long-term inhalation systemic 6,6 mg/m³  Worker DNEL, long-term dermal systemic 1,67 mg/kg bw/day  Consumer DNEL, long-term inhalation systemic 1,62 mg/m³  Consumer DNEL, long-term dermal systemic 0,83 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,83 mg/kg bw/day  S4742-55-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m²  Worker DNEL, long-term dermal systemic 0,93 mg/kg bw/day  Consumer DNEL, long-term inhalation local 5,58 mg/m²  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m²  Consumer DNEL, long-term oral systemic 2,73 mg/m²  Worker DNEL, long-term inhalation systemic 5,58 mg/m²  Worker DNEL, long-term inhalation systemic 2,73 mg/m²  Worker DNEL, long-term inhalation local 5,58 mg/m²  Worker DNEL, long-term inhalation local 1,19 mg/m²  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Morker DNEL, long-term oral systemic 0,74 mg/kg bw/day  Morker DNEL, long-term oral systemic 0,5 mg/kg bw/day	Consumer DN	EL, long-term	inhalation	systemic	2,9 mg/m³
bw/day	Consumer DN	EL, long-term	dermal	systemic	
Worker DNEL, long-term inhalation systemic 6.6 mg/m³ bw/day  Consumer DNEL, long-term inhalation systemic 1.67 mg/kg bw/day  Consumer DNEL, long-term inhalation systemic 0.83 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0.93 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0.93 mg/kg bw/day  B4742-55-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Z623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified  Worker DNEL, long-term inhalation local 5,58 mg/m³  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Worker DNEL, long-term inhalation local 1,19 mg/m³  Alkyl phosphites  Worker DNEL, long-term oral systemic 0,74 mg/kg bw/day  Worker DNEL, long-term oral systemic 0,74 mg/kg bw/day	Consumer DN	EL, long-term	oral	systemic	
Worker DNEL, long-term dermal systemic 1,67 mg/kg bw/day  Consumer DNEL, long-term inhalation systemic 1,62 mg/m³  Consumer DNEL, long-term dermal systemic 0,83 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,93 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,93 mg/kg bw/day  Editable (petroleum), hydrotreated light paraffinic; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Tonsumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,97 mg/kg bw/day  Morker DNEL, long-term systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day	125643-61-0	reaction mass of isomers of: C7-9-alk	yl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)pr	opionate	
bw/day	Norker DNEL,	long-term	inhalation	systemic	6,6 mg/m³
Consumer DNEL, long-term dermal systemic 0,83 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,93 mg/kg bw/day  34742-55-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Z2623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Alkyl phosphites  Worker DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term oral systemic 0,55 mg/kg bw/day	Worker DNEL,	long-term	dermal	systemic	
Consumer DNEL, long-term oral systemic 0,93 mg/kg bw/day  64742-55-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Worker DNEL, long-term inhalation local 1,19 mg/m³  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term oral systemic 0,74 mg/kg bw/day	Consumer DN	EL, long-term	inhalation	systemic	1,62 mg/m³
bw/day	Consumer DN	EL, long-term	dermal	systemic	
Worker DNEL, long-term inhalation systemic 2,73 mg/m³ Worker DNEL, long-term inhalation local 5,58 mg/m³ Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day Consumer DNEL, long-term inhalation local 1,19 mg/m³ Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified Worker DNEL, long-term inhalation systemic 2,73 mg/m³ Worker DNEL, long-term inhalation local 5,58 mg/m³ Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day Consumer DNEL, long-term inhalation local 1,19 mg/m³ Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day Alkyl phosphites  Worker DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites	Consumer DN	EL, long-term	oral	systemic	
Worker DNEL, long-term inhalation local 5,58 mg/m³ Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day Consumer DNEL, long-term inhalation local 1,19 mg/m³ Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified Worker DNEL, long-term inhalation systemic 2,73 mg/m³ Worker DNEL, long-term inhalation local 5,58 mg/m³ Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³ Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term oral systemic 0,5 mg/kg bw/day  Alkyl phosphites	64742-55-8	Distillates (petroleum), hydrotreated li	ght paraffinic; Baseoil - unspecified		
Worker DNEL, long-term  dermal  systemic  0,97 mg/kg bw/day  1,19 mg/m³  Consumer DNEL, long-term  oral  systemic  0,74 mg/kg bw/day  72623-86-0  Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified  Worker DNEL, long-term  inhalation  systemic  2,73 mg/m³  Worker DNEL, long-term  inhalation  local  5,58 mg/m³  Worker DNEL, long-term  dermal  systemic  0,97 mg/kg bw/day  Consumer DNEL, long-term  inhalation  local  1,19 mg/m³  Consumer DNEL, long-term  oral  systemic  0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term  dermal  systemic  0,74 mg/kg bw/day  Alkyl phosphites	Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term dermal systemic 0,74 mg/kg bw/day  Alkyl phosphites	Worker DNEL,	long-term	inhalation	local	5,58 mg/m <sup>3</sup>
Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term dermal systemic 0,74 mg/kg bw/day	Worker DNEL,	long-term	dermal	systemic	
bw/day  72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified  Worker DNEL, long-term inhalation systemic 2,73 mg/m³  Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term dermal systemic 0,74 mg/kg bw/day	Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Worker DNEL, long-term inhalation systemic 2,73 mg/m³ Worker DNEL, long-term inhalation local 5,58 mg/m³ Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day Consumer DNEL, long-term inhalation local 1,19 mg/m³ Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites Worker DNEL, long-term dermal systemic 0,5 mg/kg bw/day	Consumer DN	EL, long-term	oral	systemic	
Worker DNEL, long-term inhalation local 5,58 mg/m³  Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term dermal systemic 0,5 mg/kg bw/day	72623-86-0	Lubricating oils (petroleum), C15-30,	hydrotreated neutral oil-based; Baseoil -	unspecified	
Worker DNEL, long-term dermal systemic 0,97 mg/kg bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term dermal systemic 0,5 mg/kg bw/day	Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
bw/day  Consumer DNEL, long-term inhalation local 1,19 mg/m³  Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term dermal systemic 0,5 mg/kg bw/day	Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Consumer DNEL, long-term oral systemic 0,74 mg/kg bw/day  Alkyl phosphites  Worker DNEL, long-term dermal systemic 0,5 mg/kg bw/day	Worker DNEL,	long-term	dermal	systemic	
Alkyl phosphites  Worker DNEL, long-term  dermal systemic 0,5 mg/kg bw/da	Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Worker DNEL, long-term dermal systemic 0,5 mg/kg bw/da	Consumer DN	EL, long-term	oral	systemic	
		Alkyl phosphites			
Consumer DNEL, long-term inhalation systemic 0,43 mg/m³	Worker DNEL,	long-term	dermal	systemic	0,5 mg/kg bw/day
	Consumer DN	EL, long-term	inhalation	systemic	0,43 mg/m³



according to Regulation (EC) No 1907/2006

# **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 7 of 17

Consumer DNEL, long-term	dermal	1 *	0,25 mg/kg bw/day
Consumer DNEL, long-term	oral	1 *	0,25 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	1,76 mg/m³

## **PNEC** values

CAS No	Substance	
Environmenta	al compartment	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	·
Secondary po	oisoning	9,33 mg/kg
	Isooctadecanoic acid, reaction products with tetraethylenepentamine	
Freshwater		0,46 mg/l
Freshwater (i	intermittent releases)	0,94 mg/l
Marine water		0,046 mg/l
Freshwater s	ediment	38100 mg/kg
Marine sedim	nent	3810 mg/kg
Secondary po	oisoning	33,3 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1000 mg/l
Soil		10 mg/kg
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propion	ate
Freshwater		0,018 mg/l
Freshwater (i	intermittent releases)	0,018 mg/l
Marine water		0,002 mg/l
Freshwater s	ediment	2 mg/kg
Marine sedim	nent	0,2 mg/kg
Secondary po	oisoning	41,33 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	100 mg/l
Soil		10 mg/kg
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	
Secondary po	oisoning	9,33 mg/kg
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspe	ecified
Secondary po	oisoning	9,33 mg/kg
	Alkyl phosphites	
Freshwater		0,0009 mg/l
Freshwater (i	intermittent releases)	0,0009 mg/l
Marine water	0,00009 mg/l	
Freshwater s	0,73 mg/kg	
Marine sedim	nent	0,073 mg/kg
Secondary po	10 mg/kg	
Micro-organis	sms in sewage treatment plants (STP)	5 mg/l
Soil		0,086 mg/kg

## 8.2. Exposure controls



according to Regulation (EC) No 1907/2006

#### **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 8 of 17



#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

#### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: red

Odour: characteristic

Test method

Print date: 04.03.2024

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

Not readily combustible.

not determined

not determined

Flash point: >170 °C ISO 2592

Auto-ignition temperature: not determined Decomposition temperature: not determined

pH-Value: not applicable DIN 51369
Viscosity / kinematic: ~ 6,4 mm²/s DIN 51562

(at 100 °C)

Water solubility: practically insoluble

(at 20 °C)

Solubility in other solvents

Soluble in hydrocarbons (mineral oil.)

Partition coefficient n-octanol/water: not determined

Vapour pressure: <0,1 hPa calculated.

(at 20 °C)

Density (at 15 °C): ~ 0,841 g/cm³ DIN 51757

Relative vapour density: not determined Particle characteristics: not relevant

#### 9.2. Other information

## Other safety characteristics



according to Regulation (EC) No 1907/2006

#### **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 9 of 17

Pour point: ~ -42 °C

**DIN ISO 3016** 

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

## **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 10 of 17

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
64742-54-7	Distillates (petroleum), hy	drotreated heavy para	affinic; Baseoil - unspec	ified				
	oral	LD50 > 5000 mg/kg	Rat	REACh Dossier	OECD 401			
	dermal	LD50 > 5000 mg/kg	Rabbit	REACh Dossier	OECD 402			
36878-20-3	Bis(nonylphenyl)amine							
	oral	LD50 > 5000 mg/kg	Rat	Study report (1981)	OECD Guideline 401			
	Isooctadecanoic acid, rea	ection products with te	traethylenepentamine					
	oral	LD50 > 5000 mg/kg	Rat	Study report (1985)	OECD Guideline 401			
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1985)	OECD Guideline 402			
125643-61-0	reaction mass of isomers	of: C7-9-alkyl 3-(3,5-c	li-tert-butyl-4-hydroxyph	nenyl)propionate				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2005)	OECD Guideline 423			
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2000)	OECD Guideline 402			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified							
	oral	LD50 > 5000 mg/kg	Rat	REACh Dossier	OECD 401			
	dermal	LD50 > 5000 mg/kg	Rabbit	REACh Dossier	OECD 402			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified							
	oral	LD50 > 5000 mg/kg	Rat	REACh Dossier	OECD 401			
	dermal	LD50 > 5000 mg/kg	Rabbit	REACh Dossier	OECD 402			
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified							
	oral	LD50 > 5000 mg/kg	Rat	Study report (1982)	OECD Guideline 401			
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1982)	OECD Guideline 402			
72623-86-0	Lubricating oils (petroleur	m), C15-30, hydrotrea	ted neutral oil-based; Ba	aseoil - unspecified				
	oral	LD50 > 5000 mg/kg	Rat	REACh Dossier	OECD 401			
	dermal	LD50 > 5000 mg/kg	Rabbit	REACh Dossier	OECD 402			
	Alkyl phosphites							
	oral	LD50 > 2000 mg/kg	Rat	Study report (1996)	OECD Guideline 401			
	dermal	ATE 1100 mg/kg						
93882-40-7	4,4`-Thiodiethylenhydrog	en-2-octadecenylsucc	inate					
	oral	LD50 >10000 mg/kg	Rat					



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 11 of 17

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

Contains 4,4`-Thiodiethylenhydrogen-2-octadecenylsuccinate. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## **Endocrine disrupting properties**

Endocrine disrupting properties: Isooctadecanoic acid, reaction products with tetraethylenepentamine.

#### Other information

No information available.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 12 of 17

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hy	drotreated h	neavy paraffir	nic; Base	oil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
	Isooctadecanoic acid, rea	ction produ	cts with tetrae	ethylenep	pentamine		
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Pimephales promelas	Study report (1993)	EPA OTS 797.1400
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1997)	OECD Guideline 202
	Crustacea toxicity	NOEC	32 mg/l	14 d	Daphnia magna	Study report (2003)	OECD Guideline 211
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (1993)	OECD Guideline 209
64742-55-8	Distillates (petroleum), hy	drotreated I	ight paraffinio	; Baseoi	I - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 1000		Daphnia magna (Big water flea)	REACh Dossier	OECD 211
64742-56-9	Distillates (petroleum), so	lvent-dewax	ked light para	ffinic; Ba	seoil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 1000		Daphnia magna (Big water flea)	REACh Dossier	OECD 211
72623-87-1	Lubricating oils (petroleur	n), C20-50,	hydrotreated	neutral o	oil-based; Baseoil - unspe	ecified	
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 13 of 17

	Acute fish toxicity	LL50 mg/l	> 100		Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100		Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000		Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000		Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Algae toxicity	NOEC mg/l	>= 100		Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Crustacea toxicity	NOEC mg/l	> 10		Daphnia magna (Big water flea)	REACh Dossier	OECD 211
	Alkyl phosphites						
	Acute crustacea toxicity	EL50 mg/l	0,09	48 h	Daphnia magna	Study report (1996)	EU Method C.2
93882-40-7	4,4`-Thiodiethylenhydroge	en-2-octade	cenylsuccinat	te			
	Acute crustacea toxicity	EC50	9,5 mg/l		Daphnia magna (Big water flea)		

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u	nspecified						
	OECD 301B	21 %	28	REACh Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - uns	pecified						
	OECD 301B	31 %	28	REACh Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil	- unspecified						
	OECD 301B	31 %	28	REACh Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified							
	OECD 301F	31 %	28	REACh Dossier				
	Not easily bio-degradable (according to OECD-criteria).	Not easily bio-degradable (according to OECD-criteria).						

## 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bis(nonylphenyl)amine	7,58
	Isooctadecanoic acid, reaction products with tetraethylenepentamine	ca. 45,8
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	15100000

Page 14 of 17



Revision date: 06.04.2023

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# HIGHTEC ATF 9004 Product code: 25050

#### BCF

CAS No	Chemical name	BCF	Species	Source
36878-20-3	Bis(nonylphenyl)amine	411	Cyprinus carpio	Study report (2000)
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propi onate	38	Cyprinus carpio	Study report (2002)
93882-40-7	4,4`-Thiodiethylenhydrogen-2-octadece nylsuccinate	140 - 410		

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 15 of 17

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

#### **Additional information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

## **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC ATF 9004**

Revision date: 06.04.2023 Product code: 25050 Page 16 of 17

#### Abbreviations and acronyms

Acute Tox: Acute toxicity
Asp. Tox: Aspiration hazard
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

HIGHTEC ATF 9004			
Revision date: 06.04.2023	Product code: 25050	Page 17 of 17	
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
H413	May cause long lasting harmful effects to aquatic life.		
EUH208	Contains 4,4`-Thiodiethylenhydrogen-2-octadecenylsuccinate. May produce an allergic reaction.		
Further Information			

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)