

according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 1 of 17

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

HIGHTEC ATF 9006

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

ATF

## 1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
1.4. Emergency telephone number:	· · · ·	3 180 921 66, Healthcare Professionals +353 ergency CONTACT (24-Hour-Number): GBK

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

H412

#### Regulation (EC) No 1272/2008

## Hazard statements

Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the envir	ionmont
	onnent.
P501 Dispose of contents/conta	ainer to of the disposal according to local regulations.

### Special labelling of certain mixtures

Contains 4,4`-Thiodiethylenhydrogen-2-octadecenylsuccinate. May produce an allergic reaction.

### 2.3. Other hazards

EUH208

Endocrine disrupting properties: Isooctadecanoic acid, reaction products with tetraethylenepentamine. No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 2 of 17

## **Relevant ingredients**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) I	lo 1272/2008)		
64742-54-7	Distillates (petroleum), hydrotrea	ated heavy paraffinic; Baseoi	- unspecified	60 - < 100 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
36878-20-3	Bis(nonylphenyl)amine			1 - < 2.5 %
	253-249-4		01-2119498288-19	
	Aquatic Chronic 4; H413	•		
	Isooctadecanoic acid, reaction p	roducts with tetraethylenepe	ntamine	1 - < 2.5 %
	701-204-9		01-2119960832-33	
	Skin Irrit. 2, Eye Irrit. 2; H315 H3	319		
125643-61-0	reaction mass of isomers of: C7	1 - < 2.5 %		
	406-040-9	607-530-00-7	01-0000015551-76	
	Aquatic Chronic 4; H413			
64742-55-8	Distillates (petroleum), hydrotrea	1 - < 2.5 %		
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			
64742-56-9	Distillates (petroleum), solvent-c	1 - < 2.5 %		
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304			
72623-87-1	Lubricating oils (petroleum), C20	1 - < 2.5 %		
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304			
72623-86-0	Lubricating oils (petroleum), C1	1 - < 2.5 %		
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
	Alkyl phosphites	0.1 - < 0.3 %		
	424-820-7		01-0000017126-75	
	Acute Tox. 4, Skin Corr. 1B, Aqu	atic Acute 1, Aquatic Chroni	c 1; H312 H314 H400 H410	
93882-40-7	4,4`-Thiodiethylenhydrogen-2-od	tadecenylsuccinate		0.1 - < 0.3 %
	299-434-3			
	Eye Irrit. 2, Skin Sens. 1, Aquati	c Chronic 2; H319 H317 H41	1	

Full text of H and EUH statements: see section 16.



## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 3 of 17

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Con	c. Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	60 - < 100 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
36878-20-3	253-249-4	Bis(nonylphenyl)amine	1 - < 2.5 %
	oral: LD50 =	> 5000 mg/kg	
	701-204-9	Isooctadecanoic acid, reaction products with tetraethylenepentamine	1 - < 2.5 %
	dermal: LD5	0 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propionate	1 - < 2.5 %
	dermal: LD5	0 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
	424-820-7	Alkyl phosphites	0.1 - < 0.3 %
	dermal: ATE	= 1100 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=10	
93882-40-7	299-434-3	4,4'-Thiodiethylenhydrogen-2-octadecenylsuccinate	0.1 - < 0.3 %
	oral: LD50 =	>10000 mg/kg	

#### **Further Information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

### **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 4 of 17

## 5.2. Special hazards arising from the substance or mixture

## Non-flammable.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

ATF

#### **SECTION 8: Exposure controls/personal protection**



Page 5 of 17

according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9006**

Product code: 25051

Revision date: 06.04.2023

8.1. Control parameters

Revision No: 1,14 - Replaces version: 1,13

IRL - en



## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 6 of 17

## **DNEL/DMEL** values

CAS No	Substance			
ONEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated he	avy paraffinic; Baseoil - unspecified		
Norker DNEL	, long-term	inhalation	local	5,58 mg/m <sup>3</sup>
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day
Norker DNEL	, long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day
	Isooctadecanoic acid, reaction product	s with tetraethylenepentamine		
Norker DNEL	, long-term	inhalation	systemic	11,75 mg/m³
Norker DNEL	, long-term	dermal	systemic	3,33 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	2,9 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	1,67 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	1,67 mg/kg bw/day
125643-61-0	reaction mass of isomers of: C7-9-alky	I 3-(3,5-di-tert-butyl-4-hydroxyphenyl)pro	opionate	
Norker DNEL	, long-term	inhalation	systemic	6,6 mg/m³
Norker DNEL	, long-term	dermal	systemic	1,67 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	1,62 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	dermal	systemic	0,83 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,93 mg/kg bw/day
64742-55-8	Distillates (petroleum), hydrotreated lig	ht paraffinic; Baseoil - unspecified		
Norker DNEL	, long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Norker DNEL	, long-term	inhalation	local	5,58 mg/m <sup>3</sup>
Norker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day
72623-86-0	Lubricating oils (petroleum), C15-30, h	ydrotreated neutral oil-based; Baseoil -	unspecified	
Norker DNEL	, long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Norker DNEL	, long-term	inhalation	local	5,58 mg/m³
Norker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day
	Alkyl phosphites			
Norker DNEL	, long-term	dermal	systemic	0,5 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	0,43 mg/m³



Revision date	:: 06.04.2023	HIGHTEC ATF 9006 Product code: 25051		Page 7 o			
Consumer DN	IEL, long-term	dermal	systemic	0,25 mg/kg bw/day			
Consumer DN	Consumer DNEL, long-term oral systemic						
Worker DNEL	bw/day 1,76 mg/m³						
PNEC value	S			·			
CAS No	Substance						
Environmenta	l compartment			Value			
64742-54-7	Distillates (petroleum), hydrotrea	ed heavy paraffinic; Baseoil - unspecified					
Secondary po	isoning			9,33 mg/kg			
	Isooctadecanoic acid, reaction p	oducts with tetraethylenepentamine					
Freshwater	•			0,46 mg/l			
Freshwater (ir	ntermittent releases)			0,94 mg/l			
Marine water				0,046 mg/l			
Freshwater se	ediment			38100 mg/kg			
Marine sedim	ent			3810 mg/kg			
Secondary po	33,3 mg/kg						
Micro-organis	1000 mg/l						
Soil	10 mg/kg						
125643-61-0	reaction mass of isomers of: C7	9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl	)propionate				
Freshwater				0,018 mg/l			
Freshwater (ir	ntermittent releases)			0,018 mg/l			
Marine water				0,002 mg/l			
Freshwater se	ediment			2 mg/kg			
Marine sedim	ent			0,2 mg/kg			
Secondary po	isoning			41,33 mg/kg			
Micro-organis	ms in sewage treatment plants (ST	2)		100 mg/l			
Soil				10 mg/kg			
64742-55-8	Distillates (petroleum), hydrotrea	ed light paraffinic; Baseoil - unspecified					
Secondary po				9,33 mg/kg			
72623-86-0	Lubricating oils (petroleum), C1	-30, hydrotreated neutral oil-based; Baseo	il - unspecified				
Secondary po	<b>e</b> (, , ,			9,33 mg/kg			
	Alkyl phosphites						
Freshwater				0,0009 mg/l			
Freshwater (ir	ntermittent releases)			0,0009 mg/l			
Marine water				0,00009 mg/l			
Freshwater se	ediment			0,73 mg/kg			
Marine sedim	ent			0,073 mg/kg			
Secondary po	isoning			10 mg/kg			
Micro-organis	ms in sewage treatment plants (ST	2)		5 mg/l			
Soil				0,086 mg/kg			

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 8 of 17



### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Use of protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

. I. Information on pasic physical and cher	nical properties	
Physical state:	Liquid	
Colour:	brown	
Odour:	characteristic	
		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	not determined	
boiling range:		
Flammability:	Not readily combustible.	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	>150 °C	ISO 2592
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	not applicable	DIN 51369
Viscosity / kinematic:	~ 6,4 mm²/s	DIN 51562
(at 100 °C)		
Water solubility:	practically insoluble	
(at 20 °C)		
Solubility in other solvents		
Soluble in hydrocarbons (mineral oil.)		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	<0,1 hPa	calculated.
(at 20 °C)		
Density (at 15 °C):	~ 0,841 g/cm³	DIN 51757
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
2. Other information		

## 9.2

#### Other safety characteristics



	HIGHTEC ATF 9006					
Revision date: 06.04.2023	Product code: 25051	Page 9 of 17				
Pour point:	~ -42 °C					
	DI	N ISO 3016				
Flow time:	3 E	DIN 53211				
SECTION 10: Stability and reactivity						

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 10 of 17

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified								
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
36878-20-3	Bis(nonylphenyl)amine								
	oral	LD50 mg/kg	> 5000	Rat	Study report (1981)	OECD Guideline 401			
	Isooctadecanoic acid, rea	action produc	ts with tetra	ethylenepentamine	-				
	oral	LD50 mg/kg	> 5000	Rat	Study report (1985)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1985)	OECD Guideline 402			
125643-61-0	reaction mass of isomers	of: C7-9-alky	/l 3-(3,5-di-t	ert-butyl-4-hydroxyphenyl	)propionate				
	oral	LD50 mg/kg	> 2000	Rat	Study report (2005)	OECD Guideline 423			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2000)	OECD Guideline 402			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified								
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
64742-56-9	Distillates (petroleum), so	lvent-dewaxe	ed light para	iffinic; Baseoil - unspecifie	d				
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
72623-87-1	Lubricating oils (petroleur	m), C20-50, ł	ydrotreated	l neutral oil-based; Baseoi	l - unspecified				
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402			
72623-86-0	Lubricating oils (petroleur	m), C15-30, h	ydrotreated	l neutral oil-based; Baseoi	I - unspecified				
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402			
	Alkyl phosphites								
	oral	LD50 mg/kg	> 2000	Rat	Study report (1996)	OECD Guideline 401			
	dermal	ATE mg/kg	1100						
93882-40-7	4,4`-Thiodiethylenhydrog		enylsuccina	ite					
	oral	LD50 mg/kg	>10000	Rat					



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 11 of 17

Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met. Contains 4,4'-Thiodiethylenhydrogen-2-octadecenylsuccinate. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## Endocrine disrupting properties

Endocrine disrupting properties: Isooctadecanoic acid, reaction products with tetraethylenepentamine.

#### Other information

No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.



## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 12 of 17

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
4742-54-7	Distillates (petroleum), hy	drotreated l	neavy paraffir	nic; Base	oil - unspecified				
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Crustacea toxicity	NOEC mg/l	> 10		Daphnia magna (Big water flea)	REACh Dossier	OECD 211		
	Isooctadecanoic acid, rea	ction produ	cts with tetrae	ethylenep	pentamine				
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Pimephales promelas	Study report (1993)	EPA OTS 797.1400		
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1997)	OECD Guideline 202		
	Crustacea toxicity	NOEC	32 mg/l	14 d	Daphnia magna	Study report (2003)	OECD Guideline 211		
	Acute bacteria toxicity	EC50 mg/l()	> 1000		activated sludge of a predominantly domestic sewag	Study report (1993)	OECD Guideline 209		
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified								
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211		
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified								
	Acute fish toxicity	LL50 mg/l	> 100		Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR		
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211		
2623-87-1	Lubricating oils (petroleun	n), C20-50,	hydrotreated	neutral o	oil-based; Baseoil - unspe	ecified			
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		



## HIGHTEC ATF 9006

Revision date: 06.04.2023

Product code: 25051

Page 13 of 17

	Acute fish toxicity	LL50	> 100	96 h	Pimephales promelas	REACh Dossier	OECD 203
	Acute algae toxicity	mg/l ErC50 mg/l	> 100	72 h	(fathead minnow) Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Crustacea toxicity	NOEC mg/l	> 10		Daphnia magna (Big water flea)	REACh Dossier	OECD 211
	Alkyl phosphites						
	Acute crustacea toxicity	EL50 mg/l	0,09	48 h	Daphnia magna	Study report (1996)	EU Method C.2
93882-40-7	4,4`-Thiodiethylenhydroge	en-2-octade	cenylsuccinat	e			
	Acute crustacea toxicity	EC50	9,5 mg/l	48 h	Daphnia magna (Big water flea)		

## 12.2. Persistence and degradability

CAS No	Chemical name									
	Method	Value	d	Source						
	Evaluation									
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u	Inspecified								
	OECD 301B	21 %	28	REACh Dossier						
	Not easily bio-degradable (according to OECD-criteria).									
64742-55-8	-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified									
	OECD 301B	31 %	28	REACh Dossier						
	Not easily bio-degradable (according to OECD-criteria).									
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil	- unspecified		_						
	OECD 301B	31 %	28	REACh Dossier						
	Not easily bio-degradable (according to OECD-criteria).									
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified									
	OECD 301F 31 % 28 REACh Dossi									
	Not easily bio-degradable (according to OECD-criteria).	Not easily bio-degradable (according to OECD-criteria).								

## 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bis(nonylphenyl)amine	7,58
	Isooctadecanoic acid, reaction products with tetraethylenepentamine	ca. 45,8
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	15100000



## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 14 of 17

#### BCF

CAS No	Chemical name	BCF	Species	Source
36878-20-3	Bis(nonylphenyl)amine	411	Cyprinus carpio	Study report (2000)
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propi onate	38	Cyprinus carpio	Study report (2002)
93882-40-7	4,4`-Thiodiethylenhydrogen-2-octadece nylsuccinate	140 - 410		

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.



	HIGHTEC ATF 9006	
Revision date: 06.04.2023	Product code: 25051 Pag	ge 15 of 17
Marine transport (IMDG)		
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
	DIMO instruments	
No dangerous good in sense of this tra SECTION 15: Regulatory information		
No dangerous good in sense of this tra SECTION 15: Regulatory information		
No dangerous good in sense of this tra SECTION 15: Regulatory information	nsport regulation.	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul	nsport regulation.	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information	nsport regulation.	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII):	nsport regulation.	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive	Insport regulation.	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): Additional information	Insport regulation.	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): Additional information	Insport regulation.	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): Additional information According to EC directives or the corre	Insport regulation. Insport regulation. Insport regulation specific for the substance or mixture Not subject to 2012/18/EU (SEVESO III) sponding national regulations the product does not have to be labelled. Observe restrictions to employment for juveniles according to the 'juvenile	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): Additional information According to EC directives or the corre National regulatory information	Insport regulation.	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): Additional information According to EC directives or the correction National regulatory information Employment restrictions:	Insport regulation. Iations/legislation specific for the substance or mixture Not subject to 2012/18/EU (SEVESO III) sponding national regulations the product does not have to be labelled. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	
No dangerous good in sense of this tra SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III): Additional information According to EC directives or the corre National regulatory information Employment restrictions: Water hazard class (D):	Insport regulation. Iations/legislation specific for the substance or mixture Not subject to 2012/18/EU (SEVESO III) sponding national regulations the product does not have to be labelled. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 2 - obviously hazardous to water	

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.



according to Regulation (EC) No 1907/2006

## **HIGHTEC ATF 9006**

Revision date: 06.04.2023

Product code: 25051

Page 16 of 17

### Abbreviations and acronyms Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations **DNEL: Derived No Effect Level** DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure			
Aquatic Chronic 3; H412	Calculation method			

#### Relevant H and EUH statements (number and full text) H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314



## **HIGHTEC ATF 9006**

Revision date: 06.04.2023	Product code: 25051	Page 17 of 17
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
EUH208	Contains 4,4`-Thiodiethylenhydrogen-2-octadecenylsuccinate. May produce an allergic reaction.	

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)