

according to Regulation (EC) No 1907/2006

## **HIGHTEC HLP-D 22 ZAF**

Revision date: 06.04.2023

Product code: 30264

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

HIGHTEC HLP-D 22 ZAF

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Hydraulic oil

## 1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
<u>1.4. Emergency telephone</u> number:	Ireland: Public (8am-10pm) +353 180 921 6 1809 2566 other Countries: Emergency CO GmbH +49 (0)6132-84463	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

H412

## Regulation (EC) No 1272/2008

## Hazard statements

Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P103	Read carefully and follow all instructions.
P273	Avoid release to the environment.
P501	Dispose of contents/container to of the disposal according to local regulations.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



## HIGHTEC HLP-D 22 ZAF

Revision date: 06.04.2023

Product code: 30264

Page 2 of 12

### **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
64742-55-8	Distillates (petroleum), hydrotreated	d light paraffinic; Baseoil - unspecified	d	30 - < 60 %	
	265-158-7	649-468-00-3	01-2119487077-29		
	Asp. Tox. 1; H304	•	•		
128-39-2	2,6-di-tert-butylphenol			0.1 - < 0.3 %	
	204-884-0		01-2119490822-33		
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 1; H315 H400 H410			
1213789-63-9	C16-18-(even numbered, saturated	l and unsaturated)-alkylamines		0.1 - < 0.3 %	
	627-034-4		01-2119473797-19		
	Acute Tox. 4, Skin Corr. 1B, STOT Chronic 1; H302 H314 H335 H373	SE 3, STOT RE 2, Asp. Tox. 1, Aqua H304 H400 H410	atic Acute 1, Aquatic		

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	30 - < 60 %
	dermal: LD50 =	: > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
128-39-2	204-884-0	2,6-di-tert-butylphenol	0.1 - < 0.3 %
	oral: LD50 = > Aquatic Chronic	5000 mg/kg   Aquatic Acute 1; H400: M=1 ; 1; H410: M=1	
1213789-63-9	627-034-4	C16-18-(even numbered, saturated and unsaturated)-alkylamines	0.1 - < 0.3 %
		<ul> <li>&gt; 2000 mg/kg; oral: LD50 = 1689 mg/kg Aquatic Acute 1; H400: M=10</li> <li>: 1; H410: M=10</li> </ul>	

## **Further Information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

## **HIGHTEC HLP-D 22 ZAF**

Revision date: 06.04.2023

Product code: 30264

Page 3 of 12

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

### For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.



according to Regulation (EC) No 1907/2006

## **HIGHTEC HLP-D 22 ZAF**

Revision date: 06.04.2023

Product code: 30264

Page 4 of 12

## 7.3. Specific end use(s)

Hydraulic oil

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified						
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>			
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³			
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³			
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day			
128-39-2	2,6-di-tert-butylphenol						
Worker DNEL	, long-term	inhalation	systemic	70,61 mg/m <sup>3</sup>			
Worker DNEL	, long-term	dermal	systemic	11,25 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	20,9 mg/m³			
Consumer DN	EL, long-term	dermal	systemic	6,75 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	6,75 mg/kg bw/day			
1213789-63- 9	C16-18-(even numbered, saturated and unsaturated)-alkyl	amines					
Worker DNEL	, long-term	inhalation	systemic	0,38 mg/m³			
Worker DNEL	, long-term	inhalation	local	1 mg/m <sup>3</sup>			
Worker DNEL	, acute	inhalation	local	1 mg/m <sup>3</sup>			
Consumer DN	EL, long-term	inhalation	systemic	0,035 mg/m <sup>3</sup>			
Consumer DN	EL, long-term	oral	systemic	0,04 mg/kg bw/day			



## **HIGHTEC HLP-D 22 ZAF**

Revision date: 06.04.2023

Product code: 30264

Page 5 of 12

### **PNEC** values

CAS No	Substance		
Environmenta	l compartment	Value	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified		
Secondary po	isoning	9,33 mg/kg	
128-39-2	2,6-di-tert-butylphenol		
Freshwater		0,001 mg/l	
Freshwater (ir	ntermittent releases)	0,004 mg/l	
Marine water		0 mg/l	
Freshwater se	ediment	0,317 mg/kg	
Marine sedime	ent	0,032 mg/kg	
Secondary po	isoning	60 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	10 mg/l	
Soil		0,697 mg/kg	
1213789-63- 9	C16-18-(even numbered, saturated and unsaturated)-alkylamines		
Freshwater		0,00026 mg/l	
Freshwater (ir	ntermittent releases)	0,0016 mg/l	
Marine water		0,000026 mg/l	
Freshwater se	Freshwater sediment		
Marine sedime	ent	0,376 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	0,55 mg/l	
Soil		10 mg/kg	

### 8.2. Exposure controls

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Use of protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### **Environmental exposure controls**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	brown
Odour:	characteristic

Test method



## according to Regulation (EC) No 1907/2006

#### **HIGHTEC HLP-D 22 ZAF** Revision date: 06.04.2023 Product code: 30264 Page 6 of 12 Melting point/freezing point: not determined Boiling point or initial boiling point and not determined boiling range: Flammability: Not readily combustible. Lower explosion limits: not determined Upper explosion limits: not determined >170 °C DIN ISO 2592 Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not applicable DIN 51369 Viscosity / kinematic: ~ 22 mm<sup>2</sup>/s DIN 51562 (at 40 °C) Water solubility: practically insoluble (at 20 °C) Solubility in other solvents Soluble in hydrocarbons (mineral oil.) Partition coefficient n-octanol/water: not determined Vapour pressure: >0.1 hPa calculated. (at 20 °C) Density (at 15 °C): ~ 0,87 g/cm3 DIN 51757 Relative vapour density: not determined Particle characteristics: not relevant 9.2. Other information Other safety characteristics Pour point: ~ -24 °C **DIN ISO 3016**

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



## **HIGHTEC HLP-D 22 ZAF**

Revision date: 06.04.2023

Product code: 30264

Page 7 of 12

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64742-55-8	Distillates (petroleum), hy	drotreated lig	ht paraffinic	; Baseoil - unspecified			
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401	
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402	
128-39-2	2,6-di-tert-butylphenol						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1991)	OECD Guideline 401	
1213789-63- 9	C16-18-(even numbered, saturated and unsaturated)-alkylamines						
	oral	LD50 mg/kg	1689	Rat	Study report (1993)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1985)	OECD Guideline 402	

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available.

### 11.2. Information on other hazards

Other information

No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.



## HIGHTEC HLP-D 22 ZAF

Revision date: 06.04.2023

Product code: 30264

Page 8 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-55-8	Distillates (petroleum), hy	drotreated li	ght paraffinio	; Baseoi	l - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000		Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 1000		Daphnia magna (Big water flea)	REACh Dossier	OECD 211
128-39-2	2,6-di-tert-butylphenol	_		_	_		
	Acute crustacea toxicity	EC50 mg/l	0,45	48 h	Daphnia magna	REACh Registration Dossier	
	Crustacea toxicity	NOEC mg/l	0,035	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified					
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - uns	specified				
64742-55-8		specified 31 %	28	REACh Dossier		

## 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
128-39-2	2,6-di-tert-butylphenol	4,5
1213789-63-9	C16-18-(even numbered, saturated and unsaturated)-alkylamines	5,16

## BCF

CAS No	Chemical name	BCF	Species	Source
128-39-2	2,6-di-tert-butylphenol	135 - 360	Cyprinus carpio	Publication (1992)
1213789-63-9	C16-18-(even numbered, saturated and unsaturated)-alkylamines	173		Environmental Toxico

## 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.



according to Regulation (EC) No 1907/2006

## **HIGHTEC HLP-D 22 ZAF**

Revision date: 06.04.2023

Product code: 30264

Page 9 of 12

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

### List of Wastes Code - used product

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):

### 14.4. Packing group:

Inland waterways transport (ADN) 14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group:

# Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group:

### 14.4. Facking group.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**



according to Regulation (EC) No 1907/2006

HIGHTEC HLP-D 22 ZAF		
Revision date: 06.04.2023	Product code: 30264	Page 10 of 12
5.1. Safety, health and environmental regula	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75		
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
According to EC directives or the corres	ponding national regulations the product does not have to be labelled	I.
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'ju work protection guideline' (94/33/EC).	venile
Water hazard class (D):	1 - slightly hazardous to water	
5.2. Chemical safety assessment		

## Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.



according to Regulation (EC) No 1907/2006

## HIGHTEC HLP-D 22 ZAF

Revision date: 06.04.2023

Product code: 30264

Page 11 of 12

## Abbreviations and acronyms Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations DNEL: Derived No Effect Level** DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

## HIGHTEC HLP-D 22 ZAF

 Revision date: 06.04.2023
 Product code: 30264

Page 12 of 12

H315	Causes skin irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)