

according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the saf	ety data sheet	
Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax:+49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
<u>1.4. Emergency telephone</u> number:	Ireland: Public (8am-10pm) +353 180 921 66, 1809 2566 other Countries: Emergency CON GmbH +49 (0)6132-84463	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

H412

Regulation (EC) No 1272/2008

Hazard statements

Harmful to aquatic life with long lasting effects.

Precautionary statements

P103	Read carefully and follow all instructions.
P273	Avoid release to the environment.
P501	Dispose of contents/container to of the disposal according to local regulations.

2.3. Other hazards

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts. Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives. No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 2 of 12

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)	-		
64742-54-7	Distillates (petroleum), hydrotreate	d heavy paraffinic; Baseoil - unspecif	ied	2.5 - < 5 %	
	265-157-1	649-467-00-8	01-2119484627-25		
	Asp. Tox. 1; H304		•		
64742-65-0	Distillates (petroleum), solvent-dev	vaxed heavy paraffinic; Baseoil - uns	pecified	1 - < 2.5 %	
	265-169-7	649-474-00-6	01-2119471299-27		
	Asp. Tox. 1; H304				
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters, zinc salts				
	283-392-8		01-2119493626-26		
	Skin Irrit. 2, Eye Dam. 1, Aquatic C	Chronic 2; H315 H318 H411	•		
74499-35-7	phenol, (tetrapropenyl) derivatives				
	616-100-8	604-092-00-9			
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	2.5 - < 5 %
	dermal: LD50 :	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD50 :	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
84605-29-8	283-392-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts	0.3 - < 1 %
		= > 2000 mg/kg; oral: LD50 = 4468 mg/kg Skin Irrit. 2; H315: >= 6,25 - 100 Eye >= 12,5 - 100 Eye Irrit. 2; H319: >= 10 - < 12,5	
74499-35-7	616-100-8	phenol, (tetrapropenyl) derivatives	< 0.1 %
		= 15000 mg/kg; oral: LD50 = 2200 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=10	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 3 of 12

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 4 of 12

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day			
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m ³			
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m ³			
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day			
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy para	affinic; Baseoil - unspecified					
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³			
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³			
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m ³			
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day			
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethy	lbutyl and iso-Propyl)esters	,zinc salts				
Worker DNEL,	long-term	inhalation	systemic	8,31 mg/m³			
Worker DNEL,	long-term	dermal	systemic	12,1 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	2,11 mg/m ³			
Consumer DN	EL, long-term	dermal	systemic	6,1 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	0,24 mg/kg bw/day			
74499-35-7	phenol, (tetrapropenyl) derivatives						
Worker DNEL,	long-term	inhalation	systemic	0,053 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,25 mg/kg bw/day			



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 5 of 12

PNEC values

CAS No	Substance					
Environmenta	Environmental compartment Value					
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
Secondary po	isoning	9,33 mg/kg				
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified					
Secondary po	isoning	9,33 mg/kg				
84605-29-8	4605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts					
Freshwater 0,004 mg/l						
Freshwater (ir	termittent releases)	0,045 mg/l				
Marine water		0,0046 mg/l				
Freshwater se	diment	0,022 mg/kg				
Marine sedim	ent	0,002 mg/kg				
Secondary poisoning		10,67 mg/kg				
Micro-organisms in sewage treatment plants (STP) 100 mg/l						
Soil		0,002 mg/kg				

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

in mormation on saolo physical and sho	inour properties	
Physical state: Colour:	Liquid brown	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		not determined
boiling range:		
Flammability:		Not readily combustible.
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		>180 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined



Re

according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

not determined not relevant

evision date: 06.04.2023	Product code: 49207	

Page 6 of 12 pH-Value: not determined Viscosity / kinematic: ~ 8.36 mm²/s (at 100 °C) Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Vapour pressure: not determined ~ 0.891 a/cm³

Density (at 15 °C): Relative vapour density: Particle characteristics:

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 7 of 12

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64742-54-7	Distillates (petroleum), hy	/drotreated he	eavy paraffir	nic; Baseoil - unspecified			
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401	
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402	
64742-65-0	Distillates (petroleum), so	olvent-dewaxe	ed heavy pa	raffinic; Baseoil - unspecif	ied		
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401	
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402	
84605-29-8	Phosphorodithioic acid, r	nixed O,O-bis	s (1,3-dimeth	nylbutyl and iso-Propyl)est	ers,zinc salts		
	oral LD50 4468 Rat Study report (1985) OECD Guid					OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1980)	OECD Guideline 402	
74499-35-7	phenol, (tetrapropenyl) d	erivatives					
	oral LD50 2200 Rat Pre-supplier/manufact OECD 401 mg/kg						
	dermal	LD50 mg/kg	15000	Rabbit	Pre-supplier/manufact urer	OECD 402	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 8 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
64742-65-0	Distillates (petroleum), so	lvent-dewa	ked heavy pa	raffinic; E	Baseoil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia pulex (water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
84605-29-8	Phosphorodithioic acid, m	ixed O,O-b	is (1,3-dimeth	nylbutyl a	nd iso-Propyl)esters,zinc	salts	
	Acute fish toxicity	LL50	4,5 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Study report (2005)	OECD Guideline 203
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
74499-35-7	phenol, (tetrapropenyl) de	rivatives		-			
	Acute crustacea toxicity	EL50 mg/l	0,037	48 h	Daphnia magna (Big water flea)	Pre-supplier/manu facturer	
	Crustacea toxicity	NOEC mg/l	0,0037	21 d	Daphnia magna (Big water flea)	Pre-supplier/manu facturer	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u	nspecified				
	OECD 301B	21 %	28	REACh Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseo	il - unspecified				
	OECD 301F	31 %	28	REACh Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
74499-35-7	phenol, (tetrapropenyl) derivatives	_				
	OECD 301B	6 - 25 %	28	Pre-supplier/manufactur er		
	Not easily bio-degradable (according to OECD-criteria).					

12.3. Bioaccumulative potential

The product has not been tested.



Pre-supplier/manufacturer

according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 9 of 12

Partition coefficient n-octanol/water

CAS No Chemical name						
84605-29-8	0,56					
BCF						
CAS No						
CAS No						

289 - 1601

12.4. Mobility in soil

74499-35-7

The product has not been tested.

phenol, (tetrapropenyl) derivatives

12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters, zinc salts.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):

14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30			
Revision date: 06.04.2023	Product code: 49207	Page 10 of 12	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
No dangerous good in sense of this tra	nsport regulation.		
14.7. Maritime transport in bulk according to	MO instruments		
No dangerous good in sense of this tra	nsport regulation.		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
EU regulatory information			
Authorisations (REACH, annex XIV):			
Substances of very high concern, SVH	C (REACH, article 59):		
phenol, (tetrapropenyl) derivatives			
Restrictions on use (REACH, annex XVII):			
Entry 3, Entry 30, Entry 75			
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)		
2012/18/EU (SEVESO III):			
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juv	/enile	
·	work protection guideline' (94/33/EC).		
Water hazard class (D):	1 - slightly hazardous to water		
15.2. Chemical safety assessment			
	ances in this mixture were not carried out.		
SECTION 16: Other information			

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 11 of 12

Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Repr: Reproductive toxicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration. 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

HIGHTEC SUNLUB SYNTH UTTO SAE 10W-30

Revision date: 06.04.2023

Product code: 49207

Page 12 of 12

- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)