

according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB ULTRAINDUSTRY 32**

Revision date: 06.04.2023

Product code: 49305

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

HIGHTEC SUNLUB ULTRAINDUSTRY 32

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the saf	ety data sheet	
Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
<u>1.4. Emergency telephone</u> number:	Ireland: Public (8am-10pm) +353 180 921 66, 1809 2566 other Countries: Emergency CON GmbH +49 (0)6132-84463	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name			Quantity	
	EC No Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)				
68411-46-1	Benzolamine, N-Phenyl-, reaction p	Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene			
	270-128-1 01-2119491299-23				
	Repr. 2; H361f				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE	
68411-46-1	270-128-1	Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene	0.1 - < 0.3 %
	dermal: LD50 =	: > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB ULTRAINDUSTRY 32**

Revision date: 06.04.2023

Product code: 49305

Page 2 of 9

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB ULTRAINDUSTRY 32**

Revision date: 06.04.2023

Product code: 49305

Page 3 of 9

### Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
68411-46-1	Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene			
Worker DNEL,	long-term	inhalation	systemic	0,31 mg/m³
Worker DNEL, long-term		dermal	systemic	0,44 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,08 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,22 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,05 mg/kg bw/day

### **PNEC** values

CAS No	Substance		
Environmental compartment Value			
68411-46-1	Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene		
Freshwater		0,034 mg/l	
Freshwater (ir	ntermittent releases)	0,51 mg/l	
Marine water		0,003 mg/l	
Freshwater sediment 0,446 mg/k			
Marine sedim	0,045 mg/kg		
Secondary poisoning		0,833 mg/kg	
Micro-organisms in sewage treatment plants (STP)		10 mg/l	
Soil		17,6 mg/kg	

### 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB ULTRAINDUSTRY 32**

Revision date: 06.04.2023

Product code: 49305

Page 4 of 9

specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

**Respiratory protection** 

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	characteristic
Melting point/freezing point:	not determined
Boiling point or initial boiling point and	not determined
boiling range:	
Flammability:	Not readily combustible.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	>150 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic: (at 40 °C)	~ 30 mm²/s
Water solubility:	The study does not need to be conducted
	because the substance is known to be
	insoluble in water.
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 15 °C):	~ 0,91 g/cm³
Relative vapour density:	not determined
Particle characteristics:	not relevant
9.2. Other information	
Other safety characteristics	
Pour point:	~ -27 °C
SECTION 10: Stability and reactivity	

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB ULTRAINDUSTRY 32**

Revision date: 06.04.2023

Product code: 49305

Page 5 of 9

#### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### CAS No Chemical name Exposure route Dose Species Source Method 68411-46-1 Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene LD50 oral > 5000 Rat Study report (1982) OECD Guideline 401 mg/kg LD50 > 2000 OECD Guideline 402 dermal Rat Study report (1988) mg/kg

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

No information available.

### **Further information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

# HIGHTEC SUNLUB ULTRAINDUSTRY 32

Revision date: 06.04.2023

Product code: 49305

Page 6 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
68411-46-1	Benzolamine, N-Phenyl-,	reaction pr	oduct with 2,4	,4-Trime	thylpentene		
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	Study report (1988)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2006)	OECD Guideline 201
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202
	Fish toxicity	NOEC	10 mg/l	34 d	Danio rerio	Study report (2020)	OECD Guideline 210
	Crustacea toxicity	NOEC mg/l	4,45	21 d	Daphnia magna	Study report (2020)	OECD Guideline 211

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
68411-46-1	Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene				
00411-40-1	Benzolamine, N-Phenyi-, reaction product with 2,4,4-11methype	FILEIIE			
00411-40-1	OECD 301B	1 %	28		

### 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68411-46-1	Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene	7,11

### BCF

CAS No	Chemical name	BCF	Species	Source
	Benzolamine, N-Phenyl-, reaction product with 2,4,4-Trimethylpentene	411	Cyprinus carpio	Study report (2000)

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

# **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB ULTRAINDUSTRY 32**

Revision date: 06.04.2023

Product code: 49305

Page 7 of 9

#### List of Wastes Code - residues/unused products

130112 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; readily biodegradable hydraulic oils; hazardous waste

### List of Wastes Code - used product

130112 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; readily biodegradable hydraulic oils; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments No dangerous good in sense of this transport regulation. **SECTION 15: Regulatory information** 

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 75



according to Regulation (EC) No 1907/2006

	HIGHTEC SUNLUB ULTRAINDUSTRY 32	
Revision date: 06.04.2023	Product code: 49305	Page 8 of 9
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
	substances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
_	from the previous version in section(s): 9,12,16.	
Abbreviations and acronyms		
Repr: Reproductive toxicity		
· · ·	nsport des marchandises dangereuses par Route	
-	the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Cod		
IATA: International Air Transport	-	
•	m of Classification and Labelling of Chemicals	
	Existing Commercial Chemical Substances	
ELINCS: European List of Notified		
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%		
CLP: Classification, labelling and		
REACH: Registration, Evaluation		
	m of Classification, Labelling and Packaging of Chemicals	
UN: United Nations		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Le		
PNEC: Predicted No Effect Conce	entration	
ATE: Acute toxicity estimate		
LL50: Lethal loading, 50%		
EL50: Effect loading, 50%	0/	
EC50: Effective Concentration 50 ErC50: Effective Concentration 50		
NOEC: No Observed Effect Conc	-	
BCF: Bio-concentration factor	Childion	
PBT: persistent, bioaccumulative,	toxic	
vPvB: very persistent, very bioacc		
	international carriage of dangerous goods by rail	
	erning the International Carriage of Dangerous Goods by Inland Waterways	
· •	port international des marchandises dangereuses par voies de navigation	
intérieures)	5 1 5	
EmS: Emergency Schedules		
MFAG: Medical First Aid Guide		
ICAO: International Civil Aviation	Organization	
MARPOL: International Convention	on for the Prevention of Marine Pollution from Ships	
IBC: Intermediate Bulk Container		
SVHC: Substance of Very High C		
-	see: ECHA Guidance on information requirements and chemical safety	
assessment, chapter R.20 (Table	of terms and abbreviations).	
Relevant H and EUH statements (nu	mber and full text)	

# Relevant H and EUH statements (number and full text)

H361f Suspected of damaging fertility.



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB ULTRAINDUSTRY 32**

Revision date: 06.04.2023

Product code: 49305

Page 9 of 9

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)