

according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB SYNTH SAE 5W-30 LA**

Revision date: 06.04.2023

Product code: 49855

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

HIGHTEC SUNLUB SYNTH SAE 5W-30 LA

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Motor oil

### 1.3. Details of the supplier of the safety data sheet

Company name: Street:	ROWE Mineralölwerk GmbH Langgewann 101	
Place:	D-67547 Worms	
Telephone: E-mail: Contact person: E-mail: Internet:	+49 (0)6241 5906-0 info@rowe-oil.com Product Compliance sdb@rowe-oil.com www.rowe-oil.com	Telefax: +49 (0)6241 5906-999
1.4. Emergency telephone number:	· · · · · ·	0 921 66, Healthcare Professionals +353 ncy CONTACT (24-Hour-Number): GBK

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

### Hazard statements

H412

### **Precautionary statements**

	-
P103	Read carefully and follow all instructions.
P273	Avoid release to the environment.
P501	Dispose of contents/container to of the disposal according to local regulations.

Harmful to aquatic life with long lasting effects.

### 2.3. Other hazards

Endocrine disrupting properties: phenol, dodecyl-, branched. No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## HIGHTEC SUNLUB SYNTH SAE 5W-30 LA

Revision date: 06.04.2023

Product code: 49855

Page 2 of 11

### **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) N	o 1272/2008)			
	Mineral Oil (CAS 64742-54-7, 64	742-55-8, 64742-56-9, 64742-65-0)		5 - < 15 %	
	Asp. Tox. 1; H304				
128-39-2	2,6-di-tert-butylphenol			0.1 - < 0.3 %	
	204-884-0		01-2119490822-33		
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H315 H400 H410				
121158-58-5	phenol, dodecyl-, branched			< 0.1 %	
	310-154-3	604-092-00-9	01-2119513207-49		
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
128-39-2	204-884-0	2,6-di-tert-butylphenol	0.1 - < 0.3 %
		5000 mg/kg Aquatic Acute 1; H400: M=1 c 1; H410: M=1	
121158-58-5	310-154-3	phenol, dodecyl-, branched	< 0.1 %
dermal: LD50 = ca. 15000 mg/kg; oral: LD50 = 2100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10			

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



according to Regulation (EC) No 1907/2006

## **HIGHTEC SUNLUB SYNTH SAE 5W-30 LA**

Revision date: 06.04.2023

Product code: 49855

Page 3 of 11

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Motor oil

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Revision No: 1,01 - Replaces version: 1,00



according to Regulation (EC) No 1907/2006

## HIGHTEC SUNLUB SYNTH SAE 5W-30 LA

Revision date: 06.04.2023

Product code: 49855

Page 4 of 11

### **DNEL/DMEL** values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
128-39-2	2,6-di-tert-butylphenol				
Worker DNE	L, long-term	inhalation	systemic	70,61 mg/m³	
Worker DNE	L, long-term	dermal	systemic	11,25 mg/kg bw/day	
Consumer D	NEL, long-term	inhalation	systemic	20,9 mg/m <sup>3</sup>	
Consumer D	NEL, long-term	dermal	systemic	6,75 mg/kg bw/day	
Consumer D	NEL, long-term	oral	systemic	6,75 mg/kg bw/day	
121158-58-5	phenol, dodecyl-, branched				
Worker DNE	L, acute	inhalation	systemic	44,18 mg/m <sup>3</sup>	
Worker DNE	L, long-term	dermal	systemic	0,25 mg/kg bw/day	
Worker DNE	L, acute	dermal	systemic	166 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	0,79 mg/m³	
Consumer D	NEL, acute	inhalation	systemic	13,26 mg/m <sup>3</sup>	
Consumer D	NEL, long-term	dermal	systemic	0,075 mg/kg bw/day	
Consumer DNEL, acute		dermal	systemic	50 mg/kg bw/day	
Consumer D	NEL, long-term	oral	systemic	0,075 mg/kg bw/day	
Consumer D	NEL, acute	oral	systemic	1,26 mg/kg bw/day	



according to Regulation (EC) No 1907/2006

## HIGHTEC SUNLUB SYNTH SAE 5W-30 LA

Revision date: 06.04.2023

Product code: 49855

Page 5 of 11

#### **PNEC** values

CAS No	Substance	
Environment	al compartment	Value
128-39-2	2,6-di-tert-butylphenol	
Freshwater		0,001 mg/l
Freshwater (	intermittent releases)	0,004 mg/l
Marine water	r	0 mg/l
Freshwater s	sediment	0,317 mg/kg
Marine sedin	nent	0,032 mg/kg
Secondary p	oisoning	60 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	10 mg/l
Soil		0,697 mg/kg
121158-58-5	phenol, dodecyl-, branched	
Freshwater		0,000074 mg/l
Freshwater (intermittent releases)		0,00037 mg/l
Marine water		0,000007 mg/l
Freshwater sediment		0,226 mg/kg
Marine sediment		0,027 mg/kg
Secondary p	oisoning	4 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,118 mg/kg

### 8.2. Exposure controls

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	brown
Odour:	characteristic
Melting point/freezing point:	
Boiling point or initial boiling point and	
boiling range:	

not determined not determined



according to Regulation (EC) No 1907/2006

#### **HIGHTEC SUNLUB SYNTH SAE 5W-30 LA** Product code: 49855 Revision date: 06.04.2023 Page 6 of 11 Not readily combustible. Flammability: Lower explosion limits: not determined Upper explosion limits: not determined Flash point: >180 °C Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: ~ 12,5 mm<sup>2</sup>/s (at 100 °C) Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

not determined

not determined

~ 0,870 g/cm<sup>3</sup>

not determined

not relevant

Solubility in other solvents not determined Partition coefficient n-octanol/water: Vapour pressure: Density (at 15 °C): Relative vapour density: Particle characteristics:

### 9.2. Other information

No information available.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

## HIGHTEC SUNLUB SYNTH SAE 5W-30 LA

Revision date: 06.04.2023

Product code: 49855

Page 7 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
128-39-2	2,6-di-tert-butylphenol					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1991)	OECD Guideline 401
121158-58-5	phenol, dodecyl-, branched					
	oral	LD50 : mg/kg	2100	Rat	Publication (1978)	OECD Guideline 401
	dermal	LD50 mg/kg	ca. 15000	Rabbit	Study report (1968)	OECD Guideline 402

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

**Endocrine disrupting properties** 

Endocrine disrupting properties: phenol, dodecyl-, branched.

#### Other information

No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

## HIGHTEC SUNLUB SYNTH SAE 5W-30 LA

Revision date: 06.04.2023

Product code: 49855

Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
128-39-2	2,6-di-tert-butylphenol			_	-		
	Acute crustacea toxicity	EC50 mg/l	0,45	48 h	Daphnia magna	REACh Registration Dossier	
	Crustacea toxicity	NOEC mg/l	0,035	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
121158-58-5	phenol, dodecyl-, branched						
	Acute crustacea toxicity	EC50 mg/l	0,037	48 h	Daphnia magna	Study report (2005)	OECD Guideline 202
	Crustacea toxicity	NOEC mg/l	0,004	21 d	Daphnia magna	Study report (2005)	OECD Guideline 211
	Acute bacteria toxicity	EC50 mg/l()	> 1000		activated sludge of a predominantly industrial sew	Study report (2004)	OECD Guideline 209

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
128-39-2	2,6-di-tert-butylphenol	4,5
121158-58-5	phenol, dodecyl-, branched	7,14

#### BCF

CAS No	Chemical name	BCF	Species	Source
128-39-2	2,6-di-tert-butylphenol	135 - 360	Cyprinus carpio	Publication (1992)
121158-58-5	phenol, dodecyl-, branched	289	Oncorhynchus mykiss	Study report (2006)

### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

#### 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB SYNTH SAE 5W-30 LA**

Revision date: 06.04.2023

Product code: 49855

Page 9 of 11

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

### List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

Land transport (ADR/RID)						
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.					
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.					
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.					
14.4. Packing group:	No dangerous good in sense of this transport regulation.					
Inland waterways transport (ADN)						
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.					
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.					
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.					
14.4. Packing group:	No dangerous good in sense of this transport regulation.					
Marine transport (IMDG)						
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.					
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.					
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.					
14.4. Packing group:	No dangerous good in sense of this transport regulation.					
Air transport (ICAO-TI/IATA-DGR)						
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.					
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.					
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.					
14.4. Packing group:	No dangerous good in sense of this transport regulation.					
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	No					
14.6. Special precautions for user						
No dangerous good in sense of this tr	ansport regulation.					
14.7. Maritime transport in bulk according	to IMO instruments					
No dangerous good in sense of this tr	ansport regulation.					
SECTION 15: Regulatory information	SECTION 15: Regulatory information					
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture					
EU regulatory information						
Authorisations (REACH, annex XIV):						
	HC (PEACH, article 50);					
Substances of very high concern, SVHC (REACH, article 59):						

phenol, dodecyl-, branched

Restrictions on use (REACH, annex XVII): Entry 3, Entry 30, Entry 75 Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB SYNTH SAE 5W-30 LA**

Revision date: 06.04.2023

Product code: 49855

Page 10 of 11

### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

Water hazard class (D):

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.

#### Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Repr: Reproductive toxicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).



according to Regulation (EC) No 1907/2006

### **HIGHTEC SUNLUB SYNTH SAE 5W-30 LA**

Revision date: 06.04.2023

Product code: 49855

Page 11 of 11

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

### Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)