

according to Regulation (EC) No 1907/2006

HIGHTEC CUT NK 1

Revision date: 06.04.2023

Product code: 64160

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC CUT NK 1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Schneidöl-Konzentrat (Universal cutting package)

1.3. Details of the supplier of the safety data sheet

Company name: Street:	ROWE Mineralölwerk GmbH Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
E-mail:	info@rowe-oil.com	
Contact person:	Product Compliance	
E-mail:	sdb@rowe-oil.com	
Internet:	www.rowe-oil.com	
1.4. Emergency telephone number:	· · · /	180 921 66, Healthcare Professionals +353 gency CONTACT (24-Hour-Number): GBK

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol			1 - < 2.5 %
	293-927-7		01-2119976351-35	
	Aquatic Chronic 3; H412	•	•	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
91648-65-6		1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	1 - < 2.5 %
	dermal: LD50 =	: > 2000 mg/kg; oral: LD50 = > 10000 mg/kg	

Further Information

According to EC directives or the corresponding national regulations the product does not have to be labelled.



according to Regulation (EC) No 1907/2006

HIGHTEC CUT NK 1

Revision date: 06.04.2023

Product code: 64160

Page 2 of 9

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8



according to Regulation (EC) No 1907/2006

HIGHTEC CUT NK 1

Revision date: 06.04.2023

Product code: 64160

Page 3 of 9

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Schneidöl-Konzentrat (Universal cutting package)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance		-	
DNEL type		Exposure route	Effect	Value
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hy	/drogen peroxide and te	ert-nonanethiol	
Worker DNEL,	long-term	inhalation	systemic	4,408 mg/m³
Worker DNEL, long-term		dermal	systemic	6,25 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	1,087 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	3,125 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	0,625 mg/kg bw/day

PNEC values

CAS No	Substance			
Environmenta	Environmental compartment Value			
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol			
Freshwater		0,041 mg/l		
Freshwater (i	ntermittent releases)	0,41 mg/l		
Marine water 0,004 mg/l				
Freshwater sediment 380,62 mg/kg				
Marine sediment 38,06 mg/kg				
Secondary po	Secondary poisoning 6,67 mg/kg			
Micro-organis	Micro-organisms in sewage treatment plants (STP) 8000 mg/l			
Soil		308,96 mg/kg		



according to Regulation (EC) No 1907/2006

HIGHTEC CUT NK 1

Revision date: 06.04.2023

Product code: 64160

Page 4 of 9

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. In fine dispersion/spraying/misting: Wear eye/face protection.

Liauid

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Skin protection

Physical state:

Use of protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Filysical state.	Liquiu		
	Colour:	brown		
	Odour:	characteristic		
				Test method
	Melting point/freezing point:		not determined	
	Boiling point or initial boiling point and		not determined	
	boiling range:			
	Flammability:		Not readily combustible.	
	Lower explosion limits:		not determined	
	Upper explosion limits:		not determined	
	Flash point:		>100 °C	DIN ISO 2592
	Auto-ignition temperature:		not determined	
	Decomposition temperature:		not determined	
	pH-Value:		not applicable	DIN 51369
	Viscosity / kinematic:		~ 85 mm²/s	DIN 51562
	(at 40 °C)			
	Water solubility:		practically insoluble	
	(at 20 °C)			
	Solubility in other solvents			
	Soluble in hydrocarbons (mineral oil.)			
	Partition coefficient n-octanol/water:		not determined	
	Vapour pressure:		>0,1 hPa	calculated.
	(at 20 °C)			
	Density (at 15 °C):		~ 0,970 g/cm ³	DIN 51757
	Relative vapour density:		not determined	
	Particle characteristics:		not relevant	
<u>9.2</u>	. Other information			
	Ne information evolution			

No information available.

SECTION 10: Stability and reactivity



according to Regulation (EC) No 1907/2006

HIGHTEC CUT NK 1

Revision date: 06.04.2023

Product code: 64160

Page 5 of 9

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No Chemical name

0/10/10							
	Exposure route	Dose	Species	Source	Method		
91648-65-6	1,3,4-Thiadiazolidine-2,5-	dithione, reaction produc	ts with hydrogen peroxide	and tert-nonanethiol			
	oral	LD50 > 10000 mg/kg	Rat	REACh Dossier	OECD 401		
	dermal	LD50 > 2000 mg/kg	Rabbit	REACh Dossier	OECD 402		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

not applicable

11.2. Information on other hazards

Other information

No information available.

Further information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].



according to Regulation (EC) No 1907/2006

HIGHTEC CUT NK 1

Revision date: 06.04.2023

Product code: 64160

Page 6 of 9

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h]] [d]	Species	Source	Method
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol						
	Acute crustacea toxicity	EL50 41	mg/l		Daphnia magna (Big water flea)	REACh Dossier	OECD 202

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrog	en peroxide and tert-nona	anethiol		
	OECD 301C	2 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	9,4

BCF

CAS No	Chemical name	BCF	Species	Source
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	15,7	Fish, not further specified.	REACh Dossier

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products



according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 1907/2006	
	HIGHTEC CUT NK 1	
Revision date: 06.04.2023	Product code: 64160	Page 7 of 9
CHAPTERS 05, 12 A	VASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN ND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated ricating oils; hazardous waste	
CHAPTERS 05, 12 A	: VASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN ND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated ricating oils; hazardous waste	
Contaminated packaging Wash with plenty of water. Comp	letely emptied packages can be recycled.	
SECTION 14: Transport information	n	
Land transport (ADR/RID)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS	: No	
14.6. Special precautions for user		
No information available.		
14.7. Maritime transport in bulk accord	ling to IMO instruments	
not applicable		
SECTION 15: Regulatory information	on	
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex 2	XVII):	
Entry 75		
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
According to EC directives or the	corresponding national regulations the product does not have to be labelled.	
National regulatory information		

National regulatory information Water hazard class (D):

1 - slightly hazardous to water



according to Regulation (EC) No 1907/2006

HIGHTEC CUT NK 1

Revision date: 06.04.2023

Product code: 64160

Page 8 of 9

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12,14,16.

Abbreviations and acronyms

Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H412

Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to Regulation (EC) No 1907/2006

HIGHTEC CUT NK 1

Revision date: 06.04.2023

Product code: 64160

Page 9 of 9

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)